Bibliography of Scientific Papers, 1930-2000

Revised, March 30, 2000
Canadian Grain Commission
Grain Research Laboratory

The scientific papers are listed alphabetically by the first author. The list includes over 900 titles. Citations are presented in the language in which they were published. You may order a reprint of any paper.

To order :

Include the title of the publication.
Include the GRL No.
Indicate the number of copies you need.
Include your name and complete address.

Mail, fax, phone or email your order to:

The Library
Canadian Grain Commission
300-303 Main Street
Winnipeg, Manitoba CANADA
R3C 3G8
Telephone: (204) 983-3360
Fax: (204) 983-6098
E-mail: library@cgc.ca

Abramson, D.; Clear, R.M., and Nowicki, T.W. Fusarium species and trichothecene mycotoxins in suspect samples of 1985 Manitoba wheat. (Canadian Journal of Plant Science). 1987; 67:611-619.

GRL No. 0591.

Abramson, D.; Smith, D.M.; Clear, R.M.; Nowicki, T.W.; Usleber, E.; Gessler, R., and Martlbauer, E. Fusarium toxins in Manitoba barley. (Proceedings of the 1996 Regional Fusarium/Scab Forum). 1996:1-3.

GRL No. M247.

Ahmed, M.K.; Daun Jim, and DeClercq, D. Application of Fourier transform infrared spectroscopy in quantitation of Trierucin in high-erucic-acid rapeseed oils. (Applied Spectroscopy). 1998; 52(7):990-993.

GRL No. 767.

Aitken, T.R. A.A.C.C. Administrative officers, 1930-31 to 1954-55. (Transactions, American Association of Cereal Chemists). 1955; 13(3):181-232.

GRL No. M027.

Aitken, T.R. An automatic proofing device for bread doughs. (Cereal Chemistry). 1930; 7(4):331-339.

GRL No. 0000.

Aitken, T.R. A note on the damage to wheat caused by the Indian Meal Moth. (Cereal Chemistry). 1943; 20(6):700-703.

GRL No. 0062.

Aitken, T.R. A survey of test baking procedures employed in America. (Cereal Chemistry). 1934; 11(6):648-654.

GRL No. 0008.

Aitken, T.R. Thirty years of cereal chemistry. (Transactions, American Association of Cereal Chemists). 1954; 12(3):157-214.

GRL No. M022.

Aitken, T.R. and Anderson, J.A. Conflicting opinions on the quality of bread wheats. (Transactions, American Association of Cereal Chemists). 1947; 5(1):6-18.

GRL No. 0082.

Aitken, T.R. and Anderson, J.A. Testing the baking strength of gluten concentrates. (Cereal Chemistry). 1943; 20(1):79-81.

GRL No. 0049.

Aitken, T.R. and Fisher, M.H. Mixing tolerances of varieties of hard red spring wheat. (Cereal Chemistry). 1945; 22(5):392-406.

GRL No. 0078.

Aitken, T.R.; Fisher, M.H., and Anderson, J.A. Blending value of Canadian wheat. (Scientific Agriculture). 1946; 26(11):578-589.

GRL No. 0083.

Aitken, T.R.; Fisher, M.H., and Anderson, J.A. Effect of protein content and grade on farinograms, extensograms, and alveograms. (Cereal Chemistry). 1944; 21(6):465-488.

GRL No. 0068.

Aitken, T.R.; Fisher, M.H., and Anderson, J.A. Quality of Australian wheat varieties grown in Canada. (Scientific Agriculture). 1951; 31:439-453.

GRL No. 0112.

Aitken, T.R.; Fisher, M.H., and Anderson, J.A. Reproducibility studies and some effects of technique on extensograms and alveograms. (Cereal Chemistry). 1944; 21(6):489-498.

GRL No. 0069.

Aitken, T.R.; Fisher, M.H., and Geddes, W.F. The effect on loaf volume, of proving doughs to a definite height as compared with for a fixed time. (Cereal Chemistry). 1937; 14(2):233-238.

GRL No. 0025.

Aitken, T.R. and Geddes, W.F. The behavior of strong flours of widely varying protein content when subjected to normal and severe baking procedures. (Cereal Chemistry). 1934; 11(5):487-504.

GRL No. 0006.

Aitken, T.R. and Geddes, W.F. The effect on flour strength of increasing the protein content by addition of dried gluten. (Cereal Chemistry). 1938; 15(2):181-196.

GRL No. 0032.

Aitken, T.R. and Geddes, W.F. The relation between protein content and strength of gluten-enriched flours. (Cereal Chemistry). 1939; 16(2):223-231.

GRL No. 0038.

Aitken, T.R.; Meredith, W.O.S., and Olson, P.J. Effect of 2,4-D on qualities of western Canadian wheat, barley, and oats. (Scientific Agriculture). 1952; 32:317-332.

GRL No. 0115.

Ames, N.; Clarke, J.; Marchylo, B.; Dexter, J., and Kovacs, M. The effect of durum wheat gluten strength on pasta quality. (Wheat Protein Production and Marketing). 1998:228-233.

GRL No. M233.

Ames, N.; Clarke, J.; Marchylo, B., and Lukow, O. Relationship between B-LMW glutenin subunit alleles and durum wheat strength characteristics. (Wheat Protein Production and Marketing). 1998:224-227.

GRL No. M234.

Anderson, J.A. Bromate reaction in dough. (Proceedings of the Royal Australian Chemical Institute). 1961; 28(7):283-296.

GRL No. M045.

Anderson, J.A. Canadian research on malting barley. Part I. (Wallerstein Laboratories Communications). 1945; 8(23):5-22.

GRL No. 0067.

Anderson, J.A. Canadian research on malting barley. Part II. The relations between certain barley and malt properties. (The Empire Journal of Experimental Agriculture). 1945; 13(49):1-10.

GRL No. 0067.

Anderson, J.A. Cereals and their products. (A History of Chemistry in Canada). 1949:245-252.

GRL No. M005.

Anderson, J.A. Factors related to the protein content of malting barley. (Wallerstein Laboratories Communications). 1945:179-191.

GRL No. 0072.

Anderson, J.A. Grain research: contrasts and concepts. (Cereal Chemistry). 1957; 34(6):21-37.

GRL No. M037.

Anderson, J.A. Maintenance of quality in Canadian cereals through laboratory control. (Proceedings of the Seventh Pacific Science Congress, N.Z.). 1949:135-139.

GRL No. M006.

Anderson, J.A. Maintenance of quality in Canadian grains. (Proceedings of the Belgium-Netherlands Association for Study of Cereals). 1960.

GRL No. M044.

Anderson, J.A. Notes on reviewing. (Transactions, American Association of Cereal Chemists). 1948; 6(1):23-26.

GRL No. M003.

Anderson, J.A. Notes on writing sentences. (80th Annual Report of the Entomological Society of Ontario). 1950:1-3.

GRL No. M010.

Anderson, J.A. On defining malting quality in barley. (Proceedings VII Eme Congress International Des Industries Agricoles, Paris, France, 1948). 1948.

GRL No. M004.

Anderson, J.A. Practical problems and applied research. (Cereal Science Today). 1958; 3(7):175-178.

GRL No. M039.

Anderson, J.A. The preparation of illustrations and tables. (Transactions, American Association of Cereal Chemists). 1945; 3(2):74-104.

GRL No. 0074.

Anderson, J.A. The problem of tough and damp grain. (A Series of Five Radio Talks to Producers). 1954.

GRL No. M023.

Anderson, J.A. Profile of Northrop's views on scientific methodology. (Chemistry in Canada). 1950; 2:179-183.

GRL No. M009.

Anderson, J.A. The relationship of moisture to the storage of grains. (N.R.C. of American Symposium on Moisture Relationships Affecting Wheat and Its Milled Products). 1954.

GRL No. M021.

Anderson, J.A. Report of the National Check Sample committee. (Transactions, American Association of Cereal Chemists). 1947; 5(2):178-185.

GRL No. M001.

Anderson, J.A. The role of statistics in technical papers. (Transactions, American Association of Cereal Chemists). 1945; 3(2):69-73.

GRL No. 0073.

Anderson, J.A. Viewpoint on research. (Transactions, American Association of Cereal Chemists). 1953; 11(2):89-99.

GRL No. M018.

Anderson, J.A. and Aitken, T.R. Canada's Grain Research Laboratory. (Cereal Science Today). 1957; 2(5):106-111.

GRL No. M035.

Anderson, J.A.; Babbitt, J.D., and Meredith, W.O.S. The effect of temperature differential on the moisture content of stored wheat. (Canadian Journal of Research, C.). 1943; 21:297-306.

GRL No. 0060.

Anderson, J.A. and Cunningham, R.L. Micro tests of alimentary pastes. III. The differential response of varieties to processing methods. (Canadian Journal of Research, C.). 1943; 21:265-275.

GRL No. 0058.

Anderson, J.A. and Eva, W.J. The protein content of corresponding grades of wheat drawn from the northern and southern portions of western Canada. (Canadian Journal of Research, C.). 1943; 21:276-288.

GRL No. 0059.

Anderson, J.A. and Eva, W.J. Starch content of western Canadian wheat. II. Its estimation from protein content, and some estimated data. (Canadian Journal of Research, C.). 1943; 21:323-331.

GRL No. 0061.

Anderson, J.A. and Eva, W.J. Variations in the protein content of western Canadian wheat 1927-1938. A study based on twelve annual protein surveys. (Board of Grain Commissioners for Canada, Grain Research Laboratory Bulletin). 1943; 4:1-139.

GRL No. 0056.

Anderson, J.A. and Irvine, G.N. On assessing the baking quality of strong wheats. (Report of the

International Association of Cereal Chemistry). 1960; 4:18-25.

GRL No. M042.

Anderson, J.A. and Irvine, G.N. Zur beurteilung der backfahigkeit von qualitatsweizen. (Getreide Und Mehl). 1962; 12(9):97-100.

GRL No. M052.

Anderson, J.A.; Larmour, R.K., and Hulse, J.H. Storage trial of flour and farina. (Proceedings of the Scandinavian Association of Cereal Chemistry). 1960:144-147.

GRL No. M043.

Anderson, J.A. and Martin, V.G. Probe for sampling deep grain bins. (Bulletin). 1943; 3:1-12.

GRL No. 0053.

Anderson, J.A. and Meredith, W.O.S. The pattern of Canadian research on malting barley. (Proceedings of the Royal Australian Chemical Institute, 1961 Annual Meeting of the Cereal Chemistry Group). 1962.

GRL No. M050.

Anderson, J.A.; Meredith, W.O.S.; Eva, W.J., and Heise, A.C. Oil seeds in western Canadian grain screenings. (Canadian Journal of Research, F.). 1944; 22:19-27.

GRL No. 0057.

Anderson, J.A.; Meredith, W.O.S., and Sallans, H.R. Malting quality of Canadian barleys. IV. A summary of information of special interest to plant breeders. (Scientific Agriculture). 1943; 23(5):297-314.

GRL No. 0054.

Anderson, J.A.; Neatby, K.W., and Levi, I. A preharvest survey of the protein content of western Canadian wheat of the 1943 crop. (Cereal Chemistry). 1944; 21(4):283-295.

GRL No. 0065.

Anderson, J.A. and Thistle, M.W. On writing scientific papers. (Canadian Journal of Research). 1947; Bulletin No. 1691:1-28.

GRL No. M002.

Babb, J.C.; Dempster, C.J., and Wallis, R.J. Prediction of the moisture content of eastern Canadian corn using measurements of capacitance and test weight. (Canadian Journal of Plant Science). 1989; 69:109-119.

GRL No. 0622.

Babb, J.C.; Khandekar, M.L., and Garnett, E.R. An analysis of PNA indices for forecasting summer weather over the Canadian prairies with implications for wheat yield and protein. (Proceedings of the Long-Range Weather and Crop Forecasting Work Group Meeting III.). 1997:31-36.

M229.

Babb, J.C.; Khandekar, M.L., and Garnett, E.R. Climatic teleconnections and early prediction of Canadian Red Spring Wheat yields. (Proceedings of the Second Long-Range Weather and Crop Forecasting Working Group Meeting, Winnipeg, Manitoba, March 21-23, 1995). 1995:41-44.

GRL No. M196.

Bains, G.S. and Irvine, G.N. The quality of Canadian amber durum wheat grades and the role of a pentosan-rich fraction in macaroni dough quality. (Journal of the Science of Food and Agriculture). 1965; 16:233-240.

GRL No. 0244.

Bains, G.S. and Irvine, G.N. Studies on the quality of some improved varieties of Indian wheats. (Journal of the Science of Food and Agriculture). 1965; 16:526-535.

GRL No. 0247.

Ballance, G.M. and Meredith, W.O.S. Development of cytolytic enzyme activities during germination of different barleys. (Canadian Journal of Plant Science). 1974; 54(2):223-229.

GRL No. 0334.

Ballance, G.M. and Meredith, W.O.S. Purification and partial characterization of an endo-beta1, 3-glucanase from green malt. (Journal of the Institute of Brewing). 1976; 82:64-67.

GRL No. 0354.

Ballance, G.M.; Meredith, W.O.S., and LaBerge, D.E. Distribution and development of endo-beta-glucanase activities in barley tissues during germination. (Canadian Journal of Plant Science). 1976; 56:459-466.

GRL No. 0353.

Barth, F.W. Application of the Chopin alveograph to the study of the structural relaxation in dough. (M. Sc. Thesis, University of Manitoba). 1955.

GRL No. M030.

Bass, E.J. Cytolytic enzymes in germinating barley. (Ph. D. Thesis, University of Manitoba). 1954.

GRL No. M025.

Bass, E.J.; Bendelow, V.M., and Meredith, W.O.S. Enzymes that degrade barley gums. V. Relation between endo-beta-polyglucosidase activity and other barley and malt properties. (Cereal Chemistry). 1957; 34(4):219-225.

GRL No. 0160.

Bass, E.J. and Meredith, W.O.S. Cytolytic enzymes in germinating barley. A review of current research. (Proceedings of the American Society of Brewing Chemists, Annual Meeting). 1955:11-17.

GRL No. M029.

Bass, E.J. and Meredith, W.O.S. Enzymes that degrade barley gums. III. Studies of beta-polyglucosidases of green malt. (Cereal Chemistry). 1955; 32(5):374-381.

GRL No. 0148.

Bass, E.J. and Meredith, W.O.S. Enzymes that degrade barley gums. IV. Studies of varietal differences in endo-beta-polyglucosidase activity. (Cereal Chemistry). 1956; 33(2):129-135.

GRL No. 0153.

Bass, E.J. and Meredith, W.O.S. Enzymes that degrade barley gums. VI. Relation between barley gum composition, cytolytic activity, and malting quality. (Proceedings of the American Society of Brewing Chemists). 1959:129-132.

GRL No. 0175.

Bass, E.J. and Meredith, W.O.S. Enzymes that degrade barley gums. VII. Fractionation by column chromatography. (Proceedings of the American Society of Brewing Chemists). 1960:38-47.

GRL No. 0186.

Bass, E.J.; Meredith, W.O.S., and Anderson, J.A. Enzymes that degrade barley gums. I. Isolation from a bacterial source. (Cereal Chemistry). 1952; 29(4):262-272.

GRL No. 0118.

Bass, E.J.; Meredith, W.O.S., and Anderson, J.A. Enzymes that degrade barley gums. II. Preparations from barley and green malt. (Cereal Chemistry). 1953; 30(4):313-322.

GRL No. 0123.

Bendelow, V.M. and LaBerge, D.E. Relationships among barley, malt, and beer phenolics. (Journal of the American Society of Brewing Chemists). 1979; 37(2):89-90.

GRL No. 0410.

Bendelow, V.M. and Meredith, W.O.S. Reliability of prediction tests for malting quality of barley. (Canadian Journal of Agricultural Science). 1955; 35:252-258.

GRL No. 0140.

Bendelow, V.M.; Meredith, W.O.S., and Johnston, W.H. Malting quality of Canadian barleys. VII. Parkland. (Canadian Journal of Plant Science). 1958; 38:88-93.

GRL No. 0162.

Bendelow, V.M.; Meredith, W.O.S., and Sisler, W.W. Assessment of malting and brewing quality

for Canadian barley breeding programs. (Proceedings of the Second International Barley Genetics Symposium, U.S.A., Barley Genetics II). 1970:575-581.
GRL No. M091.

Bettner, R.E. and Meredith, W.O.S. Changes in beta-amylase during steeping. (Proceedings of the American Society of Brewing Chemists). 1970:118-126.
GRL No. 0292.

Bettner, R.E. and Meredith, W.O.S. The effect of duration of initial wet-steep period on malt quality. (Proceedings of the American Society of Brewing Chemists). 1969:70-77.
GRL No. 0280.

Bettner, R.E. and Meredith, W.O.S. Estimation of malt extract from refractive index of wort. (Proceedings of the American Society of Brewing Chemists). 1969:171-174.
GRL No. 0282.

Bettner, R.E.; Meredith, W.O.S., and Anderson, J.A. Laboratory drum-malting equipment. II. Multiple units. (Proceedings of the American Society of Brewing Chemists). 1962:5-12.
GRL No. 0211.

Bhatty, R.S. and MacGregor, A.W. Gamma irradiation of hulless barley: effect on grain composition, beta-glucan and starch. (Cereal Chemistry). 1988; 65(6):463-470.
GRL No. 0615.

Binnington, D.S. An improved reaction microapparatus. (Industrial and Engineering Chemistry). 1937; 9:353.
GRL No. 0029.

Binnington, D.S. and Geddes, W.F. An automatic recording balance. (Industrial and Engineering Chemistry). 1936; 8(1):76-79.
GRL No. 0020.

Binnington, D.S. and Geddes, W.F. Experimental durum milling and macaroni making technique. (Cereal Chemistry). 1936; 13(5):497-521.
GRL No. 0022.

Binnington, D.S. and Geddes, W.F. Further studies upon the relative macaroni-making quality of a number of durum wheat varieties. (Cereal Chemistry). 1939; 16(3):384-392.
GRL No. 0041.

Binnington, D.S. and Geddes, W.F. An improved wide-range volume-measuring apparatus for small loaves. (Cereal Chemistry). 1938; 15(2):235-246.
GRL No. 0033.

Binnington, D.S. and Geddes, W.F. A rapid method for the determination of wheat and flour pigments. (Cereal Chemistry). 1939; 16(2):252-262.
GRL No. 0036.

Binnington, D.S. and Geddes, W.F. The relative loss in pigment content of durum wheat, semolina and spaghetti stored under various conditions. (Cereal Chemistry). 1937; 14(2):239-244.
GRL No. 0023.

Binnington, D.S. and Geddes, W.F. The relative macaroni making quality of a number of durum wheat varieties. (Cereal Chemistry). 1937; 14(3):293-304.
GRL No. 0024.

Binnington, D.S.; Johannson, H., and Geddes, W.F. Quantitative methods for evaluating the quality of macaroni products. (Cereal Chemistry). 1939; 16(2):149-167.
GRL No. 0037.

Binnington, D.S.; Sibbitt, L.D., and Geddes, W.F. A comparative study of the utility of various commercially available organic solvents for the determination of wheat and flour pigments. (Cereal Chemistry). 1938; 15(2):119-132.
GRL No. 0031.

Birchard, F.J. and Aitken, T.R. Some characteristics of Canadian hard red spring wheat with special reference to its value for blending. (Proceedings of the World's Grain Exhibition and Conference, Canada). 1933; 2:386-399.

GRL No. 0001.

Black, H.C. The GRL pilot mill. (Association of Operative Millers-Bulletin). 1980:3834-3837.

GRL No. M121.

Black, H.C. Laboratory purifier for durum semolina. (Cereal Science Today). 1966; 11(12):533-534, 542.

GRL No. M063.

Black, H.C. and Bushuk, W. A laboratory flour agglomerator. (Cereal Science Today). 1966; 11(12):517, 518, 528.

GRL No. M064.

Black, H.C. and Bushuk, W. Modification of the Buhler laboratory mill for milling semolina. (Cereal Science Today). 1967; 12(4):164-167.

GRL No. M065.

Black, H.C.; Fisher, M.H., and Irvine, G.N. Laboratory milling. I. A small-scale bran finisher. (Cereal Chemistry). 1961; 38(1):97-101.

GRL No. 0189.

Black, H.C.; Hsieh, F.H.; Martin, D.G., and Tipples, K.H. Two Grain Research Laboratory research mills and a comparison with the Allis-Chalmers mill. (Cereal Chemistry). 1980; 57(6):402-406.

GRL No. 0443.

Black, H.C.; Hsieh, F.H.; Tipples, K.H., and Irvine, G.N. The GRL sifter for laboratory flour milling. (Cereal Foods World). 1980; 25(12):757-760.

GRL No. 0450.

Black, H.C.; Preston, K.R., and Dexter, J.E. Modifications to the Buhler laboratory mill to produce a flour comparable in yield and quality to the Allis-Chalmers laboratory mill. (Canadian Institute of Food Science and Technology Journal). 1983; 16(3):191-195.

GRL No. 0508.

Black, H.C.; Preston, K.R., and Tipples, K.H. The GRL pilot mill. I. Flour yields and analytical properties of flour streams milled from Canadian red spring wheats. (Canadian Institute of Food Science and Technology Journal). 1981; 14(4):315-320.

GRL No. 0470.

Black, H.C. and Williams, P.C. A laboratory air-classifier. (Cereal Science Today). 1969; 14(11):358-365.

GRL No. 0283.

Bloksma, A.H. and Hlynka, I. The effect of remixing on the structural relaxation of unleavened dough. (Cereal Chemistry). 1960; 37(3):352-362.

GRL No. 0181.

Bureau, D. and MacGregor, A.W. Caracteristiques d'une methode de dosage de sucres reducteurs par coloration a la neocuproine. Application a la mesure de l'activite b-amylasique de l'orge. (Lebensmittel-Wissenschaft & Technologie). 1980; 13(2):92-95.

GRL No. 0427.

Burger, W.C. and LaBerge, D.E. Malting and brewing quality. (Barley, Agronomy Monograph). 1985(No. 26):367-.

GRL No. C51.

Bushuk, W. Accessible sulfhydryl groups in dough. (Cereal Chemistry). 1961; 38(5):438-448.

GRL No. 0203.

Bushuk, W. Distribution of water in dough and bread. (Bakers Digest). 1966; 40(5):38-40.

GRL No. M061.

Bushuk, W. A farinograph technique for studying gluten. (Cereal Chemistry). 1963; 40(4):430-435.

GRL No. 0216.

Bushuk, W. Kinetic studies of the decomposition of hydrogen peroxide by wheat catalase. (M.Sc. Thesis, University of Manitoba). 1953.

GRL No. M020.

Bushuk, W. Sulphydryl-initiated aggregation of mercaptalbumin in 0.1 N sodium chloride solutions. (Canadian Journal of Biochemistry and Physiology). 1961; 39:1789-1790.

GRL No. 0204.

Bushuk, W. and Benoit, H. Light-scattering studies of copolymers. I. Effect of heterogeneity of chain composition on the molecular weight. (Canadian Journal of Chemistry). 1958; 36:1616-1626.

GRL No. 0173.

Bushuk, W. and Benoit, H. Physique macromoleculaire.-Etude de l'effet des heterogeneites de composition sur la determination du poids moleculaire des copolymeres par diffusion de la lumiere. (Comptes Rendus Des Seances De L'Academie Des Sciences). 1958; 246:3167-3170.

GRL No. 0191.

Bushuk, W. and Hlynka, I. The bromate reaction in dough. I. Kinetic studies. (Cereal Chemistry). 1960; 37(2):141-150.

GRL No. 0178.

Bushuk, W. and Hlynka, I. The bromate reaction in dough. II. Inhibition and activation studies. (Cereal Chemistry). 1960; 37(3):343-351.

GRL No. 0180.

Bushuk, W. and Hlynka, I. The bromate reaction in dough. III. Effect of continuous mixing and flour particle size. (Cereal Chemistry). 1961; 38(2):178-186.

GRL No. 0192.

Bushuk, W. and Hlynka, I. The bromate reaction in dough. IV. Effect of reducing agents. (Cereal Chemistry). 1961; 38(4):309-316.

GRL No. 0197.

Bushuk, W. and Hlynka, I. The bromate reaction in dough. V. Effect of flour components and some related compounds. (Cereal Chemistry). 1961; 38(4):316-325.

GRL No. 0199.

Bushuk, W. and Hlynka, I. The effect of iodate and N-ethylmaleimide on extensigraph properties of dough. (Cereal Chemistry). 1962; 39(3):189-195.

GRL No. 0206.

Bushuk, W. and Hlynka, I. Water as a constituent of flour, dough, and bread. (Bakers Digest). 1964; 38(6):43-46, 92.

GRL No. M057.

Bushuk, W. and Hlynka, I. Weight and volume changes in wheat during sorption and desorption of moisture. (Cereal Chemistry). 1960; 37(3):390-398.

GRL No. 0182.

Bushuk, W.; Hlynka, I.; Lee, C.C., and Tkachuk, R. Disappearance of bromate during baking of bread. (Cereal Chemistry). 1960; 37(4):573-576.

GRL No. 0183.

Bushuk, W.; Kilborn, R.H., and Irvine, G.N. Studies on continuous-type bread using a laboratory mixer. (Cereal Science Today). 1965; 10(8):402-405.

GRL No. 0246.

Bushuk, W.; Perks, R.E., and Irvine, G.N. Effect of remixing time in the 'remix' baking test. (Cereal Science Today). 1969; 14(12):398-401.

GRL No. M083.

Bushuk, W.; Tsen, C.C., and Hlynka, I. The function of mixing in breadmaking. (Bakers Digest). 1968; 42(4):36-38, 40.

GRL No. M062.

Bushuk, W. and Winkler, C.A. Sorption of organic vapors on wheat flour at 27 C. (Cereal Chemistry). 1957; 34(2):87-93.

GRL No. M033.

Bushuk, W. and Winkler, C.A. Sorption of water vapor on wheat flour, starch, and gluten. (Cereal Chemistry). 1957; 34(2):73-86.

GRL No. 0165.

Cardona, C.; Hariri, G.; El-Haramein F. Jaby, and Rashwani, A.a.W.P.C. Infestation of wheat by Suni Bug (Eurygaster Spp.) in Syria. (Rachis). 1983; 2:3-5.

GRL No. M217.

Casutt, V.; Preston, K.R., and Kilborn, R.H. Effects of fermentation time, inherent flour strength, and salt level on extensigraph properties of full-formula remix-to-peak processed doughs. (Cereal Chemistry). 1984; 61(5):454-459.

GRL No. 0541.

Cenkowski, S.; Jayas, D.S., and Daun, J.K. Potential of in-field and low temperature drying for reducing chlorophyll contents in canola (Brassica napus L). (Journal of the Science of Food and Agriculture). 1993; 63:377-383.

GRL No. 0691.

Cenkowski, S.; Ramanathan, S.; Scanlon, M.G., and Dexter, J.E. Thermodynamic and functional properties of mechanically compacted flour. (Canadian Agricultural Engineering). 1998; 40(1):35-45.

GRL No. 768.

Chanin, W.G. Structural relaxation studies of the effect of lactic and acetic acids and salts on the action of bromate in dough. (M. Sc. Thesis, University of Manitoba). 1955.

GRL No. M031.

Chauhan, G.S.; Eskin, N.A.M., and Tkachuk. Nutrients and antinutrients in Quinoa seed. (Cereal Chemistry). 1992; 69(1):85-88.

GRL No. 0668.

Chen, J.D.; Grant, G.R.; Boivin, W.A.; Heinrich, M.T.; Kerr, A.H., and Tkachuk, R. Background radioactivity levels in Canadian grains and oil seeds. (Journal of Radioanalytical and Nuclear Chemistry). 1995; 194(2):359-369.

M220.

Chow, P.N.P. and LaBerge, D.E. Wild oat herbicide studies. 2. Physiological and chemical changes in barley and wild oats treated with diclofop-methyl herbicide in relation to plant tolerance. (Journal of Agricultural and Food Chemistry). 1978; 26(5):1134-1137.

GRL No. 0390.

Chow, P.N.P. and MacGregor, A.W. Effect of ammonium sulfate and surfactants on activity of the herbicide Sethoxydim. (Journal of Pesticide Science). 1983; 8(4):519-527.

GRL No. 0540.

Clayton, J.W. The extraction and ion-exchange chromatography of buffer-soluble and gluten proteins of wheat flour. (Cereal Chemistry). 1966; 43(5):495-516.

GRL No. 0259.

Clayton, J.W. and Bushuk, W. Ion exchange chromatography of proteins. Artifact separations resulting from inadequate pH control. (Journal of Chromatography). 1966; 21:67-74.

GRL No. 0248.

Clayton, J.W. and Meredith, W.O.S. The effect of thiols on the dinitrosalicylic acid test for reducing sugars. (Journal of the Institute of Brewing). 1966; 72:537-540.

GRL No. 0260.

Clear, K.M.; Daun, J.K., and Mills, J.T. Effects of frost damage on canola (rapeseed) in Canada. (GCIRC Bulletin). 1990; 6:40-47.

GRL No. M168.

Clear, R.M. Frequency and distribution of seedborne fungal pathogens in western Canadian canola - 1989 and 1990. (Canadian Plant Disease Survey). 1992; 72(1):21-28

GRL No. 0666.

Clear, R.M. and Abramson, D. Occurrence of fusarium head blight and deoxynivalenol (vomitoxin) in two samples of Manitoba wheat in 1984. (Canadian Plant Disease Survey). 1986; 66(1):9-11.

GRL No. 0587.

Clear, R.M. and Eustrom, M. FDK vs Scab: Comparison of the Canadian and USA grading systems in their assessment of damage. (Proceedings of the 1996 Regional Fusarium/Scab Forum). 1996:72-74.

GRL no. M244.

Clear, R.M.; Nowicki, T.W., and Daun, J.K. Soybean seed discoloration by Alternaria spp. and Fusarium spp., effects on quality and production of fusariotoxins. (Canadian Journal of Plant Pathology). 1989; 11:308-312.

GRL No. 0641.

Clear, R.M. and Patrick, S.K. Frequency and distribution of seedborne fungi infecting canola seed from Ontario and western Canada : 1989 to 1993. (Canadian Plant Disease Survey). 1995; 75(1):9-17.

GRL No. 0723.

Clear, R.M. and Patrick, S.K. Fusarium species isolated from wheat samples containing tombstone (scab) kernels from Ontario, Manitoba, and Saskatchewan. (Canadian Journal of Plant Science). 1990; 70:1057-1069.

GRL No. 0650.

Clear, R.M. and Patrick, S.K. Prevalence of some seedborne fungi on soft white winter wheat seed from Ontario, Canada. (Canadian Plant Disease Survey). 1993; 73(2):143-149.

GRL No. 0698.

Clear, R.M. and Patrick, S.K. A simple medium to aid the identification of Fusarium moniliforme, F. proliferatum, and F. subglutinans. (Journal of Food Protection). 1992; 55(2):120-122.

GRL No. 0669.

Clear, R.M.; Patrick, S.K.; Nowicki, T.; Gaba, D.; Edney, M., and Babb, J.C. The effect of hull removal and pearling on Fusarium species and trichothecenes in hulless barley. (Canadian Journal of Plant Science). 1996; 77:161-166.

GRL No. 0747.

Clear, R.M.; Patrick, S.K.; Platford, R.G., and Desjardins, M. Occurrence and distribution of Fusarium species in barley and oat seed from Manitoba in 1993 and 1994. (Canadian Journal of Plant Pathology). 1996; 18:409-414.

GRL No. 0745.

Cook, W.H.; Hopkins, J.W., and Geddes, W.F. Rapid determination of moisture in grain. (Cereal Chemistry). 1935; 12(3):230-244.

GRL No. 0014.

Cook, W.H.; Hopkins, J.W., and Geddes, W.F. Rapid determination of moisture in grain. I. Comparison of 130C air oven and Brown-Duvel methods with vacuum oven method. (Canadian Journal of Research). 1934; 11:264-289.

GRL No. 0011.

Cook, W.H.; Hopkins, J.W., and Geddes, W.F. Rapid determination of moisture in grain. II. Calibration and comparison of electrical moisture meters with vacuum oven for hard red spring wheat. (Canadian Journal of Research). 1934; 11:409-447.

GRL No. 0012.

Cook, W.H.; Hopkins, J.W., and Geddes, W.F. Rapid determination of moisture in grain. III. Calibration and comparison of electrical moisture meters with vacuum oven for amber durum wheat, barley, and oats. (Canadian Journal of Research). 1934; 11:547-563.

GRL No. 0013.

Cooke, L.A. and LaBerge, D.E. Barley nobody malts. (Master Brewers' Association of the Americas Technical Quarterly). 1988; 25:36-40.

GRL No. M152.

Cooke, L.A. and Marchylo, B.A. Rapid electrophoretic detection of a lentil-like vetch (Vicia sativa L.) in commercial samples of French dark speckled lentils (Lens culinaris Medik.). (Plant Varieties and Seeds). 1992; 5:1-11.

GRL No. 0657.

Craig, B.M.; Mallard, T.M.; Wight, R.E.; Irvine, G.N., and Reynolds, J.R. Symposium: Rapeseed marketing and breeding. Influence of genetics, environment and admixtures on low erucic acid rapeseed in Canada. (Journal of the American Oil Chemists' Society). 1973; 50(10):395-399.

GRL No. 0328.

Craig, J.F.; Babaluk, J.A.; Stevenson, S.G., and Williams, P.C. Variation in growth and reproduction of walleye (Stizostedion vitreum) in three Manitoba lakes. (Canadian Journal of Zoology). 1995; 73:367-372.

GRL No. M197.

Cunningham, D.K. Comparative studies of the chemical and physical properties of some cereal grains. (Ph. D. Thesis, University of Minnesota). 1954.

GRL No. M024.

Cunningham, D.K. and Anderson, J.A. Application of amperometric titration to the determination of potassium bromate in flour. (Cereal Chemistry). 1954; 31(6):517-521.

GRL No. 0136.

Cunningham, D.K. and Anderson, J.A. Decomposition of bromate in fermenting and nonfermenting doughs. (Cereal Chemistry). 1956; 33(5):290-299.

GRL No. 0155.

Cunningham, D.K. and Anderson, J.A. Preparation of "gluten" from barley and rye. (Cereal Chemistry). 1950; 27(4):344.

GRL No. 0105.

Cunningham, D.K. and Anderson, J.A. Rapid detection of mercury on cereal grains. (Cereal Chemistry). 1954; 31(6):513-516.

GRL No. 0135.

Cunningham, D.K.; Geddes, W.F., and Anderson, J.A. Precipitation by various salts of the proteins extracted by formic acid from wheat, barley, rye, and oat flours. (Cereal Chemistry). 1955; 32(3):192-199.

GRL No. 0146.

Cunningham, D.K.; Geddes, W.F., and Anderson, J.A. Preparation and chemical characteristics of the cohesive proteins of wheat, barley, rye, and oats. (Cereal Chemistry). 1955; 32(2):91-106.

GRL No. 0137.

Cunningham, D.K. and Hlynka, I. Flour lipids and the bromate reaction. (Cereal Chemistry). 1958; 35(6):401-410.

GRL No. 0169.

Cunningham, D.K. and Hlynka, I. A note on the occurance and elimination of formaldehyde fumes from a bake laboratory atmosphere. (Cereal Chemistry). 1949; 26(6):497-500.

GRL No. 0100.

Cunningham, J.R. and Hlynka, I. Relaxation time spectrum of dough and the influence of temperature, rest, and water content. (Journal of Applied Physics). 1954; 25(9):1075-1081.

GRL No. 0134.

Cunningham, J.R.; Hlynka, I., and Anderson, J.A. An improved relaxometer for viscoelastic substances applied to the study of wheat dough. (Canadian Journal of Technology). 1953; 31:98-108.

GRL No. 0125.

Cunningham, R.L. and Anderson, J.A. Micro test of alimentary pastes. I. Apparatus and method. (Cereal Chemistry). 1943; 20(2):171-185.

GRL No. 0050.

Cunningham, R.L. and Anderson, J.A. Micro test of alimentary pastes. II. Effects of processing conditions on paste properties. (Cereal Chemistry). 1943; 20(4):482-506.

GRL No. 0051.

Daun, J.K. Composition and use of canola seed, oil, and meal. (Cereal Foods World). 1984; 29(5):291-294, 296.

GRL No. M134.

Daun, J.K. Erucic acid levels in western Canadian canola and rapeseed. (Journal of the American Oil Chemists' Society). 1986; 63(3):321-324.

GRL No. 0573.

Daun, J.K. Glucosinolate analysis in rapeseed and canola - An update. (Journal of the Japan Oil Chemists' Society, Yukagaku). 1986; 35(6):426-434.

GRL No. 0584.

Daun, J.K. Glucosinolate levels in western Canadian rapeseed and canola. (Journal of the American Oil Chemists' Society). 1986; 63(5):639-643.

GRL No. 0574.

Daun, J.K. The introduction of low erucic acid rapeseed varieties into Canadian production. (High and Low Erucic Acid Rapeseed Oils). 1983:161-180.

GRL No. M131.

Daun, J.K. Mathematical method for estimating color of spaghetti and mustard flour. (Cereal Chemistry). 1978; 55(5):692-698.

GRL No. 0397.

Daun, J.K. Rapeseed quality surveys - 1955 to 1977. (Proceedings of the 5th International Rapeseed Conference, Sweden). 1978; 2:48-50.

GRL No. M119.

Daun, J.K. A rapid procedure for the determination of chlorophyll in rapeseed by reflectance spectroscopy. (Journal of the American Oil Chemists' Society). 1976; 53(12):767-770.

GRL No. 0362.

Daun, J.K. The relationship between rapeseed chlorophyll, rapeseed oil chlorophyll and percentage green seeds. (Journal of the American Oil Chemists' Society). 1982; 59(1):15-18.

GRL No. 0478.

Daun, J.K. Summary of analytical methods used for characterization of rapeseed. (Analytical Chemistry of Rapeseed and Its Products. (Canola Council of Canada)). 1980:15-21.

GRL No. M125.

Daun, J.K. Workshop: Analysis of Canola and Rapeseed in value-added payment systems. 1.The situation in Canada. (GCIRC Bulletin). 1992; 8:102-103.

GRL No. M177.

Daun, J.K. and Biely, J. Variation in protein and oil content of whole rapesed exported from Canada. (Journal of the American Oil Chemists' Society). 1980; 55(11):380.

GRL No. M118.

Daun, J.K. and Burch, L.D. Oilseeds grading - Quality control in oilseeds marketing. (Journal of the American Oil Chemists' Society). 1984; 61(6):1117-1122.

GRL No. 0532.

Daun, J.K.; Burch, L.D.; Tkachuk, R., and Mundel, H.H. Composition of the kernels of the faveleira nut (Cnidoscolus phyllacanthus). (Journal of the American Oil Chemists' Society). 1987; 64(6):880-881.

GRL No. 0569.

Daun, J.K. and Bushuk, W. Rapeseed. (CRC Handbook of Processing and Utilization in Agriculture). 1983; 2(Part 2, Plant Products):257-297.

GRL No. M130.

Daun, J.K.; Clear, K.M., and Candlish, V.E. Agronomic factors associated with high chlorophyll levels in rapeseed grown in western Canada. (Proceedings of the 6th International Rapeseed Conference, Paris). 1983:132-137.

GRL No. 0516.

Daun, J.K.; Clear, K.M., and Mills, J.T. Effect of frost damage on the quality of canola (B. napus). (Journal of The American Oil Chemists' Society). 1985; 62(4):715-719.

GRL No. 0552.

Daun, J.K.; Cooke, L.A., and Clear, R.M. Quality, morphology and storability of canola and rapeseed harvested after overwintering in northern Alberta. (Journal of the American Oil Chemists' Society). 1986; 63(10):1333-1340.

GRL No. 0585.

Daun, J.K. and Davidson, L.D. Letters to the editor. (Journal of the American Oil Chemists' Society). 1980; 57(1):52-53.

GRL No. 0428.

Daun, J.K.; Davidson, L.D.; Blake, J.A., and Yuen, W. Comparison of methods for the analysis of phosphorus in canola oils. (Journal of the American Oil Chemists' Society). 1981; 58(10):914-916.

GRL No. 0472.

Daun, J.K. and DeClercq, D.R. Quality of yellow and dark seeds in Brassica campestris canola varieties Candle and Tobin. (Journal of the American Oil Chemists' Society). 1988; 65(1):122-126.

GRL No. 0592.

Daun, J.K. and DeClercq, D.R. Saturated fatty acids in Canadian canola. (GCIRC Bulletin). 1998; 15:27-29.

M230.

Daun, J.K. and DeClercq, D.R. Use of thin layer chromatography with flame ionization detection to determine acetone insolubles in crude and degummed rapeseed oils. (Analytical Chemistry of Rapeseed and Its Products, Canola Council of Canada). 1980:128-135.

GRL No. M126.

Daun, J.K.; DeClercq, D.R., and Mazur, P.B. The composition of wild mustard (Sinapis arvensis L.) and the effect of its admixture on the quality of rapeseed. (Proceedings of the 6th International Rapeseed Conference, Paris). 1983:1307-1312.

GRL No. 0515.

Daun, J.K.; Mazur, P.B., and Marek, C.J. Use of gas liquid chromatography for monitoring the fatty acid composition of Canadian rapeseed. (Journal of the American Oil Chemists' Society). 1983; 60(10):1751-1754.

GRL No. 0518.

Daun, J.K. and McGregor, D.I. Glucosinolate analysis of rapeseed (canola). (Method of the Canadian Grain Commission, Grain Research Laboratory). 1983:1-32.

GRL No. 0484.

Daun, J.K. and Mills, J.T. Incidence of heat-damage in rapeseed shipped from western Canada, 1974-76. (Canadian Journal of Agricultural Economics). 1979; 27(2):70-75.

GRL No. 0409.

Daun, J.K. and Thorsteinson, C.T. Determination of chlorophyll pigments in crude and degummed canola oils by HPLC and spectrophotometry. (Journal of the American Oil Chemists' Society). 1989; 66(8):1124-1128.

GRL No. 0635.

Daun, J.K. and Tkachuk, R. Fatty acid composition of oils extracted from Canadian weed seeds. (Journal of the American Oil Chemists' Society). 1976; 53(10):661-662.

GRL No. 0358.

Daun, J.K. and Williams, P. Near infrared analysis of oilseeds: current status and future directions . (New Techniques and Applications in Lipid Analysis. Proceedings of a Symposium at the AOCS Annual Meeting and Exposition, Indianapolis, Indiana. April 28-May 1, 1996). 1997:266-282.

C52.

Daun, J.K. Modified fatty acid profiles in Canadian oilseeds. (Yukagaku (Journal of the Japanese Oil Chemists Society)). 1998; 47(3):233-238.

GRL No. 762.

Daun, J.K. and Adolphe, D. A revision to the canola definition. (GCIRC Bulletin). 1997(July):134-141.

GRL No. M218.

Daun, J.K.; Clear, K.M., and Williams, P. Comparison of three whole seed near-infrared analyzers for measuring quality components of canola seed. (Journal of the American Oil Chemists' Society). 1994; 71(10):1063-1068.

GRL No. 0719.

Daun, J.K.; DeClercq, D.; Howard, H.K., and Clear, K.M.a.T.C.T. Wild Mustard (Sinapis arvensis L.) and the analysis of canola (Brassica napus L. and Brassica rapa L.) by NIR and NMR. (GCIRC Bulletin). 1994(February):178-182.

GRL No. M189.

Daun, J.K. and DeClercq, D.R. Comparison of combustion and Kjeldahl methods for determination of nitrogen in oilseeds. (Journal of the American Oil Chemists' Society). 1994; 71(10):1069-1072.

GRL No. 0718.

Daussant, J. and MacGregor, A.W. Combined immunoabsorption and isoelectric focusing of barley and malt amylases in polyacrylamide gel. (Analytical Biochemistry). 1979; 93:261-266.

GRL No. 0399.

Daussant, J. and MacGregor, A.W. Evolution des beta-amylases d'orge au cours des premiers jours de la germination aspects qualitatifs et quantitatifs. (European Brewery Convention, Proceedings of the 17th Congress, Berlin (West)). 1979:663-675.

GRL No. 0423.

Daussant, J.; Mayer, C.; and MacGregor, A.W. Immunochemical characterization of the debranching enzyme of barley and malt . (Eurpoean Brewery Convention. Proceedings of the 21st Congress. Madrid 1987). 1987; 21st:305-312.

M219.

Davidson, L. Determining optimum conditions for Kjeldahl analysis of oilseeds. (Analytical Chemistry of Rapeseed and Its Products, Canola Council of Canada). 1980:181-188.

GRL No. M127.

DeClercq, D.R. and Daun, J.K. Determination of the total glucosinolate content in canola by reaction with thymol and sulfuric acid. (Journal of the American Oil Chemists' Society). 1989; 66(6):788-791.

GRL No. 0626.

Dempster, C.J.; Cunningham, D.K.; Fisher, M.H.; Hlynka, I., and Anderson, J.A. Comparative study of the improving action of bromate and iodate by baking data, rheological measurements, and chemical analyses. (Cereal Chemistry). 1956; 33(4):221-239.

GRL No. 0154.

Dempster, C.J. and Hlynka, I. Some effects of the mixing process on the physical properties of dough. (Cereal Chemistry). 1958; 35(6):483-488.

GRL No. 0171.

Dempster, C.J.; Hlynka, I., and Anderson, J.A. Extensograph studies of structural relaxation in bromated and unbromated doughs mixed in nitrogen. (Cereal Chemistry). 1953; 30(6):492-503.

GRL No. 0129.

Dempster, C.J.; Hlynka, I., and Anderson, J.A. Extensograph studies of the improving action of oxygen in dough. (Cereal Chemistry). 1954; 31(3):240-249.

GRL No. 0130.

Dempster, C.J.; Hlynka, I., and Anderson, J.A. Influence of temperature on structural relaxation in bromated and unbromated doughs mixed in nitrogen. (Cereal Chemistry). 1955; 32(4):241-254.

GRL No. 0142.

Dempster, C.J.; Hlynka, I., and Winkler, C.A. Quantitative extensograph studies of relaxation of internal stresses in non-fermenting bromated and unbromated doughs. (Cereal Chemistry). 1952; 29(1):39-53.

GRL No. 0113.

Depauw, R.M.; Preston, K.R.; Townley, T.F.; Hurd, E.A.; McCrystal, G.E., and Lendrum, C.W.B. Biggar red spring wheat. (Canadian Journal of Plant Science). 1991; 71:519-522.

GRL No. 0653.

Dexter, J.E. Development of quality durum wheat varieties in Canada. (Rachis). 1984; 3(2):23-28.

GRL No. M136.

Dexter, J.E. Flour. (Encyclopaedia of Food Science, Food Technology and Nutrition). 1993:1917-1922.

C53.

Dexter, J.E. Making the grades: the implications of frequently encountered wheat grading factors. (Forum on Stored Grain Products). 1997; 12(2):1,8-9.

M227.

Dexter, J.E. Obluskiwanie ziarna pszenicy przed przemialem (debranning) - sposobem poprawy efektow pracy mlyna (Debranning of wheat for improved milling performance). (Zbozowo Mlynarski). 1998; 42(2):42-45.

M228.

Dexter, J.E. Praktyczne wykorzystanie badan przy przemiale pszenicy - (cz. 2). (Optymalizacia procesu przemialowego : pegulacja mlewnikow) = Practical applications of milling research - (pt. 2). (Optimization of the milling process : regulation of roller mills). (Zbozowo Mlynarski). 1997; 41(2):16-19.

GRL No. M211.

Dexter, J.E. Praktyczne wykorzystanie badan przy przemiale pszenicy (czesc 1). (Zbozowo Mlynarski). 1997; 41(1):41-44.

M210.

Dexter, J.E. Praktyczne wykorzystanie badan przy przemiale pszenicy (czesc 1). (Zbozowo Mlynarski). 1997; 41(1):41-44.

M210.

Dexter, J.E. Wheat Quality Control in Canada. (Ble' 2000...Enjeux Et Strategies). 2000:277-291.

M258.

Dexter, J.E.; Black, H.C., and Matsuo, R.R. Research note- An improved method for milling semolina in the Buhler laboratory mill and a comparison to the Allis-Chalmers laboratory mill. (Canadian Institute of Food Science and Technology Journal). 1982; 15(3):225-228.

GRL No. 0485.

Dexter, J.E.; Clear, R.M., and Preston, K.R. Fusarium head blight : effect on the milling and baking of some Canadian wheats. (Cereal Chemistry). 1996; 73(6):695-701.

GRL No. 0742.

Dexter, J.E.; Clear, R.M.; Preston, K.R.; Marchylo, B.A., and Clarke, J.M. Fusarium head blight: wheat processing implications. (Proceedings of the 1996 Regional Fusarium/Scab Forum). 1996:12-17.

GRL No. M208.

Dexter, J.E.; Crowle, W.L.; Matsuo, R.R., and Kosmolak, F.G. Effect of nitrogen fertilization on the quality characteristics of five North American amber durum wheat cultivars. (Canadian Journal of Plant Science). 1982; 62:901-912.

GRL No. 0501.

Dexter, J.E.; Dronzek, B.L., and Matsuo, R.R. Scanning electron microscopy of cooked spaghetti. (Cereal Chemistry). 1978; 55(1):23-30.

GRL No. 0379.

Dexter, J.E. and Edwards, N.M. The implications of frequently encountered grading factors on the processing quality of Durum wheat. (Association of Operative Millers - Bulletin). 1998(May):7165-7171.

M231.

Dexter, J.E. and Edwards, N.M. The implications of frequently encountered grading factors on the processing quality of common wheat. (Association of Operative Millers - Bulletin). 1998(June):7115-7122.

M212.

Dexter, J.E.; Kilborn, R.H.; Morgan, B.C., and Matsuo, R.R. Grain Research Laboratory compression tester: Instrumental measurement of cooked spaghetti stickiness. (Cereal Chemistry). 1983; 60(2):139-142.

GRL No. 0506.

Dexter, J.E.; Kilborn, R.H., and Preston, K.R. The baking performance of Canadian bread wheat classes using a Colombian high-fat high-sugar short process. (Canadian Institute of Food Science and Technology Journal). 1989; 22(4):364-371.

GRL No. 0636.

Dexter, J.E.; Kilborn, R.H., and Preston, K.R. The effect of formula variations and dough development method on Colombian alinado bread properties. (Cereal Chemistry). 1990; 67(1):46-52.

GRL No. 0640.

Dexter, J.E.; Marchlyo, B.A., and Mellish, V.J. Effects of frost damage and immaturity on the quality of durum wheat. (Cereal Chemistry). 1994; 71(4):494-501.

GRL No. 0716.

Dexter, J.E. and Marchylo, B.A. Risposte canadesi alle esigenze di qualita di grano duro da parte dei pastifici tendenze passate, presenti e future. (The durum wheat quality requirements of an evolving processing industry: past, present and future trends.). (Tecnica Molitoria). 1997; 48(9):995-1015.

M225.

Dexter, J.E.; Marchylo, B.A.; Clear, R.M., and Clarke, J.M. Effect of fusarium head blight on semolina milling and pasta-making quality of Durum wheat. (Cereal Chemistry). 1997; 74(5):519-525.

GRL No. 0755.

Dexter, J.E.; Marchylo, B.A.; MacGregor, A.W., and Tkachuk, R. The structure and protein composition of vitreous, piebald and starchy durum wheat kernels. (Journal of Cereal Science). 1989; 10:19-32.

GRL No. 0629.

Dexter, J.E.; Marchylo, B.A.; Preston, K.R.; Clarke, J.M., and Carcea, M. Comparison of the quality characteristics of some Italian and North American durum wheat cultivars. (Wheat Protein Production and Marketing). 1998:234-239.

GRL No. 235.

Dexter, J.E. and Martin, D.G. The effect of prebreak conditions on the milling performance of some Canadian wheats. (Journal of Cereal Science). 1986; 4:157-169.

GRL No. 0566.

Dexter, J.E. and Martin, D.G. L'influence de la teneur en protéines sur le comportement en monture de blé CWRS . (Industries Des Céréales). 1994; 86:3-11.

GRL No. M185.

Dexter, J.E. and Martin, D.G. Réduction sur cylindres lisses de finots (farina) obtenus à partir d'un blé CWRS: effets de la teneur eneau et des condition de réduction sur la composition en grosseur, l'éduction et l'endommagement de l'amidon. (Industries Des Céréales). 1993; 84:43-50.

GRL No. M184.

Dexter, J.E.; Martin, D.G., and Matsuo, R.R. The effect of roll flute orientation on durum wheat experimental milling performance and semolina quality. (Canadian Institute of Food Science and Technology Journal). 1988; 21(2):187-193.

GRL No. 0604.

Dexter, J.E.; Martin, D.G.; Preston, K.R.; Tipples, K.H., and MacGregor, A.W. The effect of frost damage on the milling and baking quality of red spring wheat. (Cereal Chemistry). 1985; 62(2):75-80.

GRL No. 0551.

Dexter, J.E.; Martin, D.G.; Sadaranganey, G.T.; Michaelides, J.; Mathieson, N.; Tkac, J.J., and Marchylo, B.A. Preprocessing: effects on durum wheat milling and spaghetti-making quality. (Cereal Chemistry). 1994; 71(1):10-16.

GRL No. 0700.

Dexter, J.E. and Matsuo, R.R. Changes in semolina proteins during spaghetti processing. (Cereal Chemistry). 1977; 54(4):882-894.

GRL No. 0375.

Dexter, J.E. and Matsuo, R.R. Changes in spaghetti protein solubility during cooking. (Cereal Chemistry). 1979; 56(5):394-398.

GRL No. 0416.

Dexter, J.E. and Matsuo, R.R. The effect of gluten protein fractions on pasta dough rheology and spaghetti-making quality. (Cereal Chemistry). 1978; 55(1):44-57.

GRL No. 0380.

Dexter, J.E. and Matsuo, R.R. Effect of semolina extraction rate on semolina characteristics and spaghetti quality. (Cereal Chemistry). 1978; 55(6):841-852.

GRL No. 0400.

Dexter, J.E. and Matsuo, R.R. Effect of smudge and blackpoint, mildewed kernels, and ergot on durum wheat quality. (Cereal Chemistry). 1982; 59(1):63-69.

GRL No. 0481.

Dexter, J.E. and Matsuo, R.R. Effect of starch on pasta dough rheology and spaghetti cooking quality. (Cereal Chemistry). 1979; 56(3):190-195.

GRL No. 0414.

Dexter, J.E. and Matsuo, R.R. Effect of starchy kernels, immaturity, and shrunken kernels on durum wheat quality. (Cereal Chemistry). 1981; 58(5):395-400.

GRL No. 0469.

Dexter, J.E. and Matsuo, R.R. Effect of water content on changes in semolina proteins during dough-mixing. (Cereal Chemistry). 1979; 56(1):15-19.

GRL No. 0404.

Dexter, J.E. and Matsuo, R.R. Influence of protein content on some durum wheat quality parameters. (Canadian Journal of Plant Science). 1977; 57:717-727.

GRL No. 0373.

Dexter, J.E. and Matsuo, R.R. Relationship between durum wheat protein properties and pasta dough rheology and spaghetti cooking quality. (Journal of Agricultural and Food Chemistry). 1980; 28(5):899-902.

GRL No. 0442.

Dexter, J.E. and Matsuo, R.R. The spaghetti-making quality of developing durum wheats. (Canadian Journal of Plant Science). 1977; 57:7-16.

GRL No. 0365.

Dexter, J.E.; Matsuo, R.R., and Daniel, R.W. The influence of heat damage on durum wheat spaghetti quality. (Canadian Institute of Food Science and Technology Journal). 1989; 22(3):227-237.

GRL No. 0631.

Dexter, J.E.; Matsuo, R.R.; Daniel, R.W., and MacGregor, A.W. Pasta drying conditions. Effect on spaghetti properties. (Getreide Mehl Und Brot). 1981; 35(6):153-157.

GRL No. 0440.

Dexter, J.E.; Matsuo, R.R., and Dronzek, B.L. A scanning electron microscopy study of Japanese noodles. (Cereal Chemistry). 1979; 56(3):202-208.

GRL No. 0412.

Dexter, J.E.; Matsuo, R.R.; Kosmolak, F.G.; Leisle, D., and Marchylo, B.A. The suitability of the SDS-sedimentation test for assessing gluten strength in durum wheat. (Canadian Journal of Plant Science). 1980; 60:25-29.

GRL No. 0429.

Dexter, J.E.; Matsuo, R.R., and Kruger, J.E. The spaghetti-making quality of commercial durum wheat samples with variable alpha-amylase activity. (Cereal Chemistry). 1990; 67(5):405-412.

GRL No. 0651.

Dexter, J.E.; Matsuo, R.R.; LaChance, J.J.; Morgan, B.C., and Daniel, R.W. Recent modifications to the durum wheat quality evaluation program at the Grain Research Laboratory. (Getreide, Mehl Und Brot). 1985; 39:131-139

GRL No. M133.

Dexter, J.E.; Matsuo, R.R., and MacGregor, A.W. Relationship of instrumental assessment of spaghetti cooking quality to the type and the amount of material rinsed from cooked spaghetti. (Journal of Cereal Science). 1985; 3:39-53.

GRL No. 0545.

Dexter, J.E.; Matsuo, R.R., and Martin, D.G. The relationship of durum wheat test weight to milling performance and spaghetti quality. (Cereal Foods World). 1987; 32(10):772-777.

GRL No. 0595.

Dexter, J.E.; Matsuo, R.R., and Morgan, B.C. Effects of processing conditions and cooking time on riboflavin, thiamine, and niacin levels in enriched spaghetti. (Cereal Chemistry). 1982; 59(5):328-332.

GRL No. 0496.

Dexter, J.E.; Matsuo, R.R., and Morgan, B.C. High temperature drying: Effect on spaghetti properties. (Journal of Food Science). 1981; 46(6):1741-1746.

GRL No. 0465.

Dexter, J.E.; Matsuo, R.R., and Morgan, B.C. Spaghetti stickiness: Some factors influencing stickiness and relationship to other cooking quality characteristics. (Journal of Food Science). 1983; 48:1545-1551, 1559.

GRL No. 0513.

Dexter, J.E.; Matsuo, R.R.; Preston, K.R., and Kilborn, R.H. Comparison of gluten strength, mixing properties, baking quality and spaghetti quality of some Canadian durum and common wheats. (Canadian Institute of Food Science and Technology Journal). 1981; 14(2):108-111.

GRL No. 0454.

Dexter, J. and Payeras, E. Not by bread alone. (World Grain). 1999; 17(8):20-25.
M255.

Dexter, J.E.; Preston, D.G.; Martin, D.G., and Gander, E.J. The Effects of protein content and starch damage on the physical dough properties and bread-making quality of Canadian durum wheat. (Journal of Cereal Science). 1994; 20:139-151.
GRL No. 0714.

Dexter, J.E.; Preston, K.R.; Cooke, L.A.; Morgan, B.C.; Kruger, J.E.; Kilborn, R.H., and Elliott, R.H. The influence of orange wheat blossom midge (Sitodiplosis mosellana Gehin) damage on hard red spring wheat quality and the effectiveness of insecticide treatments. (Canadian Journal of Plant Science). 1987; 67:697-712.
GRL No. 0593.

Dexter, J.E.; Preston, K.R., and Kilborn, R.H. Milling and baking qualities of some Canadian wheat classes alone and in blends with Brazilian wheat under Brazilian processing conditions. (Canadian Institute of Food Science and Technology Journal). 1987; 20(1):42-49.
GRL No. 0590.

Dexter, J.E.; Preston, K.R.; Kilborn, R.H., and Martin, D.G. The effect on residual flour quality of removing farina during common wheat milling. (Cereal Chemistry). 1990; 67(1):39-46.
GRL No. 0639.

Dexter, J.E.; Preston, K.R.; Matsuo, R.R., and Tipples, K.H. Development of a high extraction flow for the GRL pilot mill to evaluate Canadian wheat potential for the Chinese market. (Canadian Institute of Food Science and Technology Journal). 1984:253-259.
GRL No. 0542.

Dexter, J.E.; Preston, K.R., and Tipples, K.H. The effect of various levels of barley, wild oats and domestic oats on the milling and baking performance of hard red spring wheat. (Canadian Journal of Plant Science). 1984; 64:275-283.
GRL No. 0527.

Dexter, J.E.; Preston, K.R.; Tweed, A.R.; Kilborn, R.H., and Tipples, K.H. Relationship of flour starch damage and flour protein to the quality of Brazilian-style hearth bread and remix pan bread produced from hard red spring wheat. (Cereal Foods World). 1985; 30(8):511-514.
GRL No. 0559.

Dexter, J.E. and Symons, S.J. Milling efficiency: The relevance of flour ash content and flour color and the potential application of near infrared reflectance spectroscopy and fluorescent imaging. (Proceedings of the ICC '89 Symposium, June 13-15, Lahti, Finland). 1989(Chapter 2):73-100.
GRL No. M156.

Dexter, J.E.; Symons, S.J., and Martin, D.G. Enhancement of durum wheat quality by preprocessing and an evaluation of fluorscence imaging as a rapid technique for monitoring preprocessing efficiency. (Association of Operative Millers - Bulletin). 1994(August):6415-6420.
GRL No. M190.

Dexter, J.E.; Symons, S.J.; Martin, D.G., and Preston, K.R. Preprocessing: effects on the milling and end-use quality of common wheats. (Association of Operative Millers - Bulletin). 1994(October):6445-6452.
GRL No. M191.

Dexter, J.E. and Tipples, K.H. Wheat milling at the Grain Research Laboratory, Part Four, method development, marketing support and applied research. (Milling Flour and Feed). 1987; 180(9):14-16, 18, 19, 21.
GRL No. M151.

Dexter, J.E. and Tipples, K.H. Wheat milling at the Grain Research Laboratory, Part One, Objectives and the reliability of test results. (Milling Flour and Feed). 1987; 180(6):22, 23, 26, 27.
GRL No. M148.

Dexter, J.E. and Tipples, K.H. Wheat milling at the Grain Research Laboratory, Part Three, effect of grading factors on wheat quality. (Milling Flour and Feed). 1987; 180(8):18-23.

GRL No. M150.

Dexter, J.E. and Tipples, K.H. Wheat milling at the Grain Research Laboratory, Part Two, equipment and procedures. (Milling Flour and Feed). 1987; 180(7):16, 18-20.

GRL No. M149.

Dexter, J.E.; Tipples, K.H., and Martin, D.G. Predicting the commercial milling potential of Canadian western red spring wheat from experimental milling results. (Milling). 1989; 182(8):9-11.

GRL No. M154.

Dexter, J.E.; Tkachuk, R., and Matsuo, R.R. Amino acid composition of spaghetti: Effect of drying conditions on total and available lysine. (Journal of Food Science). 1984; 49(1):225-228.

GRL No. 0521.

Dexter, J.E.; Tkachuk, R., and Tipples, K.H. Physical properties and processing quality of durum wheat fractions recovered from a specific gravity table. (Cereal Chemistry). 1991; 68(4):401-405.

GRL No. 0660.

Dexter, J.E.; Williams, P.C.; Edwards, N.M., and Martin, D.G. The relationships between durum wheat vitreousness, kernel hardness and processing quality. (Journal of Cereal Science). 1988; 7:169-181.

GRL No. 0570.

Dexter, J.E.; Williams, P.C.; Martin, D.G., and Cordeiro, H.M. The Effects of extraction rate and flour-sieve aperture on the properties of experimentally milled soft wheat flour. (Canadian Journal of Plant Science). 1994; 74:51-58.

GRL No. 0704.

Dexter, J.E. and Wood, P.J. Recent applications of debranning of wheat before milling. (Trends in Food Science and Technology). 1996; 7:35-41.

GRL No. 0736.

Dhaliwal, Y.S.; Hatcher, D.W., and Sekhon, K.S.a.K.J.E. Methodology for preparation and testing of chapattis produced from different classes of Canadian wheat. (Food Research International). 1996; 29(2):163-168.

GRL No. 0753.

Doguchi, M. and Hlynka, I. Some rheological properties of crude gluten mixed in the farinograph. (Cereal Chemistry). 1967; 44(6):561-575.

GRL No. 0266.

Dorrell, D.G. and Daun, J.K. Effect of seed damage on grade and quality of flaxseed. (Proceedings of the 47th Annual Meeting of the Flax Institute of the United States). 1978:1-2.

GRL No. 0387.

Dorrell, D.G. and Daun, J.K. Effect of weather damage on the grade and quality of flaxseed. (Canadian Journal of Plant Science). 1980; 60:799-805.

GRL No. 0437.

Dronzek, B.L.; Dexter, J.E., and Matsuo, R.R. A scanning electron microscopy study of wheat gluten. (Canadian Institute of Food Science and Technology Journal). 1980; 13(4):162-166.

GRL No. 0441.

Dushnicky, L.G.; Ballance, G.M.; Sumner, M.J., and MacGregor, A.W. Detection of infection and host responses in susceptible and resistant wheat cultivars to a toxin-producing isolate of Pyrenophora tritici-repentis. (Canadian Journal of Plant Pathology). 1998; 20:19-27.

GRL No. 0769.

Dushnicky, L.G.; Ballance, G.M.; Sumner, M.J., and MacGregor, A.W. Penetration and infection of susceptible and resistant wheat cultivars by a necrosis toxin-producing isolate of Pyrenophora tritici-repentis. (Canadian Journal of Plant Pathology). 1996; 18:392-402.

GRL No. 0744.

Dushnicky, L.G.; Ballance, G.M.; Sumner, M.J., and MacGregor, A.W. The role of lignification as a resistance mechanism in wheat to a toxin-producing isolate of Pyrenophora tritici-repentis.

(Canadian Journal of Plant Pathology). 1998; 20:35-47.
GRL No. 770.

Dworschak, R.G.; Ens, W.; Standing, K.G.; Preston, K.R.; Marchylo, B.A.; Nightingale, M.J.; Stevenson, S.G., and Hatcher, D.W. Analysis of wheat gluten proteins by matrix-assisted laser desorption/ionization mass spectrometry. (Journal of Mass Spectrometry). 1998; 33:429-435.
GRL No. 772.

Edney, M.J.; Choo, T.M.; Kong, D.; Ferguson, T.; Ho, K.M.; May, K.W., and Martin, R.A. Kernel colour varies with cultivars and environments in barley. (Canadian Journal of Plant Science). 1998; 78:217-222.
GRL No. 766.

Edney, M.J.; LaBerge, D.E., and Langrell, D.E. Relationships among the beta-glucan contents of barley, malt, malt congress extract, and beer. (Journal of the American Society of Brewing Chemists). 1998; 56(4):164-168.
GRL No. 775.

Edney, M.J.; Marchylo, B.A., and MacGregor, A.W. Structure of total barley beta-glucan. (Journal of the Institute of Brewing). 1991; 97:39-44.
GRL No. 0646.

Edney, M.J.; Morgan, J.E.; Williams, P.C., and Campbell, L.D. Analysis of feed barley by near infrared reflectance technology. (Journal of Near Infrared Spectroscopy). 1994; 2:33-41.
GRL No. 0728.

Edney, M.J.; Tkachuk, R., and MacGregor, A.W. Nutrient composition of the hull-less barley cultivar, condor. (Journal of the Science of Food and Agriculture). 1992; 60:451-456.
GRL No. 0685.

Edwards, N.M.; Biliaderis, C.G., and Dexter, J.E. Textural characteristics of wholewheat pasta and pasta containing non-starch polysaccharides. (Journal of Food Science). 1995; 60(6):1321-1324.
GRL No. 0733.

Edwards, N.M.; Dexter, J.E.; Sobering, D.C., and and Williams, P.C. Whole grain prediction of durum wheat yellow pigment by visible/near infrared reflectance spectroscopy. (Near Infrared Spectroscopy : the Future Waves. Proceedings of the 7th International Conference on Near Infrared Spectroscopy, Montreal, Canada, 6-11 August 1995). 1996:462-465.
GRL No. M202.

Edwards, N.M.; Izydorczyk, M.S.; Dexter, J.E., and Biliaderis, C.G. Cooked pasta texture: comparison of dynamic viscoelastic properties to instrumental assessment of firmness. (Cereal Chemistry). 1993; 70(2):122-126.
GRL No. 0690.

Edwards, N.M.; Scanlon, M.G.; Kruger, J.E., and and Dexter, J.E. Oriental noodle dough rheology : relationship to water absorption, formulation, and work input during dough sheeting. (Cereal Chemistry). 1996; 73(6):708-711.
GRL No. 0743.

Endo, Y.; Thorsteinson, C.T., and Daun, J.K. Characterization of Chlorophyll Pigments Present. (Journal of the American Oil Chemists Society). 1992; 69(6):564-568.
GRL No. 0678.

Eva, W.J. and Anderson, J.A. The relations between Kjeldahl protein, Zeleny protein, and loaf volume in western Canadian wheats and flours. (Cereal Chemistry). 1944; 21(6):562-566.
GRL No. 0066.

Eva, W.J. and Birchard, F.J. Factors affecting the protein content of Canadian hard red spring wheat. (Proceedings of the World's Grain Exhibition and Conference, Canada). 1933; 2:408-412.
GRL No. 0002.

Eva, W.J. and Fisher, M.H. Studies on variance in Buhler mills, with a bibliography on

experimental milling. (Cereal Science Today). 1957; 2(5):124-129.

GRL No. 0167.

Eva, W.J.; Geddes, W.F., and Frisell, B. A comparative study of various methods of measuring flour gassing power. (Cereal Chemistry). 1937; 14(4):458-480.

GRL No. 0026.

Eva, W.J. and Levi, I. A note on the chemical composition of Manitoba shelled corn, 1941 crop. (Scientific Agriculture). 1943; 23:362-364.

GRL No. 0052.

Eva, W.J.; Levi, I., and Anderson, J.A. Starch content of western Canadian wheat. (Canadian Journal of Research, C.). 1943; 21:173-179.

GRL No. 0055.

Eva, W.J.; Milton, N., and Geddes, W.F. Comparative methods of moisture determination with special reference to the Brabender grinder and oven. (Cereal Chemistry). 1939; 16(4):460-468.

GRL No. 0040.

Eva, W.J.; Milton, N., and Geddes, W.F. Observations on ash dishes of different materials. (Cereal Chemistry). 1938; 15(6):835-841.

GRL No. 0035.

Eva, W.J. and Rankin, E.E. A comparison of five methods for determining starch content of wheat. (Canadian Journal of Research, B.). 1945; 23:260-268.

GRL No. 0079.

Fajardo, J.E.; Dexter, J.E.; Roscoe, M.M., and Nowicki, T.W. Retention of ergot alkaloids in wheat during processing. (Cereal Chemistry). 1995; 72(3):291-298.

GRL No. 0730.

Fisher, M.H.; Aitken, T.R., and Anderson, J.A. Effects of mixing, salt, and consistency on extensograms. (Cereal Chemistry). 1949; 26(2):81-97.

GRL No. 0094.

Fisher, M.H. and Meredith, W.O.S. Note on a semimicro milling procedure for durum wheat. (Cereal Chemistry). 1946; 23(6):565-568.

GRL No. 0084.

Fleury, M.D.; Edney, M.J., and Campbell, L.D.a.C.G.H. Total, water-soluble and acid soluble arabinoxylans in western Canadian barleys. (Canadian Journal of Plant Science). 1997; 77:191-196.

GRL No. 0752.

Frisell, B. and Geddes, W.F. Chart for correcting crude protein to a 13.5% moisture basis. (Cereal Chemistry). 1934; 11(3):258-259.

GRL No. 0003.

Fukatsu, M.; Thorsteinson, C.T.; Daun, J.K., and Toshitake, T. Determination of lipolytic activity of lipase by HPLC. (Yukagaku (Journal of the Japanese Oil Chemists Society)). 1997; 46(6):697-700.

758.

Gan, Z.; Marquardt, R.R.; Abramson, D., and Clear, R.M. The characterization of chicken antibodies raised against Fusarium spp. by ELISA and immunoblotting. (Proceedings of the 1996 Regional Fusarium/Scab Forum). 1996:49-53.

GRL No. M245.

Garnett, E.R.; Khandekar, M.L., and Babb, J.C. On the utility of ENSO and PNA indices for long-lead forecasting of summer weather over the crop-growing region of the Canadian prairies. (Theoretical and Applied Climatology). 1998; 60:37-45.

GRL No. 761.

Gawalko, E.J.; Nowicki, T.W.; Babb, J., and Tkachuk, R. Comparison of closed-vessel and focused open-vessel microwave dissolution for determination of Cadmium, Copper, Lead, and

Selenium in wheat, wheat products, corn bran, and rice flour by transverse-heated graphite furnace atomic absorption spectrometry. (Journal of AOAC International). 1997; 80(2):379-387.
GRL No. 0749.

Geddes, W.F. Official A.A.C.C. basic baking test. (Cereal Chemistry). 1934; 11(4):363-367.
GRL No. 0009.

Geddes, W.F. and Aitken, T.R. The characteristics of Canadian hard red spring wheat. (Proceedings of the III International Congress of Tech. and Agr. Industries, Paris). 1934; 1(11):1-14.
GRL No. 0004.

Geddes, W.F. and Aitken, T.R. The comparative quality of flours from corresponding wheats milled on an Allis-Chalmers experimental mill and a Brabender automatic laboratory mill. (Cereal Chemistry). 1937; 14(4):511-524.
GRL No. 0027.

Geddes, W.F. and Aitken, T.R. An experimental milling and baking technique requiring 100 grams wheat. (Cereal Chemistry). 1935; 12(6):696-707.
GRL No. 0017.

Geddes, W.F. and Aitken, T.R. The types of bread produced in Canada. (Proceedings of the III International Congress of Tech. and Agr. Industries, Paris). 1934; 1(11):1-3.
GRL No. 0005.

Geddes, W.F.; Aitken, T.R., and Fisher, M.H. The relation between the normal farinogram and the baking strength of western Canadian wheat. (Cereal Chemistry). 1940; 17(5):528-551.
GRL No. 0045.

Geddes, W.F. and Eva, W.J. A comparative study of the Blish and Sandstedt and a modified Rumsey procedure for the estimation of diastatic activity. (Cereal Chemistry). 1935; 12(4):402-410.
GRL No. 0015.

Geddes, W.F.; Eva, W.J., and Milton, N. The relation between the protein content of western Canadian hard red spring wheat, amber durum wheat, and barley. (Scientific Agriculture). 1940; 20(11):599-607.
GRL No. 0044.

Geddes, W.F. and Frisell, B. An experimental flour mill for 100-gram wheat samples. (Cereal Chemistry). 1935; 12(6):691-695.
GRL No. 0016.

Geddes, W.F.; Hildebrand, F.C., and Anderson, J.A. The effect of wheat type, protein content, and malting conditions on the properties of malted wheat flour. (Cereal Chemistry). 1941; 18(1):42-60.
GRL No. 0046.

Geddes, W.F. and Lehberg, F.H. Flax studies. I. The relation between weight per measured bushel, weight per thousand kernels and oil content of flaxseed. (Canadian Journal of Research, C.). 1936; 14:45-47.
GRL No. 0018.

Geddes, W.F. and Lehberg, F.H. Flax studies. II. An improved refractometric method for estimating the oil content of flaxseed. (Canadian Journal of Research, C.). 1936; 14:48-61.
GRL No. 0019.

Geddes, W.F. and Lehberg, F.H. The quantitative determination of bromine in bromated flours. (Cereal Chemistry). 1938; 15(1):49-58.
GRL No. 0030.

Geddes, W.F. and McCalla, A.G. Comparison of a bromate and malt-phosphate-bromate formula in testing wheat quality for the plant breeder. (Cereal Chemistry). 1934; 11(4):384-395.
GRL No. 0007.

Geddes, W.F. and Milton, N. The analytical error of the Kjeldahl nitrogen test. (Cereal Chemistry). 1939; 16(3):393-404.

GRL No. 0039.

Gilles, K.A.; Meredith, W.O.S., and Smith, F. The carbohydrates of the Gramineae. The constitution of the water-soluble polysaccharides of the grain of barley (Hordeum vulgare). (Cereal Chemistry). 1952; 29(4):314-316.

GRL No. 0120.

Golubchuk, M. Carotenoids of the urediospores of rust fungi (uredinales). (M.Sc. Thesis, University of Manitoba). 1952.

GRL No. M016.

Goulden, C.H.; Geddes, W.F., and Whiteside, A.G.O. A study of carotene content and other quality characteristics in a series of hybrid wheats. (Cereal Chemistry). 1934; 11(5):557-566.

GRL No. 0010.

Goulden, C.H. and Paull, A.E. Statistical methods in cereal chemistry. (Biometrics Bulletin). 1946; 2(2):26-30.

GRL No. 0081.

Hanna, W.F.; Peterson, R.F., and Anderson, J.A. How are new wheat varieties tested? (Agricultural Institute Review). 1951; 6(4):17-26.

GRL No. M011.

Hatcher, D.W. and Kruger, J.E. Distribution of polyphenol oxidase in flour millstreams of Canadian common wheat classes milled to three extraction rates. (Cereal Chemistry). 1993; 70(1):51-55.

GRL No. 0683.

Hatcher, D.W. and Kruger, J.E. Simple phenolic acids in flours prepared from Canadian wheat: relationship to ash content, color, and polyphenol oxidase activity. (Cereal Chemistry). 1997; 74(3):337-343.

GRL No. 751.

Hatcher, D.W. and Kruger, J.E.a.D.Y.S. Effect of roller mill extraction rate on the chapatti-making quality of Canadian flours. (Cereal Chemistry). 1997; 74(4):502-508.

GRL No. 754.

Hatcher, D.W.; Symons, S.J., and Kruger, J.E. Measurement of the time-dependent appearance of discolored spots in alkaline noodles by image analysis. (Cereal Chemistry). 1999; 76(2):189-194.

GRL No. 779.

Hlynka, I. Amylograph mobility and liquefaction number. (Cereal Science Today). 1968; 13(6):245,254.

GRL No. M077.

Hlynka, I. Application of physics to studies of breadmaking quality of wheat. (Proceedings of the First Symposium on Food Physics). 1956:99-112.

GRL No. 0156.

Hlynka, I. Brabender award address. "Reminiscences of a rheologist". (Cereal Science Today). 1966; 11(7):295-298, 315.

GRL No. M059.

Hlynka, I. Dough mobility and absorption. (Cereal Chemistry). 1959; 36(4):378-385.

GRL No. 0174.

Hlynka, I. Dough structure: its basis and implication. (Bakers Digest). 1962; 36:44-47.

GRL No. M049.

Hlynka, I. Effect of bisulfite, acetaldehyde, and similar reagents on the physical properties of dough and gluten. (Cereal Chemistry). 1949; 26(4):307-316.

GRL No. 0096.

Hlynka, I. The effect of complexing agents on the bromate reaction in dough. (Cereal Chemistry). 1957; 34(1):1-15.

GRL No. 0157.

Hlynka, I. Fortschritte auf dem gebiet der teig-rheologie (Lines of progress in dough rheology). (Brot Und Geback). 1967; 21(7):125-130.

GRL No. M073.

Hlynka, I. Influence of temperature, speed of mixing, and salt on some rheological properties of dough in the farinograph. (Cereal Chemistry). 1962; 39(4):286-303.

GRL No. 0209.

Hlynka, I. Intercomparison of farinograph absorption obtained with different instruments and bowls. (Cereal Chemistry). 1960; 37(1):67-70.

GRL No. 0179.

Hlynka, I. Physical properties of dough. (Wallerstein Laboratories Communications). 1957; 20(70):217-232.

GRL No. M036.

Hlynka, I. Rheological properties of dough and their significance in the breakmaking process. (Bakers Digest). 1970; 44(2):40-41, 44-46, 57.

GRL No. M087.

Hlynka, I. A short method for structural relaxation in dough. (Cereal Chemistry). 1957; 34(2):117-125.

GRL No. 0158.

Hlynka, I. Some experiments on the development of a continuous system in heavy batters or thin doughs. (Cereal Chemistry). 1964; 41(4):243-251.

GRL No. 0236.

Hlynka, I. Some observations on the 'Research' extensometer. (Journal of the Science of Food and Agriculture). 1955; 6(12):763-767.

GRL No. 0144.

Hlynka, I. Some practical aspects of dough rheology. (Brot Und Geback). 1967; 21:195-198.

GRL No. M068.

Hlynka, I. Some rheological aspects of yeast-leavened dough. (Bakers Digest). 1972; 46(2):44-45.

GRL No. M095.

Hlynka, I. Structural relaxation in dough. (Bakers Digest). 1955; 29(2):27-30.

GRL No. M026.

Hlynka, I. A survey of intermolecular forces in relation to dough properties. (Symposium on Proteins, 25th Anniversary of the Associate Committee on Grain Research, Saskatoon). 1952:17-25.

GRL No. M012.

Hlynka, I. and Anderson, J.A. Further studies on the reaction of wheat proteins with reducing carbohydrates. (Cereal Chemistry). 1951; 28(2):136-144.

GRL No. 0111.

Hlynka, I. and Anderson, J.A. Laboratory dough mixer with an air-tight bowl. (Cereal Chemistry). 1955; 32(1):83-87.

GRL No. 0138.

Hlynka, I. and Anderson, J.A. Lines of attack on dough chemistry. (Agricultural and Food Chemistry). 1957; 5(1):56-59.

GRL No. M034.

Hlynka, I. and Anderson, J.A. Recent advances in dough rheology. (Proceedings of the Second International Congress on Rheology). 1953:297-302.

GRL No. 0126.

Hlynka, I. and Anderson, J.A. Relaxation of tension in stretched dough. (Canadian Journal of Technology). 1952; 30:198-210.

GRL No. 0119.

Hlynka, I. and Barth, F.W. Chopin alveograph studies. I. Dough resistance at constant sample deformation. (Cereal Chemistry). 1955; 32(6):463-471.

GRL No. 0149.

Hlynka, I. and Barth, F.W. Chopin alveograph studies. II. Structural relaxation in dough. (Cereal Chemistry). 1955; 32(6):472-480.

GRL No. 0150.

Hlynka, I. and Bass, E.J. Reaction of dough and gluten with glucose. (Cereal Chemistry). 1949; 26(6):513-518.

GRL No. 0099.

Hlynka, I. and Bushuk, W. The weight per bushel. (Cereal Science Today). 1959; 4(8):239-240.

GRL No. M040.

Hlynka, I. and Chanin, W.G. Effect of pH on bromated and unbromated doughs. (Cereal Chemistry). 1957; 34(5):371-378.

GRL No. 0163.

Hlynka, I.; Kuzina, F.D., and Shuey, W.C. Conversion of constant-flour farinograph absorption to constant-dough basis. (Cereal Chemistry). 1961; 38(4):386-390.

GRL No. 0198.

Hlynka, I. and Martens, V. A precise gassing power unit. (Transactions, American Association of Cereal Chemists). 1955; 13(2):147-151.

GRL No. 0147.

Hlynka, I.; Martens, V., and Anderson, J.A. A comparative study of ten electrical meters for determining moisture content of wheat. (Canadian Journal of Research, F.). 1949; 27:382-397.

GRL No. 0098.

Hlynka, I. and Matsuo, R.R. Measurement of the improver response in dough. (Cereal Chemistry). 1960; 37(6):721-727.

GRL No. 0188.

Hlynka, I. and Matsuo, R.R. Quantitative relation between structural relaxation and bromate in dough. (Cereal Chemistry). 1959; 36(3):312-317.

GRL No. 0172.

Hlynka, I. and Robinson, A.D. Moisture and its measurement. (Chapter 1 in: Storage of Cereal Grains and Their Products. AACC Monograph Series). 1954; 11:1-45.

GRL No. M014.

Hlynka, I.; Templin, P.R., and Anderson, J.A. Decomposition of bromate in dough. (Cereal Chemistry). 1953; 30(5):391-403.

GRL No. 0128.

Hlynka, K. and Anderson, J.A. A machine for measuring the extensibility and resistance to extension of gluten. (Cereal Chemistry). 1946; 23(2):115-134.

GRL No. 0080.

Holas, J. and Tipples, K.H. Factors affecting farinograph and baking absorption. I. Quality characteristics of flour streams. (Cereal Chemistry). 1978; 55(5):637-652.

GRL No. 0394.

Hsieh, F.H. The cereal grain industry in Canada: Part 4 - Flour milling. (Cereal Foods World). 1979.

GRL No. M116.

Hsieh, F.H.; Daun, J.K., and Tipples, K.H. The effect of rapeseed oil added to control grain dust

on the quality of wheat. (Journal of the American Oil Chemists' Society). 1982; 59(1):11-15.
GRL No. 0477.

Hsieh, F.H.; Martin, D.G.; Black, H.C., and Tipples, K.H. Some factors affecting the first break grinding of Canadian wheat. (Cereal Chemistry). 1980; 57(3):217-223.
GRL No. 0436.

Hu, X.; Daun, J.K., and Scarth, R. Characterization of wax sediments in refined canola oils. (Journal of the American Oil Chemists Society). 1993; 70(5):635-537.
GRL No. 0695.

Hu, X.; Daun, J.K., and Scarth, R. Proportions of C18:1n-7 and C18:1n-9 fatty acids in canola seedcoat surface and internal lipids. (Journal of the American Oil Chemists Society). 1994; 71(2):221-222.
GRL No. 0703.

Hucl, P.; Preston, K.; Williams, P., and McColl, S. Spring wheat cultivar variation for protein concentration and grade in Saskatchewan. (Wheat Protein Production and Marketing). 1998:100-109.
GRL No. M236.

Ikezoe, K. and Tipples, K.H. Farinograph studies on the effect of various oxidizing agents in the sponge-and-dough system. (Cereal Science Today). 1968; 13(9):327-328, 330, 358.
GRL No. M079.

Irvine, G.N. Durum wheat:fifty years of progress. (Cereal Science Today). 1965; 10(6):328-332, 359.
GRL No. M058.

Irvine, G.N. Effect of temperature on the kinetics of the lipoxidase system of wheat. (Cereal Chemistry). 1959; 36(2):146-156.
GRL No. 0170.

Irvine, G.N. Experimental determination of milling quality in North America. (Getreide, Mehl Und Brot). 1974; 28:221-223.
GRL No. M098.

Irvine, G.N. Fifteen years of rapeseed quality surveys. (Proceedings of the International Conference on the Science, Technology and Marketing of Rapeseed Aand Rapeseed Products). 1970:133-148.
GRL No. M094.

Irvine, G.N. Maintaining the quality of Canadian wheat. (Ceres: Journal of the Home-Grown Cereals Authority). 1968; 3:3-6.
GRL No. M078.

Irvine, G.N. Milling and baking quality. (Proceedings of the Symposium on "Bread"). 1974:115-126.
GRL No. M099.

Irvine, G.N. Probleme in der versuchsmullerei: Die zusammenhange zwischen ausmahlungsgrad und backmethoden. (Getreide Und Mehl). 1968; 18:50-52.
GRL No. M069.

Irvine, G.N. Rheologische studien an durum-mahlprodukten. (Rheological studies of durum semolinas.). (Getreide Und Mehl). 1962; 12(1):3-6.
GRL No. 0205.

Irvine, G.N. Some effects of semolina lipoxidase activity on macaroni quality. (The Journal of the American Oil Chemists' Society). 1955; 32(11):558-561.
GRL No. 0145.

Irvine, G.N. Starch damage in milling wheats of different hardness. (Proceedings of the 5th World Cereal and Bread Congress, GDR. Part 3). 1970:107-111.
GRL No. 0289.

Irvine, G.N. Technological advances in the milling and baking industries and their effect upon markets for Canadian wheat. (Canadian Agriculture in the Seventies, Wheat, Feed Grains and Oilseeds). 1970; Appendix B:137-145.

GRL No. M092.

Irvine, G.N. Uber die Mahleigenschaften von kanadischen Durumweizen. (Getreide Und Mehl). 1964; 14(4):37-39.

GRL No. 0233.

Irvine, G.N. Wheat and its quality. (Proceedings of the Canadian Centennial Symposium on Wheat, Saskatoon). 1967:233-247.

GRL No. M067.

Irvine, G.N. and Anderson, J.A. Air bubbles in macaroni doughs. (Cereal Chemistry). 1951; 28(3):240-243.

GRL No. 0109.

Irvine, G.N. and Anderson, J.A. Changing varietal patterns in Canadian durum exports. (Proceedings of the Third International Bread Congress, Hamburg). 1955:229-230.

GRL No. 0151.

Irvine, G.N. and Anderson, J.A. Communication to the editor. An improved wheat prediction test for macaroni quality. (Cereal Chemistry). 1955; 32(1):88.

GRL No. 0143.

Irvine, G.N. and Anderson, J.A. Effect of lipoxidase activity on the macaroni making quality of durum wheats. (Proceedings of the Third International Bread Congress, Hamburg). 1955:230-233.

GRL No. 0152.

Irvine, G.N. and Anderson, J.A. Factors affecting the color of macaroni. I. Fractionation of the xanthophyll pigments of durum wheats. (Cereal Chemistry). 1949; 26(6):507-512.

GRL No. 0101.

Irvine, G.N. and Anderson, J.A. Factors affecting the color of macaroni. IV. Semolina particle size. (Cereal Chemistry). 1952; 29(1):65-70.

GRL No. 0114.

Irvine, G.N. and Anderson, J.A. The inhibition of wheat lipoxidase by cyanide. (Cereal Chemistry). 1955; 32(2):140-143.

GRL No. 0141.

Irvine, G.N. and Anderson, J.A. Kinetic studies of the lipoxidase system of wheat. (Cereal Chemistry). 1953; 30(3):247-255.

GRL No. 0121.

Irvine, G.N. and Anderson, J.A. A note on the determination of brightness in flour. (Transactions, American Association of Cereal Chemists). 1952; 10(1):59-60.

GRL No. 0116.

Irvine, G.N. and Anderson, J.A. Note on the lipoxidase activity of various North American wheats. (Cereal Chemistry). 1953; 30(3):255-257.

GRL No. 0122.

Irvine, G.N. and Anderson, J.A. Some technical factors in the production and marketing of Canadian wheat. (The Canadian Journal of Economics and Political Science). 1959; 25(4):439-449.

GRL No. M041.

Irvine, G.N. and Anderson, J.A. Variation in principal quality factors of durum wheats with a quality prediction test for wheat or semolina. (Cereal Chemistry). 1953; 30(4):334-342.

GRL No. 0127.

Irvine, G.N.; Bradley, J.W., and Black, H.C. Communication to the editor. Improvement of semolina quality through steam-treatment of durum wheat. (Cereal Chemistry). 1967; 44(2):230-

231.

GRL No. 0262.

Irvine, G.N.; Bradley, J.W., and Martin, G.C. A farinograph technique for macaroni doughs. (Cereal Chemistry). 1961; 38(2):153-164.

GRL No. 0193.

Irvine, G.N.; Bushuk, W., and Anderson, J.A. Kinetic studies of the catalase system of wheat. (Cereal Chemistry). 1954; 31(3):256-266.

GRL No. 0131.

Irvine, G.N.; Bushuk, W., and Anderson, J.A. Note on the catalase activity of North American wheats. (Cereal Chemistry). 1954; 31(3):267-270.

GRL No. 0133.

Irvine, G.N.; Golubchuk, M., and Anderson, J.A. The carotenoid pigments of the uredospores of rust fungi. (Canadian Journal of Agricultural Science). 1954; 34:234-239.

GRL No. 0132.

Irvine, G.N. and Marek, C.J. Untersuchungen mit dem maturographen und dem ofentriebgerat. (Studies with the maturograph and oven rise recorder.). (Brot Und Geback). 1964; 18(10):193-197.

GRL No. 0231.

Irvine, G.N. and McMullen, M.E. The "remix" baking test. (Cereal Chemistry). 1960; 37(5):603-613.

GRL No. 0184.

Irvine, G.N. and Winkler, C.A. Factors affecting the color of macaroni. II. Kinetic studies of pigment destruction during mixing. (Cereal Chemistry). 1950; 27(3):205-218.

GRL No. 0104.

Irvine, G.N. and Winkler, C.A. A note on the apparent reversal of the oxidation of carotenoid pigments during mixing of macaroni doughs in 40% alcohol. (Cereal Chemistry). 1951; 28(2):158-160.

GRL No. 0110.

Irvine, G.N.; Winkler, C.A., and Anderson, J.A. Factors affecting the color of macaroni. III. Varietal differences in the rate of pigment destruction during mixing. (Cereal Chemistry). 1950; 27(5):367-374.

GRL No. 0106.

Izydorczyk, M.S.; Biliaderis, C.G.; Macri, L.J., and MacGregor, A.W. Fractionation of oat (1-3), (1-4)-b-D-Glucans and characterisation of the fractions. (Journal of Cereal Science). 1998; 27:321-325.

GRL No. 765.

Izydorczyk, M.S.; Macri, L.J., and MacGregor A.W. Structure and physicochemical properties of barley non-starch polysaccarides - I. Water-extractable B-glucans and arabinoxylans. (Carbohydrate Polymers). 1998; 35:249-258.

GRL No. 759.

Izydorczyk, M.S.; Macri, L.J., and MacGregor A.W. Structure and physicochemical properties of barley non-starch polysaccarides - II. Alkali--extractable B-glucans and arabinoxylans. (Carbohydrate Polymers). 1998; 35:259-269.

GRL No. 760.

Jelaca, S.L. and Hlynka, I. Effect of wheat-flour pentosans in dough, gluten, and bread. (Cereal Chemistry). 1972; 49:489-495.

GRL No. 0315.

Jelaca, S.L. and Hlynka, I. Water-binding capacity of wheat flour crude pentosans and their relation to mixing characteristics of dough. (Cereal Chemistry). 1971; 48:211-222.

GRL No. 0297.

Jensen, S.Aa.; Munck, L., and Kruger, J.E. A rapid fluorescence method for assessment of pre-harvest sprouting of cereal grains. (Journal of Cereal Science). 1984; 2:187-201.
GRL No. 0533.

Johannson, H. and Geddes, W.F. Nomograms for calculating absorption of flour and semolina. (Cereal Chemistry). 1939; 16(4):455-459.
GRL No. 0042.

Kent-Jones, D.W. and Geddes, W.F. A co-operative study of the utility of different methods for evaluating flour strength. (Cereal Chemistry). 1936; 13(3):239-280.
GRL No. 0021.

Kerber, E.R. and Tipples, K.H. Effects of the D genome on milling and baking properties of wheat. (Canadian Journal of Plant Science). 1969; 49:255-263.
GRL No. 0278.

Kilborn, R.H. The application of instrumentation to dough mixing studies in Canada. (Research Institute of Food Technology). 1977:50-54.
GRL No. 0374.

Kilborn, R.H. Minor ingredients as a factor in bread properties. (Bakers Digest). 1967; 41(2):24-27, 30, 32.
GRL No. M070.

Kilborn, R.H. Mixing curves and energy measurements in test baking. (Bakers Journal). 1979; 39:18-19, 39-41.
GRL No. M113.

Kilborn, R.H. and Aitken, T.R. Baking laboratory layout and procedures. (Cereal Science Today). 1961; 6(8):253-259.
GRL No. M046.

Kilborn, R.H.; Black, H.C.; Dexter, J.E., and Martin, D.G. Energy consumption during flour milling: description of two measuring systems and the influence of wheat hardness on energy requirements. (Cereal Chemistry). 1982; 59(4):284-288.
GRL No. 0493.

Kilborn, R.H. and Dempster, C.J. Communication to the editor. Power-input meter for laboratory dough mixers. (Cereal Chemistry). 1965; 42(4):432-435.
GRL No. 0245.

Kilborn, R.H. and Irvine, G.N. A laboratory moulder for test baking. (Cereal Science Today). 1963; 8(10):341-342, 344, 356.
GRL No. 0229.

Kilborn, R.H.; Kruger, J.E., and Tipples, K.H. The GRL paste viscosity indicator for rapid determination of alpha-amylase in Canadian red spring wheat. (Canadian Journal of Plant Science). 1989; 69:1093-1100.
GRL No. 0638.

Kilborn, R.H.; Nomura, S., and Preston, K.R. Sponge-and-dough bread. I. Reduction of fermentation time and bromate requirement by the incorporation of salt in the sponge. (Cereal Chemistry). 1981; 58(6):508-512.
GRL No. 0474.

Kilborn, R.H. and Preston, K.R. Device senses changes in dough consistency during dough mixing. Part I: with Tweedy mixer. (Bakers Journal). 1981:16-19.
GRL No. 0448.

Kilborn, R.H. and Preston, K.R. A dough height tracker and its potential application to the study of dough characteristics. (Cereal Chemistry). 1981; 58(3):198-201.
GRL No. 0455.

Kilborn, R.H. and Preston, K.R. A dough sheeting and molding property indicator. (Cereal Chemistry). 1982; 59(3):171-174.

GRL No. 0482.

Kilborn, R.H. and Preston, K.R. Grain Research Laboratory instrumentation for studying the breadmaking process. (Rheology of Wheat Products. The American Association of Cereal Chemists). 1985:133-149.

GRL No. M142.

Kilborn, R.H. and Preston, K.R. A modified extensigraph procedure for measuring the stretching properties of fermented dough. (Cereal Chemistry). 1982; 59(5):381-384.

GRL No. 0495.

Kilborn, R.H. and Preston, K.R. Salt used to reduce sponge time. (Bakers Journal). 1981:54.

GRL No. 0453.

Kilborn, R.H.; Preston, K.R., and Kubota, H. Description and application of an experimental heat sink oven equipped with a loaf height tracker for the measurement of dough expansion during baking. (Cereal Chemistry). 1990; 67(5):443-447.

GRL No. 0652.

Kilborn, R.H.; Preston, K.R., and Tipples, K.H. Effects of fermentation, sponge, salt and oxidation on sponge-and-dough bread quality. (Proceedings of the International Symposium on Advances in Baking Science and Technology. Dept. of Grain Science, Kansas State University). 1984(Section III):M-1.

GRL No. M137.

Kilborn, R.H. and Tipples, K.H. Canadian test baking procedures. I. GRL remix method and variations. (Cereal Foods World). 1981; 26(11):624-628.

GRL No. 0475.

Kilborn, R.H. and Tipples, K.H. Canadian test baking procedures. II. GRL-Chorleywood method. (Cereal Foods World). 1981; 26(11):628-630.

GRL No. 0476.

Kilborn, R.H. and Tipples, K.H. Device senses changes in dough consistency during dough mixing. Part II: With horizontal bar mixer. (Bakers Journal). 1981:40-42.

GRL No. 0449.

Kilborn, R.H. and Tipples, K.H. The effect of oxidation and intermediate proof on work requirements for optimum short-process bread. (Cereal Chemistry). 1979; 56(5):407-412.

GRL No. 0419.

Kilborn, R.H. and Tipples, K.H. Factors affecting mechanical dough development. I. Effect of mixing intensity and work input. (Cereal Chemistry). 1972; 49:34-47.

GRL No. 0308.

Kilborn, R.H. and Tipples, K.H. Factors affecting mechanical dough development. II. Implications of mixing at a constant rate of energy input. (Cereal Chemistry). 1972; 49:48-53.

GRL No. 0309.

Kilborn, R.H. and Tipples, K.H. Factors affecting mechanical dough development. III. Mechanical efficiency of laboratory dough mixers. (Cereal Chemistry). 1973; 50:50-69.

GRL No. 0321.

Kilborn, R.H. and Tipples, K.H. Factors affecting mechanical dough development. IV. Effect of cysteine. (Cereal Chemistry). 1973; 50:70-86.

GRL No. 0322.

Kilborn, R.H. and Tipples, K.H. The GRL-1000 laboratory dough mixer. (Cereal Chemistry). 1974; 51:500-508.

GRL No. 0336.

Kilborn, R.H. and Tipples, K.H. Heat sink reference oven. (Cereal Chemistry). 1981; 58(4):295-299.

GRL No. 0457.

Kilborn, R.H. and Tipples, K.H. Implications of the mechanical development of bread dough by

means of sheeting rolls. (Cereal Chemistry). 1974; 51:648-657.
GRL No. 0339.

Kilborn, R.H. and Tipples, K.H. Improved small-scale laboratory mixing unit. (Cereal Science Today). 1969; 14(9):302-305.
GRL No. M081.

Kilborn, R.H. and Tipples, K.H. Sponge-and-dough-type bread from mechanically-developed doughs. (Cereal Science Today). 1968; 13(1):25-28, 30.
GRL No. M076.

Kilborn, R.H. and Tipples, K.H. Studies with a laboratory-scale "acceletron" heat and steam accelerator. (Bakers Digest). 1970; 44:50-52.
GRL No. M093.

Kilborn, R.H.; Tipples, K.H.; and Preston, K.R. Grain Research Laboratory compression tester: Its description and application to measurement of bread-crumb properties. (Cereal Chemistry). 1983; 60(2):134-138.
GRL No. 0504.

Kilborn, R.H.; Tweed, A.R.; and Tipples, K.H. Dough development and baking studies using a pilot scale dough brake. (Bakers Digest). 1981; 55(1):18-19, 22-24, 26, 28-31.
GRL No. 0445.

Kim, H.-O. and Williams, P.C. Determination of starch and energy in feed grains by near-infrared reflectance spectroscopy. (Journal of Agricultural and Food Chemistry). 1990; 38(3):682-688.
GRL No. 0642.

Kosmolak, F.G.; Dexter, J.E.; Matsuo, R.R.; Leisle, D., and Marchylo, B.A. A relationship between durum wheat quality and gliadin electrophoregrams. (Canadian Journal of Plant Science). 1980; 60:427-432.
GRL No. 0434.

Kruger, J.E. Biochemistry of pre-harvest sprouting in cereals and practical applications in plant breeding. (Cereal Research Communications). 1976; 4(2):187-194.
GRL No. M104.

Kruger, J.E. Biochemistry of preharvest sprouting in cereals. (Preharvest Field Sprouting in Cereals, CRC Press Inc.). 1989(Chapter 4):61-84.
GRL No. M145.

Kruger, J.E. The Canadian grading system for wheat and its implications in the monitoring of sprout-damage. (Fourth International Symposium on Pre-Harvest Sprouting in Cereals). 1987:543-549.
GRL No. 0575.

Kruger, J.E. Changes in the amylases of hard red spring wheat during germination. (Cereal Chemistry). 1972; 49(4):391-398, 737.
GRL No. 0313.

Kruger, J.E. Changes in the amylases of hard red spring wheat during growth and maturation. (Cereal Chemistry). 1972; 49(4):379-390.
GRL No. 0312.

Kruger, J.E. Changes in the catalases of wheat during kernel growth and maturation. (Cereal Chemistry). 1977; 54(4):820-826.
GRL No. 0372.

Kruger, J.E. Changes in the levels of proteolytic enzymes from hard red spring wheat during growth and maturation. (Cereal Chemistry). 1973; 50:122-131.
GRL No. 0323.

Kruger, J.E. Changes in the polyphenol oxidases of wheat during kernel growth and maturation. (Cereal Chemistry). 1976; 53(2):201-213.
GRL No. 0349.

Kruger, J.E. Effects of proteolytic enzymes on gluten as measured by a stretching test. (Cereal Chemistry). 1971; 48:121-132.

GRL No. 0295.

Kruger, J.E. Instrumental assessment of sprout-damage in wheat at primary or terminal receival points. (Cereal Foods World). 1990; 35(9):935-939.

GRL No. M170.

Kruger, J.E. Mobilization of endosperm reserves during germination of wheat. (Fourth International Symposium on Pre-Harvest Sprouting in Cereals). 1987:358-369.

GRL No. 0577.

Kruger, J.E. Model systems for a better understanding of the enzymic degradation of starch during breadmaking. (Cereal Polysaccharides in Technology and Nutrition). 1984:23-34.

GRL No. M132.

Kruger, J.E. Modification of wheat beta-amylase by proteolytic enzymes. (Cereal Chemistry). 1979; 56(4):298-302.

GRL No. 0418.

Kruger, J.E. Monitoring for sprout-damage in cereals and its implications for end-product quality. (Fifth International Symposium on Pre-Harvest Sprouting in Cereals, Norway, June 5-9, 1989). 1990:321-328.

GRL No. M160.

Kruger, J.E. Nephelometric determination of cereal amylases. (Fourth International Symposium on Pre-Harvest Sprouting in Cereals). 1987:584-590.

GRL No. 0576.

Kruger, J.E. A note on the semiautomated determination of catalase in wheat. (Cereal Chemistry). 1976; 53(5):796-801.

GRL No. 0357.

Kruger, J.E. On the relationship between free and latent beta-amylases in wheat. (Cereal Chemistry). 1970; 47(1):79-85.

GRL No. 0286.

Kruger, J.E. Progress in the chemistry of some quality-affecting enzymes resulting from pre-harvest sprout damage. (Cereal Research Communications). 1980; 8(1):39-47.

GRL No. M114.

Kruger, J.E. Purification and some properties of malted-wheat BAPA-ase. (Cereal Chemistry). 1971; 48:512-522.

GRL No. 0303.

Kruger, J.E. Rapid analysis of changes in the molecular weight distribution of buffer-soluble proteins during germination of wheat. (Cereal Chemistry). 1984; 61(3):205-208.

GRL No. 0526.

Kruger, J.E. Research and testing procedure for oriental noodles at the GRL. (Cereals '97). 1997:66-69.

GRL No. M241.

Kruger, J.E. Severity of sprouting as a factor influencing the distribution of amylase levels in pilot mill streams of Canadian wheats. (Canadian Journal of Plant Science). 1981; 61:817-828.

GRL No. 0473.

Kruger, J.E.; Anderson, M.H., and Dexter, J.E. Effect of flour refinement on raw cantonese noodle color and texture. (Cereal Chemistry). 1994; 71(2):177-182.

GRL No. 0705.

Kruger, J.E.; Babb, J.C.; Morris, L.J., and Tipples, K.H. Ability of the Canadian grading system to segregate Canadian wheat by alpha-amylase levels. (Canadian Journal of Plant Science). 1989; 69:39-48.

GRL No. 0623.

Kruger, J.E. and Hatcher, D.W. Enzymes and their role in affecting noodle quality. (Cereals '97). 1997:100-102.

GRL No. M242.

Kruger, J.E. and Hatcher, D.W. FY sedimentation test for evaluation of flour quality of Canadian wheats. (Cereal Chemistry). 1995; 72(1):33-37.

GRL No. 0726.

Kruger, J.E. and Hatcher, D.W. A Sensitive kinetic microassay for the determination of wheat-amylase. (Cereal Chemistry). 1993; 70(2):234-235.

GRL No. 0689.

Kruger, J.E.; Hatcher, D.W., and Anderson, M.J. The effect of incorporation of rye flour o the quality of oriental noodles. (Food Research International). 1998; 31(1):27-35.

GRL No. 774.

Kruger, J.E.; Hatcher, D.W., and DePauw, R. A Whole seed assay of polyphenol oxidase in Canadian prairie spring wheats and its usefulness as a measure of noodle darkening. (Cereal Chemistry). 1994; 71(4):324-326.

GRL No. 0712.

Kruger, J.E.; Hatcher, D.W., and Dexter, J.E. Influence of sprout damage on oriental noodle quality. (7th International Symposium on Pre-Harvest Sprouting in Cereals). 1995:9-18.

GRL No. 0737.

Kruger, J.E. and LaBerge, D.E. Changes in peroxidase activity and peroxidase isozyme patterns of wheat during kernel growth and maturation. (Cereal Chemistry). 1974; 51(3):345-354.

GRL No. 0332.

Kruger, J.E. and LaBerge, D.E. Changes in peroxidase activity and peroxidase isozymes of wheat during germination. (Cereal Chemistry). 1974; 51(5):578-585.

GRL No. 0338.

Kruger, J.E.; MacGregor, A.W., and Marchylo, B.A. Endogenous Cereal Enzymes. (Food Enzymology). 1991; V.2 (Chapter 17):1-46.

C57.

Kruger, J.E. and Marchylo, B.A. Analysis by reversed-phase high-performance liquid chromatography of changes in high molecular weight subunit composition of wheat storage proteins during germination. (Cereal Chemistry). 1990; 67(2):141-147.

GRL No. 0643.

Kruger, J.E. and Marchylo, B.A. A comparison of the catalysis of starch components by isoenzymes from the two major groups of germinated wheat alpha-amylase. (Cereal Chemistry). 1985; 62(1):11-18.

GRL No. 0548.

Kruger, J.E. and Marchylo, B.A. Examination of the mobilization of storage proteins of wheat kernels during germination by high-performance reversed-phase and gel permeation chromatography. (Cereal Chemistry). 1985; 62(1):1-5.

GRL No. 0547.

Kruger, J.E. and Marchylo, B.A. High-performance aqueous gel permeation chromatographic analysis of beta-limit dextrin hydrolysis by malted hard red spring wheat, malted durum wheat, and fungal (aspergillus oryzae) alpha-amylases. (Cereal Chemistry). 1982; 59(6):488-492.

GRL No. 0499.

Kruger, J.E. and Marchylo, B.A. Note on the presence of debranching enzymes in immature wheat kernels. (Cereal Chemistry). 1978; 55(4):529-533.

GRL No. 0391.

Kruger, J.E. and Marchylo, B.A. Quantitative analyses by RP-HPLC of storage protein breakdown in Canadian wheat upon germination. (Fifth International Symposium on Pre-Harvest Sprouting in Cereals, Norway, June 5-9, 1989). 1990:139-150.

GRL No. 0634.

Kruger, J.E. and Marchylo, B.A. Selection of column and operating conditions for reversed-phase high-performance liquid chromatography of proteins in Canadian wheat. (Canadian Journal of Plant Science). 1985; 65:285-298.

GRL No. 0553.

Kruger, J.E. and Marchylo, B.A. The use of reduced beta-limit dextrin as substrate in an automated amylase assay. (Cereal Chemistry). 1972; 49:453-458.

GRL No. 0314.

Kruger, J.E.; Marchylo, B.A., and Hatcher, D.W. Preliminary assessment of a sequential extraction scheme for evaluating quality by reversed-phase high-performance liquid chromatography and electrophoretic analysis of gliadins and glutenins. (Cereal Chemistry). 1988; 65(3):208-214.

GRL No. 0607.

Kruger, J.E. and Matsuo, R.R. Comparison of alpha-amylase and simple sugar levels in sound and germinated durum wheat during pasta processing and spaghetti cooking. (Cereal Chemistry). 1982; 59(1):26-31.

GRL No. 0480.

Kruger, J.E.; Matsuo, R.R., and Preston, K. A Comparison of methods for the prediction of cantonese noodle colour. (Canadian Journal of Plant Science). 1992; 72:1021-1029.

GRL No. 0674.

Kruger, J.E.; Morgan, B.; Preston, K.R., and Matsuo, R.R. Evaluation of some characteristics of Chinese steamed buns prepared from Canadian wheat flours. (Canadian Journal of Plant Science). 1992; 72:369-375.

GRL No. 0665.

Kruger, J.E. and Preston, K.R. Changes in aminopeptidases of wheat kernels during growth and maturation. (Cereal Chemistry). 1978; 55(3):360-372.

GRL No. 0388.

Kruger, J.E. and Preston, K.R. The distribution of carboxypeptidases in anatomical tissues of developing and germinating wheat kernels. (Cereal Chemistry). 1977; 54(1):167-174.

GRL No. 0363.

Kruger, J.E. and Preston, K.R. The nature and role of proteolytic enzymes during early germination. (Cereal Research Communications). 1976; 4(2):213-219.

GRL No. 0348.

Kruger, J.E.; Ranum, P.M., and MacGregor, A.W. Note on the determination of alpha-amylase with the Perkin Elmer Model 191 grain amylase analyzer. (Cereal Chemistry). 1979; 56(3):209-212.

GRL No. 0411.

Kruger, J.E. and Tipples, K.H. Comparison of the Hagberg falling number and modified grain amylase analyzer methods for estimating sprout damage in rye. (Canadian Journal of Plant Science). 1982; 62:839-844.

GRL No. 0502.

Kruger, J.E. and Tipples, K.H. Modified procedure for use of the Perkin-Elmer model 191 grain amylase analyzer in determining low levels of alpha-amylase in wheats and flours. (Cereal Chemistry). 1981; 58(4):271-274.

GRL No. 0461.

Kruger, J.E. and Tipples, K.H. Relationships between falling number, amylograph viscosity and alpha-amylase activity in Canadian wheat. (Cereal Research Communications). 1980; 8(1):97-105.

GRL No. 0420.

Kruger, J.E. and Tipples, K.H. Some experiences with monitoring alpha-amylase levels in Canadian wheat. (Third International Symposium on Pre-Harvest Sprouting in Cereals).

1983:125-131.

GRL No. 0491.

Kruger, J.E. and Tkachuk, R. Wheat alpha-amylases. I. Isolation. (Cereal Chemistry). 1969; 46(2):219-226.

GRL No. 0275.

Kulp, K.; Ranum, P.M.; Williams, P.C., and Yamazaki, W.T. Natural levels of nutrients in commercially milled wheat flours. I. Description of samples and proximate analysis. (Cereal Chemistry). 1980; 57(1):54-58.

GRL No. 0432.

LaBerge, D.E. Anatomical distribution of peroxidase isozymes in barley kernels. (Canadian Journal of Plant Science). 1975; 55(3):661-666.

GRL No. 0344.

LaBerge, D.E. Determination of specific gravity of malt extracts, worts, and beer. (Journal of the American Society of Brewing Chemists). 1979; 37(2):105-106.

GRL No. 0408.

LaBerge, D.E.; Clayton, J.W., and Meredith, W.O.S. The effect of thioglycerol on the chromatographic and electrophoretic behavior of barley beta-amylases. (Proceedings of the American Society of Brewing Chemists). 1967:18-23.

GRL No. 0265.

LaBerge, D.E. and Kruger, J.E. Changes in barley peroxidase activity during kernel development. (Cereal Chemistry). 1976; 53(5):762-767.

GRL No. 0356.

LaBerge, D.E.; Kruger, J.E., and Meredith, W.O.S. Peroxidase isozymes in mature barley kernels. (Canadian Journal of Plant Science). 1973; 53(4):705-713.

GRL No. 0326.

LaBerge, D.E.; MacGregor, A.W., and Meredith, W.O.S. Changes in alpha-and beta-amylase activities during the maturation of different barley cultivars. (Canadian Journal of Plant Science). 1971; 51:469-477, 861.

GRL No. 0304.

LaBerge, D.E.; MacGregor, A.W., and Meredith, W.O.S. Changes in the free sugar content of barley kernels during maturation. (Journal of the Institute of Brewing). 1973; 79(6):471-477.

GRL No. 0327.

LaBerge, D.E.; MacGregor, A.W., and Metcalfe, D.R. Screening for high-lysine cultivars in a barley breeding program. (Canadian Journal of Plant Science). 1976; 56:817-821.

GRL No. 0360.

LaBerge, D.E. and Marchylo, B.A. Changes in beta-amylase enzymes during kernel development of barley and the effect of papain as an extractant. (Journal of the American Society of Brewing Chemists). 1986; 44(1):16-19.

GRL No. 0565.

LaBerge, D.E. and Marchylo, B.A. Changes in beta-amylase enzymes of barley during malting. (Journal of the American Society of Brewing Chemists). 1987; 45(4):140-145.

GRL No. 0594.

LaBerge, D.E. and Marchylo, B.A. Heterogeneity of the beta-amylase enzymes of barley. (American Society of Brewing Chemists). 1983; 41(4):120-124.

GRL No. 0520.

LaBerge, D.E. and Meredith, W.O.S. The beta-amylase enzymes of barley and malt. I. Purification of the malt enzymes. (Journal of the Institute of Brewing). 1971; 77(5):436-442.

GRL No. 0299.

LaBerge, D.E. and Meredith, W.O.S. The chromatographic properties of barley and malt beta-amylases. (Journal of the Institute of Brewing). 1969; 75(1):19-25.

GRL No. 0272.

LaBerge, D.E. and Meredith, W.O.S. Factors affecting losses of sugars during acid hydrolysis of polysaccharides. (Laboratory Practice). 1970; 19(11):1121-1123.

GRL No. 0293.

LaBerge, D.E.; Metcalfe, D.R., and Tkachuk, R. Comparison of methods for lysine screening in barley. (Canadian Journal of Plant Science). 1976; 56:25-30.

GRL No. 0352.

Larmour, R.K.; Hulse, J.H.; Anderson, J.A., and Dempster, C.J. Effect of package type on stored flour and farina. (Cereal Science Today). 1961; 6(5):158-164.

GRL No. 0196.

Law, D.P. and Tkachuk, R. Determination of moisture content in wheat by near-infrared diffuse reflectance spectrophotometry. (Cereal Chemistry). 1977; 54(4):874-881.

GRL No. 0376.

Law, D.P. and Tkachuk, R. Near infrared diffuse reflectance spectra of wheat and wheat components. (Cereal Chemistry). 1977; 54(2):256-265.

GRL No. 0366.

Lee, C.C. and Tkachuk, R. A note on self-diffusion in dough containing Br82-labeled bromate. (Cereal Chemistry). 1961; 38(2):194-197.

GRL No. 0190.

Lee, N.J.a.D.J.K. Frankenstein of Schweitzer : how scientists can help students improve their perception and interest in science. (INFORM). 1997; 6(1 [January]):120-123.

GRL No. M203.

Lehberg, F.H. and Anderson, J.A. Western Canadian flaxseed. (Scientific Agriculture). 1941; 21(12):727-745.

GRL No. 0047.

Lehberg, F.H. and Geddes, W.F. Flax studies. III. A refractometric method for the estimation of iodine value of raw linseed oil. (Canadian Journal of Research, C.). 1937; 15:349-361.

GRL No. 0028.

Lehberg, F.H.; McGregor, W.G., and Geddes, W.F. Flax studies. IV. The physical and chemical characteristics of flaxseed at progressive stages of maturity. (Canadian Journal of Research, C.). 1939; 17:181-194.

GRL No. 0043.

Lenoir, P.; MacGregor, A.W.; Moll, M., and Daussant, J. Physiologie vegetale. Identification de la R-enzyme de l'orge et du malt par focalisation isoelectrique. (Comptes Rendus Des Sciences De L'Academie Des Sciences.). 1984; 3(8):243-248.

GRL No. 0539.

Levi, I. and Anderson, J.A. Variations in protein contents of plants, heads, spikelets, and individual kernels, of wheat. (Canadian Journal of Research, F.). 1950; 28:71-81.

GRL No. 0103.

Levi, I. and Dempster, C.J. A filtration technique in the analysis for crude fiber. (Cereal Science Today). 1962; 7(6):212.

GRL No. M048.

Levi, I.; Mazur, P.B., and Nowicki, T.W. Rapid screening method for the determination of organochlorine pesticide residues in wheat by electron capture gas chromatography. (Journal of the Association of Official Analytical Chemists). 1972; 55(4):794-799.

GRL No. 0316.

Levi, I. and Nowicki, T.W. Fritted disc funnels and tapered stainless steel tubes and stoppers for use in pesticide residue analysis. (Bulletin of Environmental Contamination & Toxicology). 1973; 9(1):20-23.

GRL No. 0317.

Levi, I. and Nowicki, T.W. Interfering GLC peaks from materials and chemicals in pesticide residue analysis. (Bulletin of Environmental Contamination & Toxicology). 1972; 7(4):193-199.
GRL No. 0307.

Levi, I. and Nowicki, T.W. Rapid screening method for simultaneous determination of organochlorine and organophosphate pesticide residues in wheat by gas-liquid chromatography. (Journal of the Association of Official Analytical Chemists). 1974; 57(4):924-929.
GRL No. 0335.

Levi, I. and Nowicki, T.W. Spurious GLC peaks in cereal grains stored in cloth bags. (Bulletin of Environmental Contamination & Toxicology). 1972; 7(2/3):133-136.
GRL No. 0301.

Lukow, O.M.; Payne, P.I., and Tkachuk, R. The HMW glutenin subunit composition of Canadian wheat cultivars and their association with bread-making quality. (Journal of the Science of Food and Agriculture). 1989; 46:451-460.
GRL No. 0613.

Lukow, O.M. and Preston, K.R. Effects of protein content on wheat quality. (Wheat Protein Production and Marketing). 1998:48-52.
GRL No. M237.

MacGregor, A.W. Action of malt alpha-amylases on barley starch granules. (Master Brewers Association of America Technical Quarterly). 1980; 17(4):215-221.
GRL No. 0452.

MacGregor, A.W. Alpha-amylase I from malted barley. Physical properties and action pattern on amylose. (Cereal Chemistry). 1978; 55(5):754-765.
GRL No. 0398.

MacGregor, A.W. Alpha-amylase, limit dextrinase, and alpha-glucosidase enzymes in barley and malt. (CRC Critical Reviews in Biotechnology). 1987; 5(2):117-128.
GRL No. M147.

MacGregor, A.W. Biochemistry of malting : the way forward. (Proceedings of the 5th International Oat Conference and 7th International Barley Genetics Symposium, Saskatoon, Saskatchewan, July 30-August 6, 1996). 1996; 1:1-6.
GRL No. M207.

MacGregor, A.W. Cereal alpha-amylases: synthesis and action pattern. (Seed Proteins, Annual Proceedings of the Phytochemical Society of Europe). 1982; 20, Chapter 1:1-34.
GRL No. 0500.

MacGregor, A.W. Cereal endosperm degradation during initial stages of germination. (Third International Symposium on Pre-Harvest Sprouting in Cereals). 1983:162-168.
GRL No. 0492.

MacGregor, A.W. Changes in alpha-amylase enzymes during germination. (Journal of the American Society of Brewing Chemists). 1978; 36(1):1-5.
GRL No. 0377.

MacGregor, A.W. Constraints on starch breakdown during mashing. (Proceedings of the 7th Australian Barley Technical Symposium, Perth, Western Australia, September 17-21, 1995). 1995:151-155.
GRL No. M204.

MacGregor, A.W. The effect of barley structure and composition on malt quality. (Invited Lectures-EBC Congress). 1991:37-50.
GRL No. M173.

MacGregor, A.W. Effect of substrate on the electrophoretic mobility of alpha-amylase. (Analytical Biochemistry). 1977; 79:605-609.
GRL No. 0369.

MacGregor, A.W. Isolation of large and small granules of barley starch and a study of factors

influencing the adsorption of barley malt alpha-amylase by these granules. (Cereal Chemistry). 1979; 56(5):430-434.

GRL No. 0417.

MacGregor, A.W. Isolation, purification and electrophoretic properties of an alpha-amylase from malted barley. (Journal of the Institute of Brewing). 1977; 83:100-103.

GRL No. 0371.

MacGregor, A.W. Malting and brewing science : challenges and opportunities. (Journal of the Institute of Brewing). 1996; 102:97-102.

GRL No. M201.

MacGregor, A.W. A note on the formation of alpha-amylase in de-embryonated barley kernels. (Cereal Chemistry). 1976; 53(5):792-796.

GRL No. 0355.

MacGregor, A.W. Opportunities for improving malting barley quality through genetic engineering. (Cereals '95 : Proceedings of the 45th Australian Cereal Chemistry Conference, Adelaide, South Australia, September 10-14, 1995). 1995:128-132.

GRL No. M205.

MacGregor, A.W. Starch degrading enzymes. (Ferment). 1991; 4(3):178-182.

M213.

MacGregor, A.W. and Ballance, D. Quantitative determination of alpha-amylase enzymes in germinated barley after separation by isoelelectricfocusing. (Journal of the Institute of Brewing). 1980; 86:131-133.

GRL No. 0425.

MacGregor, A.W. and Ballance, D.L. Hydrolysis of large and small starch granules from normal and waxy barley cultivars by alpha-amylases from barley malt. (Cereal Chemistry). 1980; 57(6):397-402.

GRL No. 0439.

MacGregor, A.W.; Ballance, G.M., and Dushnicky, L. Fluorescence microscopy studies on (1,3)-beta-d-glucan in barley endosperm. (Food Microstructure). 1989; 8:235-244.

GRL No. 0637.

MacGregor, A.W. and Daussant, J. Evolution of alpha-amylase components during initial stages of barley germination with and without prior steeping. (Cereal Chemistry). 1979; 56(6):541-545.

GRL No. 0424.

MacGregor, A.W. and Daussant, J. Isoelectricfocusing and immunochemical analysis of germinated barley alpha-amylases after freeze-drying and kilning. (Journal of the Institute of Brewing). 1981; 87:155-157.

GRL No. 0451.

MacGregor, A.W.; Daussant, J., and Niku-Paavola, M.L. Further purification and characterization of a new amylase found in barley. (Journal of the Science of Food and Agriculture). 1979; 30:1071-1076.

GRL No. 0422.

MacGregor, A.W. and Dushnicky, L. Alpha-amylase in developing barley kernels - a reappraisal. (Journal of the Institute of Brewing). 1989; 95:29-33.

GRL No. 0612.

MacGregor, A.W. and Dushnicky, L. Changes in the structure and composition of barley kernels during development. (Proceedings of the 39th Australian Cereal Chemistry Conference, Perth, W A, 11th-14th Sept). 1989:80-82.

GRL No. M161.

MacGregor, A.W. and Dushnicky, L. Development and maturation of barley kernel tissues: a microscopy study. (Barley Genetics V). 1986; V:793-799.

GRL No. M216.

MacGregor, A.W. and Dushnicky, L. Starch degradation in endosperms of developing barley kernels. (Journal of the Institute of Brewing). 1989; 95:321-325.

GRL No. 0632.

MacGregor, A.W.; Dushnicky, L.G.; Schroeder, S.W., and Ballance, G.M. Changes in barley endosperms during early stages of germination. (Journal of the Institute of Brewing). 1994; 100:85-90.

GRL No. 0701.

MacGregor, A.W. and Dushnicky, L. Development and maturation of barley kernel tissues: a microscopy study. (Barley Genetics V. Proceedings of the Fifth International Barley Genetics Symposium. October 6-11, 1986. Okayama, Japan). 1986:793-799.

M223.

MacGregor, A.W.; Gordon, A.G.; Meredith, W.O.S., and Lacroix, L. Site of alpha-amylase in developing barley kernels. (Journal of the Institute of Brewing). 1972; 78(2):174-179.

GRL No. 0310.

MacGregor, A.W.; LaBerge, D.E.; and Meredith, W.O.S. Changes in barley kernels during growth and maturation. (Cereal Chemistry). 1971; 48:255-269.

GRL No. 0296.

MacGregor, A.W.; LaBerge, D.E., and Meredith, W.O.S. Separation of alpha- and beta-amylase enzymes from barley malt by ion-exchange chromatography. (Cereal Chemistry). 1971; 48:490-498.

GRL No. 0302.

MacGregor, A.W. and Lenoir, C.E. Studies on alpha-glucosidase in barley and malt. (Journal of the Institute of Brewing). 1987; 93:334-337.

GRL No. 0567.

MacGregor, A.W.; MacDougall, F.H.; Mayer, C., and Daussant, J. Changes in levels of alpha-amylase components in barley tissues during germination and early seedling growth. (Plant Physiology). 1984; 75:203-206.

GRL No. 0531.

MacGregor, A.W. and MacGregor, E.A. The action of cereal alpha-amylases on solubilized starch and cereal starch granules. (New Approaches to Research on Cereal Carbohydrates: Progress in Biotechnology). 1985; 1:149-160.

GRL No. 0535.

MacGregor, A.W.; Macri, L.J.; Bazin, S.L., and Sadler, G.W. Limit dextrinase inhibitor in barley and malt and its possible role in malting and brewing. (EBC Congress 1995). 1995:185-192.

GRL No. M195.

MacGregor, A.W.; Macri, L.J.; Schroeder, S.W., and Bazin, S.L. Limit dextrinase from malted barley: extraction, purification, and characterization. (Cereal Chemistry). 1994; 71(6):610-617.

GRL No. 0721.

MacGregor, A.W.; Macri, L.J.; Schroeder, S.W., and Bazin, S.L. Purification and characterisation of limit dextrinase inhibitors from barley. (Journal of Cereal Science). 1994; 20:33-41.

GRL No. 0713.

MacGregor, A.W. and Marchylo, B.A. Alpha-amylase components in excised, incubated barley embryos. (Journal of the Institute of Brewing). 1986; 92:159-161.

GRL No. 0557.

MacGregor, A.W.; Marchylo, B.A., and Kruger, J.E. Multiple alpha-amylase components in germinated cereal grains determined by isoelectric focusing and chromatofocusing. (Cereal Chemistry). 1988; 65(4):326-333.

GRL No. 0611.

MacGregor, A.W. and Matsuo, R.R. Starch degradation in endosperms of barley and wheat kernels during initial stages of germination. (Cereal Chemistry). 1982; 59(3):210-216.

GRL No. 0486.

MacGregor, A.W. and Meredith, W.O.S. A low pH disc electrophoresis system for studying alpha-amylase enzymes. (Journal of the Institute of Brewing). 1971; 77(6):510-512.

GRL No. 0305.

MacGregor, A.W. and Morgan, J.E. Determination of specific activities of malt-amylases. (Journal of Cereal Science). 1992; 16:267-277.

GRL No. 0679.

MacGregor, A.W. and Morgan, J.E. Hydrolysis of barley starch granules by alpha-amylases from barley malt. (Cereal Foods World). 1986; 31(9):688-693.

GRL No. 0586.

MacGregor, A.W. and Morgan, J.E. Properties of alpha-amylase from malted barley. (Proceedings of the 39th Australian Cereal Chemistry Conference, Perth, W A, 11th-14th Sept). 1989:70-74.

GRL No. M162.

MacGregor, A.W. and Morgan, J.E. Structure of amylopectins isolated from large and small starch granules of normal and waxy barley. (Cereal Chemistry). 1984; 61(3):222-228.

GRL No. 0528.

MacGregor, A.W.; Morgan, J.E., and and MacGregor, E.A. The Action of germinated barley alpha-amylases on linear maltodextrins. (Carbohydrate Research). 1992; 227:301-313.

GRL No. 0671.

MacGregor, A.W.; Nicholls, P.B., and Dushnicky, L. Endosperm degradation in barley kernels that synthesize alpha-amylase in the absence of embryos and exogenous gibberellic acid. (Food Microstructure). 1983; 2:13-22.

GRL No. 0512.

MacGregor, A.W.; Thompson, R.G., and Meredith, W.O.S. Alpha-amylase from immature barley: Purification and properties. (Journal of the Institute of Brewing). 1974; 80:181-187.

GRL No. 0331.

MacGregor, A.W.; Weslake, R.J.; Hill, R.D., and Morgan, J.E. Effect of an alpha-amylase inhibitor from barley kernels on the formation of products during the hydrolysis of amylose and starch granules by alpha-amylase II from malted barley. (Journal of Cereal Science). 1986; 4:125-132.

GRL No. 0568.

MacGregor, A.W. and Yin, X.S. Beta-glucan solubilase from barley-further observations. (Journal of the American Society of Brewing Chemists). 1990; 48(2):82-84.

GRL No. 0645.

MacGregor, E.A. and MacGregor, A.W. A model for the action of cereal alpha-amylases on amylose. (Carbohydrate Research). 1985; 142:223-236.

GRL No. 0562.

MacGregor, E.A. and MacGregor, A.W. Studies of cereal alpha-amylases using cloned DNA. (CRC Critical Reviews in Biotechnology). 1987; 5(2):129-142.

GRL No. M146.

MacGregor, E.A.; MacGregor, A.W., and Macri, L.J. Influence of pH on the hydrolysis of p-nitrophenyl maltodextrins by alpha-amylase 2 from malted barley. (Carbohydrate Research). 1998; 313:139-143.

GRL No. 773.

MacGregor, E.A.; MacGregor, A.W.; Macri, L.J., and Morgan, J.E. Models for the action of barley alpha-amylase isozymes on linear substrates. (Carbohydrate Research). 1994; 257:249-268.

GRL No. 0708.

Macri, L.J.; MacGregor, A.W.; Schroeder, S.W., and Bazin, S.L. Detection of a limit dextrinase inhibitor in barley. (Journal of Cereal Science). 1993; 18:103-106.

GRL No. 0696.

Mailer, R.J.; Daun, J., and Scarth, R. Cultivar identification in Brassica napus L. by reversed-phase high-performance liquid chromatography of ethanol extracts. (Journal of the American Oil Chemists Society). 1993; 70(9):863-866.

GRL No. 0697.

Mailer, R.J.; Daun, J.K., and Scarth, R. Optimisation and evaluation of reversed-phase high-performance liquid chromatography for cultivar identification of Brassica napus L. (GCIRC Bulletin). 1995; 11:106-113.

GRL No. M187.

Malcolmson, L.J. and Matsuo, R.R. Effects of cooking water composition on stickiness and cooking loss of spaghetti. (Cereal Chemistry). 1993; 70(3):272-275.

GRL No. 0677.

Malcolmson, L.J.; Matsuo, R.R., and Balshaw, R. Effects of drying temperature and farina blending on spaghetti quality using response surface methodolgy. (Cereal Chemistry). 1993; 70(1):1-7.

GRL No. 0681.

Malcolmson, L.J.; Matsuo, R.R., and Balshaw, R. Textural optimization of spaghetti using response surface methodology effects of drying temperature and durum protein level. (Cereal Chemistry). 1993; 70(4):417-423.

GRL No. 0682.

Malloch, J.G.; Geddes, W.F.; Larmour, R.K., and McCalla, A.G. The quality and grading of frosted wheat. Annual surveys of the 1930 to 1935 western Canadian crops. (Canadian Journal of Research, C.). 1937; 15:567-592.

GRL No. 0034.

Marchylo, B.A. Barley cultivar identification by SDS gradient page analysis of hordein. (Canadian Journal of Plant Science). 1987; 67:927-944.

GRL No. 0596.

Marchylo, B.A. Identification of Canadian and American wheat cultivars by SDS gradient page analysis of gliadin and glutenin subunits. (Canadian Journal of Plant Science). 1987; 67:945-952.

GRL No. 0597.

Marchylo, B.A. and Dexter, J.E. Durum wheat and pasta quality now and into the 21st century. (Cereals '96). 1996:345-352.

GRL No. M243.

Marchylo, B.A. and Dexter, J.E. Wheat gluten - more than just bread! Pasta. (PBI Bulletin). 1997(September):8-9.

GRL No. M215.

Marchylo, B.A.; Dexter, J.E.; Clarke, J.M., and Ames, N. Effects of protein content on CWAD quality. (Wheat Protein Production and Marketing). 1998:53-62.

GRL No. M226.

Marchylo, B.A.; Handel, K.A., and Mellish, V.J. Fast horizontal sodium dodecyl sulfate gradient polyacrylamide gel electrophoresis for rapid wheat cultivar identification and analysis of high molecular weight glutenin subunits. (Cereal Chemistry). 1989; 66(3):186-192.

GRL No. 0627.

Marchylo, B.A.; Hatcher, D.W., and Kruger, J.E. Identification of wheat cultivars by reversed-phase high-performance liquid chromatography of storage proteins. (Cereal Chemistry). 1988; 65(1):28-40.

GRL No. 0601.

Marchylo, B.A.; Hatcher, D.W.; Kruger, J.E., and Kirkland, J.J. Reversed-phase high-performance liquid chromatographic analysis of wheat proteins using a new, highly stable column. (Cereal Chemistry). 1992; 69(4):371-378.

GRL No. 0670.

Marchylo, B.A. and Kruger, J.E. Assessment of RP-HPLC columns to separate hordein proteins and identify cultivars of barley and barley malt. (Journal of the American Society of Brewing Chemists). 1985; 43(1):29-35.

GRL No. 0554.

Marchylo, B.A. and Kruger, J.E. Degradation of starch granules in maturing wheat and its relationship to alpha-amylase production by the embryo. (Fourth International Symposium on Pre-Harvest Sprouting in Cereals). 1987:483-493.

GRL No. 0572.

Marchylo, B.A. and Kruger, J.E. The effect of injection volume on the quantitative analysis of wheat storage proteins by reversed-phase high-performance liquid chromatography. (Cereal Chemistry). 1988; 65(3):192-198.

GRL No. 0606.

Marchylo, B.A. and Kruger, J.E. Identification of Canadian barley cultivars by reversed-phase high-performance liquid chromatography. (Cereal Chemistry). 1984; 61(4):295-301.

GRL No. 0537.

Marchylo, B.A. and Kruger, J.E. A sensitive automated method for the determination of alpha-amylase in wheat flour. (Cereal Chemistry). 1978; 55(2):188-196.

GRL No. 0382.

Marchylo, B.A. and Kruger, J.E. Separation of wheat alpha-amylase isoenzymes by chromatofocusing. (Third International Symposium on Pre-Harvest Sprouting in Cereals). 1983:96-104.

GRL No. 0490.

Marchylo, B.A.; Kruger, J.E., and Hatcher, D. High-performance liquid chromatographic and electrophoretic analysis of hordein during malting for two barley varieties of contrasting malting quality. (Cereal Chemistry). 1986; 63(3):219-231.

GRL No. 0580.

Marchylo, B.A.; Kruger, J.E., and Hatcher, D.W. Effect of environment on wheat storage proteins as determined by quantitative reversed-phase high-performance liquid chromatography. (Cereal Chemistry). 1990; 67(4):372-376.

GRL No. 0647.

Marchylo, B.A.; Kruger, J.E., and Hatcher, D.W. Quantitative reversed-phase high-performance liquid chromatographic analysis of wheat storage proteins as a potential quality prediction tool. (Journal of Cereal Science). 1989; 9:113-130.

GRL No. 0624.

Marchylo, B.A.; Kruger, J.E., and Irvine, G.N. Alpha-amylase from immature hard red spring wheat. I. Purification and some chemical and physical properties. (Cereal Chemistry). 1976; 53(2):157-173.

GRL No. 0350.

Marchylo, B.A.; Kruger, J.E., and MacGregor, A.W. Production of multiple forms of alpha-amylase in germinated, incubated, whole, de-embryonated wheat kernels. (Cereal Chemistry). 1984; 61(4):305-310.

GRL No. 0538.

Marchylo, B.A. and LaBerge, D.E. Barley cultivar identification by electrophoretic analysis of hordein proteins. I. Extraction and separation of hordein proteins and environmental effects on the hordein electrophoregram. (Canadian Journal of Plant Science). 1980; 60:1343-1350.

GRL No. 0444.

Marchylo, B.A. and LaBerge, D.E. Barley cultivar identification by electrophoretic analysis of hordein proteins. II. Catalogue of electrophoregram formulae for Canadian-grown barley cultivars. (Canadian Journal of Plant Science). 1981; 61:859-870.

GRL No. 0459.

Marchylo, B.A. and LaBerge, D.E. Barley cultivar identification by scanning electron microscopic

analysis of the rachilla. (Canadian Journal of Plant Science). 1981; 61:535-542.
GRL No. 0446.

Marchylo, B.A.; LaCroix, L.J., and Kruger, J.E. Alpha-amylase isoenzymes in Canadian wheat cultivars during kernel growth and maturation. (Canadian Journal of Plant Science). 1980; 60:433-443.
GRL No. 0426.

Marchylo, B.A.; LaCroix, L.J., and Kruger, J.E. Alpha-amylase synthesis in wheat kernels as influenced by the seed coat. (Plant Physiology). 1981; 67:89-91.
GRL No. 0447.

Marchylo, B.A.; LaCroix, L.J., and Kruger, J.E. The synthesis of alpha-amylase in specific tissues of the immature wheat kernel. (Cereal Research Communications). 1980; 8(1):61-68.
GRL No. 0421.

Marchylo, B.A.; Lukow, O.M., and Kruger, J.E. Quantitative variation in high molecular weight glutenin subunit 7 in some Canadian wheats. (Journal of Cereal Science). 1992; 15:29-37.
GRL No. 0658.

Marchylo, B.A. and MacGregor, A.W. Separation of barley malt alpha-amylase by chromatofocusing. (Cereal Chemistry). 1983; 60(4):311-314.
GRL No. 0510.

Marchylo, B.A.; MacGregor, A.W., and Kruger, J.E. Production of alpha-amylases in germinating whole and incubating de-embryonated barley kernels. (Journal of the Institute of Brewing). 1985; 91:161-165.
GRL No. 0544.

Marchylo, B.A.; MacGregor, A.W., and Kruger, J.E. Quantitative analysis of multiple forms of alpha-amylase produced in germinating cereals. (Fourth International Symposium on Pre-Harvest Sprouting in Cereals). 1987:522-533.
GRL No. 0571.

Marchylo, B.A. and Mellish, V.J. Comparison of some electrophoretic techniques for wheat and barley varietal identification. (IV International Symposium on Development and Application of New Technologies for Varietal Identification). 1991.
GRL No. 0630.

Marchylo, B.A. and Mellish, V.J. Identification of Canadian wheat cultivars by SDS gradient PAGE and RP-HPLC analysis of gliadins and glutenins. (Proceedings of the Third International Symposium on the Biochemical Identification of Varieties). 1989:1-10.
GRL No. M153.

Marek, C.J. and Bushuk, W. Study of gas production and retention in doughs with a modified Brabender oven-rise recorder. (Cereal Chemistry). 1967; 44(3):300-307.
GRL No. 0263.

Marek, C.J.; Bushuk, W., and Irvine, G.N. Gas production & retention during proofing of bread doughs. (Cereal Science Today). 1968; 13(1):4-6, 13.
GRL No. M074.

Martens, V.G. and Hlynka, I. Determination of moisture in Canadian grain by electric moisture meter. (Humidity and Moisture: Measurement and Control in Science and Industry). 1963(Chapter 17):125-133.
GRL No. M054.

Martens, V.G. and Hlynka, I. Protein content of Canadian wheat 1927-1968. (Board of Grain Commissioners for Canada, Department of Agriculture, Canada). 1969.
GRL No. M089.

Martin, D.G. and Dexter, J.E. A tandem Buhler laboratory mill: its development and versatility. (Association of Operative Millers-Bulletin). 1991:5855-5864.
GRL No. M167.

Martin, V.G. and Anderson, J.A. Apparatus and technique for photographing grain kernels and small objects. (Scientific Agriculture). 1946; 26(9):419-425.
GRL No. 0086.

Martin, V.G.; Irvine, G.N., and Anderson, J.A. A micro method for making macaroni. (Cereal Chemistry). 1946; 23(6):568-579.
GRL No. 0085.

Matsumoto, H. and Hlynka, I. Some aspects of the sulfhydryl-disulfide system in flour and dough. (Cereal Chemistry). 1959; 36(6):513-521.
GRL No. 0176.

Matsumoto, H.; Nishiyama, J., and Hlynka, I. Internal pressure in yeasted dough. (Cereal Chemistry). 1971; 48(6):669-676.
GRL No. 0306.

Matsumoto, H.; Nishiyama, J., and Hlynka, I. Internal pressure in yeasted dough II. (Cereal Chemistry). 1973; 50:363-371.
GRL No. 0324.

Matsumoto, H.; Oshima, I., and Hlynka, I. Effect of bisulfite and acetaldehyde on the disulfide linkage in wheat protein. (Cereal Chemistry). 1960; 37(6):710-720.
GRL No. 0185.

Matsuo, R.R. Note on a method for testing gluten strength. (Cereal Chemistry). 1978; 55(2):259-262.
GRL No. 0384.

Matsuo, R.R. Quality evaluation of new durum wheat varieties in Canada. (Getreide, Mehl Und Brot). 1974; 28(7):169-171.
GRL No. M101.

Matsuo, R.R. Uniqueness of pasta. (Cereal Foods World). 1975; 20(10):485-486, 490.
GRL No. M105.

Matsuo, R.R.; Bradley, J.W., and Irvine, G.N. Effect of protein content on the cooking quality of spaghetti. (Cereal Chemistry). 1972; 49:707-711.
GRL No. 0320.

Matsuo, R.R.; Bradley, J.W., and Irvine, G.N. Studies on pigment destruction during spaghetti processing. (Cereal Chemistry). 1970; 47(1):1-5.
GRL No. 0285.

Matsuo, R.R. and Dexter, J.E. Comparison of experimentally milled durum wheat semolina to semolina produced by some Canadian commercial mills. (Cereal Chemistry). 1980; 57(2):117-122.
GRL No. 0433.

Matsuo, R.R. and Dexter, J.E. Relationship between some durum wheat physical characteristics and semolina milling properties. (Canadian Journal of Plant Science). 1980; 60:49-53.
GRL No. 0430.

Matsuo, R.R.; Dexter, J.E.; Boudreau, A., and Daun, J.K. The role of lipids in determining spaghetti cooking quality. (Cereal Chemistry). 1986; 63(6):484-489.
GRL No. 0588.

Matsuo, R.R.; Dexter, J.E., and Dronzek, B.L. Scanning electron microscopy study of spaghetti processing. (Cereal Chemistry). 1978; 55(5):744-753.
GRL No. 0395.

Matsuo, R.R.; Dexter, J.E.; Kosmolak, F.G., and Leisle, D. Statistical evaluation of tests for assessing spaghetti-making quality of durum wheat. (Cereal Chemistry). 1982; 59(3):222-228.
GRL No. 0487.

Matsuo, R.R.; Dexter, J.E., and MacGregor, A.W. Effect of sprout damage on durum wheat and spaghetti quality. (Cereal Chemistry). 1982; 59(6):468-472.

GRL No. 0483.

Matsuo, R.R. and Irvine, G.N. Effect of gluten on the cooking quality of spaghetti. (Cereal Chemistry). 1970; 47(2):173-180.

GRL No. 0287.

Matsuo, R.R. and Irvine, G.N. Macaroni brownness. (Cereal Chemistry). 1967; 44(1):78-85.

GRL No. 0261.

Matsuo, R.R. and Irvine, G.N. Note on an improved apparatus for testing spaghetti tenderness. (Cereal Chemistry). 1971; 48:554-558.

GRL No. 0300.

Matsuo, R.R. and Irvine, G.N. Research note- Relationship between the GRL spaghetti tenderness tester and sensory testing of cooked spaghetti. (Canadian Institute of Food Science and Technology Journal). 1974; 7(2):155-156.

GRL No. 0329.

Matsuo, R.R. and Irvine, G.N. Rheology of durum wheat products. (Cereal Chemistry). 1975; 52:131r-135r.

GRL No. 0341.

Matsuo, R.R. and Irvine, G.N. Spaghetti tenderness testing apparatus. (Cereal Chemistry). 1969; 46(1):1-06.

GRL No. 0274.

Matsuo, R.R.; Malcolmson, L.J.; Edwards, N.M., and Dexter, J.E. A colorimetric method for estimating spaghetti cooking losses. (Cereal Chemistry). 1992; 69(1):27-29.

GRL No. 0664.

Matsuo, R.R. and McCalla, A.G. Physicochemical properties of gluten from three types of wheat. (Canadian Journal of Biochemistry). 1964; 42:1487-1498.

GRL No. 0241.

McKenzie, R.C. and Williams, P. Influence of irrigation on wheat protein strength. (Wheat Protein Production and Marketing). 1998:278-280.

GRL No. M238.

McMullan, P.M.; Daun, J.K., and DeClercq, D.R. Effect of wild mustard (Brassica kaber) competition on yield and quality of triazine-susceptible canola (Brassica napus and Brassica rape). (Canadian Journal of Plant Science). 1994; 74:369-374.

GRL No. 0722.

Mellish, V.J. and Tkachuk, R. Two-dimensional electrophoresis of wheat proteins: a comparison of staining procedures. (Gluten Proteins 1990, Proceedings of the IV International Gluten Workshop, Winnipeg). 1990:482-490.

GRL No. 0655.

Meredith, P. and Bushuk, W. The effects of iodate, N-ethylmaleimide, and oxygen on the mixing tolerance of doughs. (Cereal Chemistry). 1962; 39(6):411-426.

GRL No. 0215.

Meredith, P. and Hlynka, I. The action of reducing agents on dough. (Cereal Chemistry). 1964; 41(4):286-299.

GRL No. 0232.

Meredith, W.O.S. Analysis of data for A.A.C.C. check sample service. I. Protein and thiamine results, 1943-44. (Cereal Chemistry). 1945; 22(5):437-448.

GRL No. 0077.

Meredith, W.O.S. Analysis of data for A.A.C.C. check sample service. II. Protein and thiamine results, 1944-45. (Cereal Chemistry). 1946; 23(6):585-590.

GRL No. 0087.

Meredith, W.O.S. Anthocyanogen contents of barley, malt, and beer. II. Location and methods of extraction of barley and malt anthocyanogens. (Proceedings of the American Society of Brewing

Chemists). 1961:56-60.
GRL No. 0201.

Meredith, W.O.S. Anthocyanogen contents of barley, malts, and beer. I. Methods of analysis. (Proceedings of the American Society of Brewing Chemists). 1960:48-50.
GRL No. 0187.

Meredith, W.O.S. Barley and malt gums: A review. (Proceedings of the American Society of Brewing Chemists, Annual Meeting). 1952:93-97.
GRL No. M013.

Meredith, W.O.S. Barley gums and malting quality. (Wallerstein Laboratories Communications). 1958; 21(74):207-214.
GRL No. M038.

Meredith, W.O.S. Barley research and the changes in pattern of Canadian barley production. (Proceedings of the Canadian Barley and Oil Seeds Conference). 1962:55-61.
GRL No. M051.

Meredith, W.O.S. Betrachtungen und untersuchungen uber zusammensetzung und herkunft der kaltetrubung. (Brauwissenschaft). 1963; 16(6):215-221.
GRL No. 0219.

Meredith, W.O.S. Combined action of alpha-and beta-amylases in saccharification. (Proceedings of the American Society of Brewing Chemists). 1965:5-10.
GRL No. 0250.

Meredith, W.O.S. Distribution of protein and free and bound amylase in cereal species. (Proceedings of the American Society of Brewing Chemists). 1966:32-38.
GRL No. 0255.

Meredith, W.O.S. Free and bound beta-amylase in cereal species. (Proceedings of the American Society of Brewing Chemists). 1966:27-31.
GRL No. 0254.

Meredith, W.O.S. Free pentoses in malt extracts and worts. (Cereal Chemistry). 1957; 34(4):246-251.
GRL No. 0159.

Meredith, W.O.S. Inter-laboratory errors in malt analyses as determined from the results of check test over five years. (Proceedings of the Annual Meeting of the American Society of Brewing Chemists). 1947.
GRL No. 0091.

Meredith, W.O.S. Malting barley and the malting process. (Presented to Manitoba Liquor Enquiry Commission). 1955.
GRL No. M028.

Meredith, W.O.S. Malting quality of Canadian barleys: V. Summary of seven years tests on Montcalm, a new smooth awned variety. (Scientific Agriculture). 1946; 26(11):560-565.
GRL No. 0089.

Meredith, W.O.S. Note on the adsorption of chill haze protein from barley, malt, wort and beer by nylon. (Journal of the Institute of Brewing). 1961; 67(3):254-256.
GRL No. 0194.

Meredith, W.O.S. A note on the calculation of wort nitrogen content. (Brewing Chemist's News Letter). 1947; 7(3):1-3.
GRL No. 0093.

Meredith, W.O.S. Note on the malting quality of peeled barley. (Journal of the Institute of Brewing). 1959; 65(1):31-33.
GRL No. 0168.

Meredith, W.O.S. Observations on studies on the composition of chill haze and its origin. (Brewers Digest). 1963; 38(9):54-58.

GRL No. 0219.

Meredith, W.O.S. Research and production of malting barley in Canada. (Proceedings of the Irish Maltsters' Technical Meeting). 1967:40-51.

GRL No. M066.

Meredith, W.O.S. The significance of malt analysis in industry and plant breeding. (Proceedings of the 13th Convention of the Institute of Brewing, Australia and New Zealand Section). 1974:29-40.

GRL No. M103.

Meredith, W.O.S. A simplified procedure for the determination of barley extract. (Cereal Chemistry). 1947; 24(3):225-227.

GRL No. 0090.

Meredith, W.O.S. Studies on wort nitrogen. (Proceedings of the Annual Meeting of the American Society of Brewing Chemists). 1947.

GRL No. 0092.

Meredith, W.O.S. Studies on wort nitrogen. II. Fractionation. (Proceedings of the American Society of Brewing Chemists). 1959:125-128.

GRL No. 0177.

Meredith, W.O.S. Studies on wort nitrogen. IV. Starch gel electrophoresis of TCA precipitates. (Proceedings of the American Society of Brewing Chemists). 1963:5-11.

GRL No. 0224.

Meredith, W.O.S. Wort properies: A review. (Wallerstein Laboratories Communications). 1950; 13(42):223-238.

GRL No. M008.

Meredith, W.O.S. and Anderson, J.A. Biochemistry of the malting process. (Wallerstein Laboratories Communications). 1953; 16(53):169-179.

GRL No. M019.

Meredith, W.O.S. and Anderson, J.A. Comparisons between malt and barley gums isolated by various procedures. (Cereal Chemistry). 1955; 32(3):183-191.

GRL No. 0139.

Meredith, W.O.S. and Anderson, J.A. Laboratory evaluation of the malting quality of Montcalm - a new smooth awned variety. (Proceedings of the Annual Meeting of the American Society of Brewing Chemists). 1946:1-11.

GRL No. 0088.

Meredith, W.O.S. and Anderson, J.A. Malting quality of Canadian barleys. VI. Commercial shipments. (Agricultural Institute Review). 1952.

GRL No. 0117.

Meredith, W.O.S.; Anderson, J.A., and Hudson, L.E. Evaluation of malting barley. (Barley and Malt - Biology, Biochemistry, and Technology). 1962(Chapter 6):207-270.

GRL No. M047.

Meredith, W.O.S.; Bass, E.J., and Anderson, J.A. Some characteristics of barley, malt and wort gums. (Cereal Chemistry). 1951; 28(3):177-188.

GRL No. 0108.

Meredith, W.O.S. and Bendelow, V.M. Additional criteria of malting quality in varietal studies. (Proceedings of the American Society of Brewing Chemists). 1956:77-82.

GRL No. 0164.

Meredith, W.O.S. and Bettner, R.E. Comparison of EBC and ASBC malt mills for malt analysis. (Proceedings of the American Society of Brewing Chemists). 1964:119-124.

GRL No. 0237.

Meredith, W.O.S.; Bettner, R.E., and Anderson, J.A. Laboratory drum-malting equipment. (Proceedings of the European Brewery Convention). 1957:92-103.

GRL No. 0161.

Meredith, W.O.S.; Dickson, A.D., and Nisson, B.H. Statistics. (Proceedings of the American Society of Brewing Chemists, Annual Meeting). 1948:128-134.

GRL No. M007.

Meredith, W.O.S.; Eva, W.J., and Anderson, J.A. Effect of variety and environment on some qualities of malted wheat flour. (Cereal Chemistry). 1944; 21(3):233-240.

GRL No. 0063.

Meredith, W.O.S.; Hlynka, K., and Sallans, H.R. Laboratory malting. IV. A germination chamber for routine malting tests. (Cereal Chemistry). 1944; 21(4):251-258.

GRL No. 0064.

Meredith, W.O.S. and Madden, M.G. Studies on wort nitrogen. III. Effects on brewing properties of varietal and environmental differences in nitrogen level. (Proceedings of the American Society of Brewing Chemists). 1961:51-55.

GRL No. 0200.

Meredith, W.O.S. and Sallans, H.R. Varietal differences in barleys and malts. XIV. Intervarietal relations between wort properties and barley and malt properties. (Canadian Journal of Research, F.). 1945; 23:132-142.

GRL No. 0075.

Meredith, W.O.S. and Tkachuk, R. Chill haze protein of barley, malt and beer. (Journal of the Institute of Brewing). 1964; 70(5):410-415.

GRL No. 0239.

Meredith, W.O.S.; Watts, T.A., and Anderson, J.A. Comparison of barley gums isolated by various procedures. (Canadian Journal of Chemistry). 1953; 31:653-664.

GRL No. 0124.

Mills, J.T.; Clear, K.M., and Daun, J.K. Storability of frost-damaged canola. (Canadian Journal of Plant Science). 1984; 64:529-536.

GRL No. 0525.

Morgan, J.E. and Williams, P.C. Starch damage in wheat flours : a comparison of enzymatic, iodometric, and near-infrared reflectance techniques. (Cereal Chemistry). 1995; 72(2):209-212.

GRL No. 0727.

Muller, H.G. and Hlynka, I. Brabender extensigraph techniques. (Cereal Science Today). 1964; 9(10):422-426, 430.

GRL No. M056.

Muller, H.G.; Hlynka, I., and Kuzina, F.D. Effects of some organic solvents on extensigraph characteristics of dough. (Cereal Chemistry). 1965; 42(3):303-314.

GRL No. 0242.

Mundel, H.-H.; Huang, H.C.; Burch, L.D., and Kiehn, F. Saffire Safflower. (Canadian Journal of Plant Science). 1985; 65:1079-1081.

GRL No. 783.

Narayanan, K.M. and Hlynka, I. Rheological studies of the role of lipids in dough. (Cereal Chemistry). 1962; 39(5):351-363.

GRL No. 0212.

Nemeth, L.J.; Paulley, F.G., and Preston, K.R. Effects of ingredients and processing conditions on the frozen dough bread quality of a Canada Western Spring wheat flour during prolonged storage. (Food Research International). 1996; 29(7):609-616.

GRL No. 0748.

Nemeth, L.J.; Williams, P.C., and Bushuk, W. A Comparative study of the quality of soft wheats for Canada, Australia, and the United States. (Cereal Foods World). 1994; 39(9):691-700.

GRL No. 0720.

Nicholls, P.B.; MacGregor, A.W., and Marchylo, B.A. Production of alpha-amylase isozymes in

barley caryopses in the absence of embryos and exogenous gibberellic acid. (Australian Journal of Plant Physiology). 1986; 13:239-247.

GRL No. 0564.

Nightingale, M.J.; Marchylo, B.A.; Clear, R.M.; Dexter, J.E., and Preston, K.R. Fusarium head blight: effect of fungal proteases on wheat storage proteins. (Cereal Chemistry). 1999; 76(1):150-158.

GRL No. 777.

Norris, K.H. and Williams, P.C. Optimization of mathematical treatments of raw near-infrared signal in the measurement of protein in hard red spring wheat. I. Influence of particle size. (Cereal Chemistry). 1984; 61(2):158-165.

GRL No. 0534.

Nowicki, T.W. Gas-liquid chromatography and flame photometric detection of phosphine in wheat. (Journal of the Association of Official Analytical Chemists). 1978; 61(4):829-836.

GRL No. 0389.

Nowicki, T.W. The Realities and challenges of international harmonization of grain safety. 1996; September.

GRL No. M209.

Nowicki, T.W.; Gaba, D.G.; Dexter, J.E.; Matsuo, R.R., and Clear, R.M. Retention of the fusarium mycotoxin deoxynivalenol in wheat during processing and cooking of spaghetti and noodles. (Journal of Cereal Science). 1988; 8:189-202.

GRL No. 0614.

Osborne, B.G. and Stevenson, S.G. Near-infrared research in Europe. (Near-Infrared Technology in the Agricultural and Food Industries). 1987:185-199.

C31.

Panford, J.A. Analysis of oilseeds for protein and oil by near-infrared reflectance spectroscopy. (Methods for Protein Analysis (AOAC), Chapter One). 1989:1-12.

GRL No. 0633.

Panford, J.A. and deMan, J.M. Determination of oil content of seeds by NIR: Influence of fatty acid composition on wavelength selection. (Journal of the American Oil Chemists' Society). 1990; 67(8):473-482.

GRL No. 0649.

Panford, J.A.; Williams, P.C., and deMan, J.M. Analysis of oilseeds for protein, oil, fiber and moisture by near-infrared reflectance spectroscopy. (Journal of the American Oil Chemists' Society). 1988; 65(10):1627-1634.

GRL No. 0608.

Paull, A.E. On a preliminary test for pooling mean squares in the analysis of variance. (The Annals of Mathematical Statistics). 1950; 21(4):539-556.

GRL No. 0107.

Paull, A.E. and Anderson, J.A. The effects of amount and distribution of rainfall on the protein content of western Canadian wheat. (Canadian Journal of Research, C.). 1942; 20:212-227.

GRL No. 0048.

Paull, A.E. and Martens, V. Factors affecting the determination of moisture in hard red spring wheat by commercial electrical meters. (Canadian Journal of Research, F.). 1949; 27:479-482.

GRL No. 0102.

Paulley, F.G.; Williams, P.C., and Preston, K.R. Effects of ingredients and processing conditions on bread quality when baking Syrian two-layered flat bread from Canadian wheat in a traveling oven. (Cereal Foods World). 1998; 43(2):91-95.

GRL No. 763.

Pawlinsky, T. and Williams, P. Prediction of wheat bread-baking functionality in whole kernels, using near infrared reflectance spectroscopy. (Journal of Near Infrared Spectroscopy). 1998;

6:121-127.

GRL No. 771.

Pawlinsky, T. and Williams, P. Use of near-infrared reflectance spectroscopy to predict wheat bread-baking functionality in whole kernels. (Wheat Protein Production and Marketing). 1998:201-206.

GRL No. M239.

Peressini, D.; Edwards, N.; Dexter, J.E.; Mulvaney, S.J.; Sensidoni, A., and Pollini, C.M. Rheological behaviour of Durum wheat doughs and their relation to baking and pasta quality. (Southern Europe Conference on Rheology). [1999]:21-30.

M254.

Peterson, R.F. and Meredith, W.O.S. Agronomic and quality characteristics of Carleton durum wheat grown in the durum wheat area of western Canada. (Scientific Agriculture). 1944; 25(2):107-113.

GRL No. 0071.

Pittman, U.J. and Tipples, K.H. Survival, yield, protein content, and baking quality of hard red winter wheats grown under various fertilizer practices in southern Alberta. (Canadian Journal of Plant Science). 1978; 58:1049-1060.

GRL No. 0407.

Popineau, Y.; Cornec, M.; Lefebvre, J., and Marchlyo, B. Influence of high Mr glutenin subunits on glutenin polymers and rheological properties of glutens and gluten subfractions of near-isogenic lines of wheat sicco. (Journal of Cereal Science). 1994; 19:231-241.

GRL No. 0717.

Preston, K.R. An automated fluorometric assay for proteolytic activity in wheat. (Cereal Chemistry). 1975; 52(4):451-458.

GRL No. 0345.

Preston, K.R. Effects of neutral salts of the lyotropic series on the physical dough properties of a Canadian red spring wheat flour. (Cereal Chemistry). 1989; 66(3):144-148.

GRL No. 0628.

Preston, K.R. Effects of neutral salts upon wheat gluten protein properties. I. Relationship between the hydrophobic properties of gluten proteins and their extractability and turbidity in neutral salts. (Cereal Chemistry). 1981; 58(4):317-324.

GRL No. 0464.

Preston, K.R. Gel filtration and characterization of neutral salt extracted wheat gluten proteins varying in hydrophobic properties. (Cereal Chemistry). 1984; 61(1):76-82.

GRL No. 0523.

Preston, K.R. Note - Gel filtration of wheat gluten proteins on sephacryl s-300. (Cereal Chemistry). 1982; 59(1):73-76.

GRL No. 0479.

Preston, K.R. Note on separation and partial purification of wheat proteases by affinity chromatography. (Cereal Chemistry). 1978; 55(5):793-798.

GRL No. 0392.

Preston, K.R. Use of lyotropic salts to study the hydrophobic properties of wheat gluten proteins. (Proceedings of the 2nd International Workshop on Gluten Proteins, Netherlands). 1984:207-217.

GRL No. M138.

Preston, K.R. Utilization of medium and high protein red spring wheat. Wheat production in Canada - a review. (Proceedings of the Canadian Wheat Production Symposium). 1986:535-543.

GRL No. M143.

Preston, K.R.; Black, H.C.; Tipples, K.H.; Dexter, J.E.; Sadaranganey, G.T., and Tkac, J.J. The GRL pilot mill. III. Comparison with two Canadian commercial hard red spring wheat mills. (Canadian Institute of Food Science and Technology Journal). 1983; 16(2):97-103.

GRL No. 0507.

Preston, K.R. and Dexter, J.E. Canadian short process bread: potassium bromate response of flour streams and divide flours milled from Canadian red spring wheat. (Canadian Journal of Plant Science). 1994; 74:71-78.

GRL No. 0707.

Preston, K.R.; Dexter, J.E., and Kruger, J.E. Relationship of exoproteolytic and endoproteolytic activity to storage protein hydrolysis in germinating durum and hard red spring wheat. (Cereal Chemistry). 1978; 55(6):877-888.

GRL No. 0401.

Preston, K.R. and Kilborn, R.H. Dough rheology and the farinograph. (The Farinograph Handbook, American Association of Cereal Chemists). 1984; Third Edition:38-42.

GRL No. M140.

Preston, K.R. and Kilborn, R.H. Sponge-and-dough bread:effects on fermentation time, bromate and sponge salt upon the baking and physical dough properties of a Canadian red spring wheat. (Journal of Food Science). 1982; 47(4):1143-1148.

GRL No. 0460.

Preston, K.R.; Kilborn, R.H., and Black, H.C. The GRL pilot mill. II. Physical dough and baking properties of flour streams milled from Canadian red spring wheats. (Canadian Institute of Food Science and Technology Journal). 1982; 15(1):29-36.

GRL No. 0466.

Preston, K.R.; Kilborn, R.H., and Dexter, J.E. Effects of starch damage and water absorption on the alveograph properties of Canadian hard red spring wheats. (Canadian Institute of Food Science and Technology Journal). 1987; 20(2):75-80.

GRL No. 0589.

Preston, K.R.; Kilborn, R.H.; Morgan, B.C., and Babb, J.C. Effects of frost and immaturity on the quality of a Canadian hard red spring wheat. (Cereal Chemistry). 1991; 68(2):133-138.

GRL No. 0654.

Preston, K.R.; Kilborn, R.H., and Tipples, K.H. Application of test baking procedures to the quality analysis of Canadian wheats. (Proceedings of the 7th World Cereal and Bread Congress, Prague). 1982.

GRL No. M129.

Preston, K.R. and Kruger, J.E. Location and activity of proteolytic enzymes in developing wheat kernels. (Canadian Journal of Plant Science). 1976; 56(2):217-223.

GRL No. 0346.

Preston, K.R. and Kruger, J.E. Mobilization of monocot protein reserves during germination. (Plant Proteolytic Enzymes, CRC Press). 1984; 2(Chapter I):1-18.

GRL No. M141.

Preston, K.R. and Kruger, J.E. Physiological control of exo- and endoproteolytic activities in germinating wheat and their relationship to storage protein hydrolysis. (Plant Physiology). 1979; 64:450-454.

GRL No. 0415.

Preston, K.R. and Kruger, J.E. Purification and properties of two proteolytic enzymes with carboxypeptidase activity in germinated wheat. (Plant Physiology). 1976; 58:516-520.

GRL No. 0359.

Preston, K.R. and Kruger, J.E. Specificity of two isolated wheat carboxypeptidases. (Phytochemistry). 1977; 16:525-528.

GRL No. 0364.

Preston, K.R.; Lukow, O.M., and Morgan, B. Analysis of relationships between flour quality properties and protein fractions in a world wheat collection. (Cereal Chemistry). 1992; 69(5):560-567.

GRL No. 0673.

Preston, K.R.; March P.R., and Tipples, K.H. An assessment of the SDS-sedimentation test for the prediction of Canadian bread wheat quality. (Canadian Journal of Plant Science). 1982; 62(3):545-553.

GRL No. 0494.

Preston, K.R.; Matsuo, R.R.; Dexter, J.E.; Tweed, A.R.; Kilborn, R.H., and Tully, D. The suitability of various Canadian wheats for steamed bread and noodle processing for the People's Republic of China. (Canadian Institute of Food Science and Technology Journal). 1986; 19(3):114-120.

GRL No. M144.

Preston, K.R.; Morgan, B.C., and Dexter, J.E. Influence of protein segregation on the quality characteristics of Biggar and Genesis Canada Prairie Spring Wheat. (Canadian Journal of Plant Science). 1995; 75:599-604.

GRL No. 0731.

Preston, K.R.; Morgan, B.C.; Kilborn, R.H., and Tipples, K.H. Assessment of heat damage in Canadian hard red spring wheats. (Canadian Institute of Food Science and Technology Journal). 1989; 22(1):63-69.

GRL No. 0625.

Preston, K.R.; Morgan, B.C., and Tipples, K.H. A review and analysis of export cargo quality data for Canada western red spring wheat: 1973-1986. (Canadian Institute of Food Science and Technology Journal). 1988; 21(5):520-530.

GRL No. 0619.

Preston, K.R.; Mydlo, E., and Kilborn, R.H. Remix and remix-to-peak baking methods: Effects of fermentation time and salt on baking properties of a Canadian bread wheat. (Canadian Institute of Food Science and Technology Journal). 1984:260-265.

GRL No. 0543.

Preston, K.R.; Quail, K.J.; Zounis, S., and Gras, P.W. No-time dough baking performance and mixing properties of Canadian Red Spring wheat cultivars using Canadian and Australian test procedures. (Australian Journal of Agricultural Research). 1997; 48:587-593.

GRL No. 746.

Preston, K.R. and Symons, S.J. Measurement of heat damage in wheat by assessment of protein fibril formation. (Journal of Cereal Science). 1993; 18:53-59.

GRL No. 0688.

Preston, K.R. and Tipples, K.H. Effects of acid-soluble and acid-insoluble gluten proteins on the rheological and baking properties of wheat flours. (Cereal Chemistry). 1980; 57(5):314-320.

GRL No. 0438.

Preston, K.R. and Tipples, K.H. An ultracentrifuge flour absorption method. (Cereal Chemistry). 1978; 55(1):96-101.

GRL No. 0381.

Preston, K.R.; Tipples, K.H., and Morgan, B.C. Prediction of milling and baking characteristics of Canadian wheat. (Proceedings of the ICC '89 Symposium, June 13-15, Lahti, Finland). 1989(Chapter 6):505-518.

GRL No. M157.

Preston, K.R.; Woodbury, W., and Bendelow, V.M. The effects of gliadin fractions of varying molecular weight on the mixing properties of a synthetic-dough system. (Cereal Chemistry). 1975; 52:427-430.

GRL No. 0343.

Rasmussen, H.E. and Anderson, J.A. Fermentation cabinet for 100-gram doughs. (Cereal Chemistry). 1948; 25(5):337-345.

GRL No. 0095.

Rasmussen, H.E. and Anderson, J.A. A simple electrical meter for estimating the moisture content of grain. (Canadian Journal of Research, F.). 1949; 27:249-252.

GRL No. 0097.

Sapirstein, H.D. and Kruger, J.E. Rapid objective prediction of sprout damage in wheat by digital image analysis of transilluminated kernels. (Seventh International Symposium on Pre-Harvest Sprouting in Cereals). 1995:71-77.

GRL No. 0738.

Sarwar, G.; Christensen, D.A.; Finlayson, A.J.; Friedman, M.; Hackler, L.R.; MacKenzie, S.L.; Pellett, P.L., and Tkachuk, R. Inter- and intra-laboratory variation in amino acid analysis of food proteins. (Journal of Food Science). 1983; 48:526-531.

GRL No. 0511.

Scanlon, M.G. and Dexter, J.E. Effect of smooth roll grinding conditions on reduction of hard red spring farina. (Cereal Chemistry). 1986; 63(5):431-435.

GRL No. 0582.

Scanlon, M.G.; Dexter, J.E.; and Biliaderis, C.G. Particle-size related physical properties of flour produced by smooth roll reduction of hard red spring wheat farina. (Cereal Chemistry). 1988; 65(6):486-492.

GRL No. 0618.

Schroeder, S.W. and MacGregor, A.W. Synthesis of limit dextrinase in germinated barley kernels and aleurone tissues. (Journal of the American Society of Brewing Chemists). 1998; 56(1):32-37.

GRL No. 764.

Scott, P.M.; Kanhere, S.R.; Dexter, J.E.; Brennan, P.W., and Trenholm, H.L. Distribution of the trichothecene mycotoxin deoxynivalenol (vomitoxin) during the milling of naturally contaminated hard red spring wheat and its fate in baked products. (Food Additives and Contaminants). 1984; 1(4):313-323.

GRL No. 0549.

Scott, P.M.; Kanhere, S.R.; Lau, P.-Y.; Dexter, J.E., and Greenhalgh, R. Effects of experimental flour milling and breadbaking on retention of deoxynivalenol (vomitoxin) in hard red spring wheat. (Cereal Chemistry). 1983; 60(6):421-424.

GRL No. 0517.

Sissons, M.J. and MacGregor, A.W. Hydrolysis of barley starch granules by _-glucosidases from malt. (Journal of Cereal Science). 1994; 19:161-169.

GRL No. 0709.

Smallman, B.N. Relation of insect damage to thiamine content of biscuits. (Journal of Economic Entomology). 1945; 38(1):106-110.

GRL No. 0076.

Smallman, B.N. and Aitken, T.R. Susceptibility of biscuits to insect damage. (Cereal Chemistry). 1944; 21(6):499-510.

GRL No. 0070.

Sparrow, D.H.B. and Meredith, W.O.S. Malt cytolytic activity of barleys of diverse origins and its relation to maltability. (Journal of the Institute of Brewing). 1969; 75(3):237-242.

GRL No. 0281.

Srivastava, B.I.S. The effect of gibberellic acid on ribonuclease and phytase activity of germinating barley seeds. (Canadian Journal of Botany). 1964; 42:1303-1305.

GRL No. 0235.

Srivastava, B.I.S. Effect of gibberellic acid on the phosphorus metabolism of germinating barley. (Journal of the Institute of Brewing). 1965; 71(1):21-25.

GRL No. 0226.

Srivastava, B.I.S. Effect of gibberellic acid on water-soluble macromolecular components of leaves from dwarf-1 mutant of corn (Zea mays L.). (Canadian Journal of Botany). 1964; 42:965-968.

GRL No. 0234.

Srivastava, B.I.S. Ether-soluble & ether-insoluble auxins from immature corn kernels. (Plant Physiology). 1963; 38(4):473-478.

GRL No. 0218.

Srivastava, B.I.S. Investigation of purine like compounds in immature maize kernels, germinating barley seeds, and yeast. (Archives of Biochemistry and Biophysics). 1963; 103(2):200-205.

GRL No. 0223.

Srivastava, B.I.S. Mechanism of action of gibberellic acid. The effect of gibberellic acid on nitrogen metabolism of germinating barley seeds. (Proceedings of the International Symposium "Physiology, Ecology, and Biochemistry of Germination", Germany). 1967; A VII(c 5):597-608.

GRL No. 0225.

Srivastava, B.I.S. and Meredith, W.O.S. The effect of gibberellic acid and N-ethylmaleimide on amylase activity, ascorbic acid, and glutathione in germinating barley seeds. (Canadian Journal of Botany). 1964; 42:507-513.

GRL No. 0230.

Srivastava, B.I.S. and Meredith, W.O.S. Growth regulators in barley. (Proceedings of the American Society of Brewing Chemists). 1962:112-118.

GRL No. 0217.

Srivastava, B.I.S. and Meredith, W.O.S. Mechanism of action of gibberellic acid. Inhibition of alpha-amylase development during germination of barley by chloramphenicol and its reversal by gibberellic acid. (Canadian Journal of Botany). 1962; 40:1257-1265.

GRL No. 0210.

Srivastava, B.I.S. and Meredith, W.O.S. The relation between alpha-amylase activity and nucleic acid content of barley grain. (Journal of the Institute of Brewing). 1966; 72:163-166.

GRL No. 0251.

Stenholm, K.; Home, S.; Pietila, K.; Macri, L.J., and MacGregor, A.W. Starch hydrolysis in mashing. (Proceedings of the 24th Convention of the Institute of Brewing (Asia Pacific Section), Singapore, March 17-22, 1996). 1996:142-145.

GRL No. M206.

Stevenson, S.G. Near-infrared research in Australia and New Zealand. (Near-Infrared Technology in the Agricultural and Food Industries). 1987:227-232.

C33.

Stevenson, S.G. and Preston, K.R. Effects of surfactants on wheat protein fractionation by flow field-flow fractionation. (Journal of Liquid Chromatography and Related Technologies). 1997; 20((16&17)):2835-2842.

GRL No. 0750.

Stevenson, S.G. and Preston, K.R. Flow field-flow fractionation of wheat proteins. (Journal of Cereal Science). 1996; 23:121-131.

GRL No. 0739.

Stevenson, S.G. and Preston, K.R. Intrinsic fluorescence and quenching studies of gluten proteins. (Cereal Chemistry). 1994; 71(2):155-159.

GRL No. 0699 .

Stevenson, S.G.; Ueno, T., and Preston, K.R. Automated frit inlet/frit outlet flow field-flow fractionation for protein characterization with emphasis on polymeric wheat proteins. (Analytical Chemistry). 1999; 71(1):8-14.

GRL No. 776.

Symons, S.J. and Dexter, J.E. Aleurone and pericarp fluorescence as estimators of mill stream refinement for various Canadian wheat classes. (Journal of Cereal Science). 1996; 23:73-83.

GRL No. 0734.

Symons, S.J. and Dexter, J.E. Computer analysis of fluorescence for the measurement of flour refinement as determined by flour ash content, flour grade color, and tristimulus color

measurements. (Cereal Chemistry). 1991; 68(5):454-460.
GRL No. 0663.

Symons, S.J. and Dexter, J.E. Estimation of milling efficiency: prediction of flour refinement by the measurement of pericarp fluorescence. (Cereal Chemistry). 1992; 69(2):137-141.
GRL No. 0667.

Symons, S.J. and Dexter, J.E. Relationship of flour aleurone fluorescence to flour refinement for some Canadian head common wheat classes. (Cereal Chemistry). 1993; 70(1):90-95.
GRL No. 0684.

Symons, S.J.; Dexter, J.E.; Matsuo, R.R., and Marchylo, B.A. Semolina speck counting using an automated imaging system. (Cereal Chemistry). 1996; 73(5):561-566.
GRL No. 0741.

Symons, S.J. and Fulcher, R.G. Determination of wheat kernel morphological variation by digital image analysis: I. Variation in eastern Canadian milling quality wheats. (Journal of Cereal Science). 1988; 8:211-218.
GRL No. 0616.

Symons, S.J. and Fulcher, R.G. Determination of wheat kernel morphological variation by digital image analysis: II. Variation in cultivars of soft white winter wheats. (Journal of Cereal Science). 1988; 8:219-229.
GRL No. 0617.

Tanaka, K. and Tipples, K.H. Relation between farinograph mixing curve and mixing requirements. (Cereal Science Today). 1969; 14(9):296-300, 310.
GRL No. M082.

Templin, P.R. Decomposition of potassium bromate in wheat-flour doughs. (M.Sc. Thesis, University of Manitoba). 1952.
GRL No. M015.

Thomas, P.L.; Cooke, L.A., and Clear, R.M. Quality loss in wheat caused by smut spores from yellow foxtail. (Canadian Journal of Plant Pathology). 1998; 20:111-114.
GRL No. 778.

Thompson, R.G. and LaBerge, D.E. Barley endosperm cell walls: a review of cell wall polysaccharides and cell wall-degrading enzymes. (Master Brewers' Association of the Americas Technical Quarterly). 1977; 14(4):238-243.
GRL No. M107.

Thompson, R.G. and LaBerge, D.E. Barley endosperm cell walls: morphological characteristics and chemical composition. (Master Brewers Association of America Technical Quarterly). 1981; 18(3):116-121.
GRL No. 0467.

Tipples, K.H. The baking test:fact or fiction. (Cereal Foods World). 1979; 24(1):15-18.
GRL No. M111.

Tipples, K.H. The baking test - ICC study group experiences. (Report of the Japan Institute of Baking). 1979(10):1-14.
GRL No. M117.

Tipples, K.H. Canada's grain quality monitoring program - the future. (Proceedings of the 7th World Cereal and Bread Congress, Prague). 1982:435-440.
GRL No. M123.

Tipples, K.H. Canadian wheat quality in a changing world market. (Cereal Foods World). 1976; 21(9):485-487.
GRL No. M102.

Tipples, K.H. Effect of immaturity on the milling and baking quality of red spring wheat. (Canadian Journal of Plant Science). 1980; 60:357-369.
GRL No. 0435.

Tipples, K.H. A note on sample size error in the falling number test. (Cereal Chemistry). 1971; 48:85-90.

GRL No. 0294.

Tipples, K.H. Physical and chemical properties of wheat as a basis for determination of end-use quality. (Proceedings of the ICC '89 Symposium June 13-15, Lahti, Finland). 1989(Chapter 1):25-37.

GRL No. M155.

Tipples, K.H. Production, grading, and handling of grains. (Cereal Foods World). 1979; 24(12):584-586.

GRL No. M115.

Tipples, K.H. Recent advances in baking technology. (Bakers Digest). 1967; 41(3):18-20, 24, 26-27, 75.

GRL No. M071.

Tipples, K.H. The relation of starch damage to the baking performance of flour. (Bakers Digest). 1969; 43(6):28-32, 44.

GRL No. M084.

Tipples, K.H. 'State of the art' in continuous mix breadmaking: recent developments and future trends. (Cereal Science Today). 1967; 12(9):352-354.

GRL No. M075.

Tipples, K.H. A viscometric method for measuring alpha-amylase activity in small samples of wheat and flour. (Cereal Chemistry). 1969; 46(6):589-598.

GRL No. 0284.

Tipples, K.H. and Blanchard, J.G. Cereals as food for man. (Proceedings of the 11th Congress of the International Association for Cereal Chemistry). 1984:7-12.

GRL No. M135.

Tipples, K.H.; Dubetz, S., and Irvine, G.N. Effects of high rates of nitrogen on Neepawa wheat grown under irrigation. II. Milling and baking quality. (Canadian Journal of Plant Science). 1977; 57:337-350.

GRL No. 0370.

Tipples, K.H. and Kilborn, R.H. "Baking strength index" and the relation of protein content to loaf volume. (Canadian Journal of Plant Science). 1974; 54:231-234.

GRL No. 0333.

Tipples, K.H. and Kilborn, R.H. Dough development for shorter breadmaking processes. (Bakers Digest). 1974; 48(5):34-39.

GRL No. M100.

Tipples, K.H. and Kilborn, R.H. Dough development studies and the phenomenon of unmixing. (Food Technology in Australia). 1979; 31(4):141-143.

GRL No. M108.

Tipples, K.H. and Kilborn, R.H. Effect of pin-milling on the baking quality of flour in various breadmaking methods. (Cereal Science Today). 1968; 13(9):331-336.

GRL No. M080.

Tipples, K.H. and Kilborn, R.H. Factors affecting mechanical dough development. V. Influence of rest period on mixing and "unmixing" characteristics of dough. (Cereal Chemistry). 1977; 54(1):92-109.

GRL No. 0361.

Tipples, K.H. and Kilborn, R.H. "Unmixing": the disorientation of developed bread doughs by slow speed mixing. (Cereal Chemistry). 1975; 52(2):248-262.

GRL No. 0340.

Tipples, K.H.; Kilborn, R.H., and Bushuk, W. Effect of malt and sprouted wheat. (Cereal Science Today). 1966; 11(9):362-375, 418.

GRL No. 0258.

Tipples, K.H.; Meredith, J.O., and Holas, J. Factors affecting farinograph and baking absorption. II. Relative influence of flour components. (Cereal Chemistry). 1978; 55(5):652-660.

GRL No. 0396.

Tipples, K.H.; Preston, K.R., and Kilborn, R.H. Implications of the term "strength" as related to wheat and flour quality. (Bakers Digest). 1982; 57(6):16-18,20.

GRL No. M124.

Tipples, K.H. and Tkachuk, R. Wheat beta-amylases. I. Isolation. (Cereal Chemistry). 1965; 42(2):111-124.

GRL No. 0243.

Tkachuk, R. Amino acid composition of wheat flours. (Cereal Chemistry). 1966; 43(2):207-223.

GRL No. 0252.

Tkachuk, R. Communication to the editor. Involvement of sulfhydryl peptides in the improver reaction. (Cereal Chemistry). 1969; 46:203-205.

GRL No. 0277.

Tkachuk, R. Competitive affinity chromatography of wheat alpha-amylase. (FEBS Letters). 1975; 52(1):66-68, 111.

GRL No. 0342.

Tkachuk, R. A continuous flow beta scintillation detector for aqueous solutions. (Canadian Journal of Chemistry). 1962; 40:2348-2356.

GRL No. 0213.

Tkachuk, R. L-cysteinylglycine: Its occurrence and identification. (Canadian Journal of Biochemistry). 1970; 48(9):1029-1036.

GRL No. 0290.

Tkachuk, R. Free amino acids in germinated wheat. (Journal of the Science of Food and Agriculture). 1979; 30:53-58.

GRL No. 0405.

Tkachuk, R. Iodoacetic acid as a flour-improving reagent. (Cereal Chemistry). 1972; 49:636-640.

GRL No. 0319.

Tkachuk, R. Low recovery of cystine from enzymic hydrolysates of wheat flour. (Canadian Journal of Biochemistry). 1964; 42:1509-1513.

GRL No. 0238.

Tkachuk, R. Nitrogen-to-protein conversion factors for cereals and oilseed meals. (Cereal Chemistry). 1969; 46(4):419-423.

GRL No. 0279.

Tkachuk, R. Note on the nitrogen-to-protein conversion factor for wheat flour. (Cereal Chemistry). 1966; 43(2):223-225.

GRL No. 0253.

Tkachuk, R. Oil and protein analysis of whole rapeseed kernels by near infrared reflectance spectroscopy. (Journal of the American Oil Chemists' Society). 1981; 58(8):819-822.

GRL No. 0468.

Tkachuk, R. Phosphorus residues in wheat due to phosphine fumigation. (Cereal Chemistry). 1972; 49(3):258-267.

GRL No. 0311.

Tkachuk, R. Protein analysis of whole wheat kernels by near infrared reflectance. (Cereal Foods World). 1981; 26(10):584-587.

GRL No. 0471.

Tkachuk, R.; Dexter, J.E., and Tipples, K.H. Removal of sprouted kernels from hard red spring wheat with a specific gravity table. (Cereal Chemistry). 1991; 68(4):390-395.

GRL No. 0661.

Tkachuk, R.; Dexter, J.E., and Tipples, K.H. Wheat fractionation on a specific gravity table. (Journal of Cereal Science). 1990; 11:213-223.

GRL No. 0644.

Tkachuk, R.; Dexter, J.E.; Tipples, K.H., and Nowicki, T.W. Removal by specific gravity table of Tombstone kernels and associated Trichothecenes from wheat infected with fusarium head blight. (Cereal Chemistry). 1991; 68(4):428-431.

GRL No. 0662.

Tkachuk, R. and Hlynka, I. Reactions of flour protein sulfhydryl with N-ethylmaleimide and iodate. (Cereal Chemistry). 1963; 40(6):704-716.

GRL No. 0228.

Tkachuk, R. and Hlynka, I. Some improving effects of halogenates and their reduction intermediates in dough. (Cereal Chemistry). 1961; 38(5):393-398.

GRL No. 0202.

Tkachuk, R. and Hlynka, I. Some properties of dough and gluten in d20. (Cereal Chemistry). 1968; 45(1):80-87.

GRL No. 0267.

Tkachuk, R. and Irvine, G.N. Amino acid compositions of cereals and oilseed meals. (Cereal Chemistry). 1969; 46(2):206-218.

GRL No. 0276.

Tkachuk, R. and Kruger, J.E. Wheat alpha-amylases. II. Physical characterization. (Cereal Chemistry). 1974; 51(4):508-529.

GRL No. 0337.

Tkachuk, R. and Kuzina, F.D. Chlorophyll analysis of whole rapeseed kernels by near infrared reflectance. (Canadian Journal of Plant Science). 1982; 62:875-884.

GRL No. 0503.

Tkachuk, R. and Kuzina, F.D. Mercury levels in wheat and other cereals, oilseed and biological samples. (Journal of the Science of Food and Agriculture). 1972; 23:1183-1195.

GRL No. 0318.

Tkachuk, R. and Kuzina, F.D. Natural mercury levels in wheat. (Canadian Journal of Plant Science). 1983; 63:1075-1081.

GRL No. 0519.

Tkachuk, R. and Kuzina, F.D. Rapeseed: relations between some physical and chemical properties. (Canadian Journal of Plant Science). 1976; 56:169-174.

GRL No. 0351.

Tkachuk, R. and Kuzina, F.D. Sulfur as a proposed near infrared reflectance standard. (Applied Optics). 1978; 17(17):2817-2820.

GRL No. 0393.

Tkachuk, R. and Kuzina, F.D. Wheat: Relations between some physical and chemical properties. (Canadian Journal of Plant Science). 1979; 59:15-20.

GRL No. 0406.

Tkachuk, R.; Kuzina, F.D., and Reichert, R.D. Analysis of protein in ground and whole field peas by near-infrared reflectance. (Cereal Chemistry). 1987; 64(6):418-422.

GRL No. 0598.

Tkachuk, R. and Law, D.P. Near infrared diffuse reflectance standards. (Cereal Chemistry). 1978; 55(6):981-995.

GRL No. 0402.

Tkachuk, R. and Mellish, V.J. Amino acid and proximate analyses of weed seeds. (Canadian Journal of Plant Science). 1977; 57:243-249.

GRL No. 0367.

Tkachuk, R. and Mellish, V.J. Gamma-L-glutamyl-L-cysteine:its isolation and identification from wheat germ. (Canadian Journal of Biochemistry). 1977; 55:295-300.
GRL No. 0368.

Tkachuk, R. and Mellish, V.J. Use of two-dimensional electrophoresis procedures to characterize wheat proteins. (Proceedings of the 3rd International Workshop on Gluten Proteins, Budapest, Hungary). 1987:111-124.
GRL No. 0600.

Tkachuk, R. and Mellish, V.J. Wheat cultivar identification by high voltage gel electrophoresis. (Annales De Technologies Agricole). 1980; 29(2):207-212.
GRL No. 0458.

Tkachuk, R.; Mellish, V.J.; Daun, J.K., and Macri, L.J. Determination of chlorophyll in ground rapeseed using a modified near-infrared reflectance spectrophotometer. (Journal of the American Oil Chemists' Society). 1988; 65(3):381-385.
GRL No. 0605.

Tkachuk, R. and Tipples, K.H. Wheat beta-amylases. II. Characterization. (Cereal Chemistry). 1966; 43(1):62-79.
GRL No. 0249.

Tsen, C.C. Ascorbic acid as a flour improver. (Bakers Digest). 1964; 38(5):44-47.
GRL No. M055.

Tsen, C.C. Changes in flour proteins during dough mixing. (Cereal Chemistry). 1967; 44(3):308-317.
GRL No. 0264.

Tsen, C.C. Comparative study on reactions of iodate, azodicarbonamide, and acetone peroxides in simple chemical systems and in dough. (Cereal Chemistry). 1964; 41(1):22-31.
GRL No. 0227.

Tsen, C.C. Effects of sulfhydryl-blocking agents and flour improvers on gassing power, yeast activity, and some flour enzyme systems. (Cereal Chemistry). 1966; 43(5):486-495.
GRL No. 0257.

Tsen, C.C. An improved spectrophotometric method for the determination of tocopherols using 4,7-diphenyl-1,10-phenanthroline. (Analytical Chemistry). 1961; 33(7):849-851.
GRL No. 0195.

Tsen, C.C. The improving mechanism of ascorbic acid. (Cereal Chemistry). 1965; 42(1):86-97.
GRL No. 0240.

Tsen, C.C. A note on effects of pH on sulfhydryl groups and rheological properties of dough and its implication with the sulfhydryl-disulfide interchange. (Cereal Chemistry). 1966; 43(4):456-460.
GRL No. 0256.

Tsen, C.C. The reaction mechanism of azodicarbonamide in dough. (Cereal Chemistry). 1963; 40(6):638-647.
GRL No. 0222.

Tsen, C.C. and Anderson, J.A. Determination of sulfhydryl and disulfide groups in flour and their relation to wheat quality. (Cereal Chemistry). 1963; 40(4):314-323.
GRL No. 0220.

Tsen, C.C. and Bushuk, W. Changes in sulfhydryl and disulfide contents of doughs during mixing under various conditions. (Cereal Chemistry). 1963; 40(4):399-408.
GRL No. 0221.

Tsen, C.C. and Bushuk, W. Reactive and total sulfhydryl and disulfide contents of flours of different mixing properties. (Cereal Chemistry). 1968; 45(1):58-62.
GRL No. 0268.

Tsen, C.C. and Dempster, C.J. Communication to the editor. Changes in sulfhydryl groups of flour during storage. (Cereal Chemistry). 1963; 40(5):586-589.

GRL No. M053.

Tsen, C.C. and Hlynka, I. Flour improvers: their effects, applications and chemical actions. (Bakers Digest). 1967:58-63.

GRL No. M072.

Tsen, C.C. and Hlynka, I. Flour lipids and oxidation of sulfhydryl groups in dough. (Cereal Chemistry). 1963; 40(2):145-153.

GRL No. 0214.

Tsen, C.C. and Hlynka, I. The role of lipids in oxydation of doughs. (Cereal Chemistry). 1962; 39(3):209-219.

GRL No. 0208.

Tsen, C.C.; Levi, I., and Hlynka, I. A rapid method for the extraction of lipids from wheat products. (Cereal Chemistry). 1962; 39(3):195-203.

GRL No. 0207.

Van Caeseele, L. and MacGregor, A.W. Alpha-amylase in seed hulls of developing Brassica Campestris. (Canadian Journal of Botany). 1988; 66:1461-1464.

GRL No. 0609.

Van Caeseele, L.; MacGregor, A.W., and Mills, J.T. Identification of starch in frost-damaged Brassica napus (canola) seeds. (American Journal of Botany). 1985; 72(5):728-732.

GRL No. 0546.

Voisey, P.W. and Kilborn, R.H. An electronic recording grain research laboratory mixer. (Cereal Chemistry). 1974; 51(5):841-848.

GRL No. 0330.

Warchalewski, J.R. and Tkachuk, R. Durum wheat alpha-amylases: Isolation and purification. (Cereal Chemistry). 1978; 55(2):146-156.

GRL No. 0383.

Ward, K.; Scarth, R.; Daun, J., and McVetty, P.B.E. Effect of genotype and environment on seed chlorophyll degradation during ripening in four cultivars of oilseed rape (Brassica napus). (Canadian Journal of Plant Science). 1992; 72:643-649.

GRL No. 0675.

Ward, K.; Scarth, R., and Daun, J.K. The Effect of freezing on the analysis of chlorophyll content of canola seed (Brassica napus L.). (Journal of the American Oil Chemists Society). 1992; 69 (10):1039-1040.

GRL No. 0680.

Ward, K.; Scarth, R.; Daun, J.K., and Vessey, J.K. Chlorophyll degradation in summer oilseed rape and summer turnip rape during seed ripening. (Canadian Journal of Plant Science). 1995; 75:413-420.

GRL No. 0725.

Ward, K.; Scarth, R.; Daun, J.K., and Thorsteinson, C.T. Characterization of chlorophyll pigments in ripening canola seed (Brassica napus). (Journal of the American Oil Chemists' Society). 1994; 71(12):1327-1331.

GRL No. 0724.

Ward, K.; Scarth, R.; Daun, J.K., and Thorsteinson, C.T. Effects of processing and storage on chlorophyll derivatives in commercially extracted canola oil. (Journal of the American Oil Chemists' Society). 1994; 71(8):811-815.

GRL No. 0710.

Watters, F.L. and Nowicki, T.W. Uptake of bromophos by stored rapeseed. (Journal of Economic Entomology). 1982; 75(2):261-264.

GRL No. 0462.

Watts, T.A. Properties of barley gums of reduced nitrogen content. (M.Sc. Thesis, University of Manitoba). 1952.

GRL No. M017.

Weslake, R.J.; MacGregor, A.W., and Hill, R.D. Effect of endogenous barley alpha-amylase inhibitor on hydrolysis of starch under various conditions. (Journal of Cereal Science). 1985; 3:249-259.

GRL No. 0558.

Weslake, R.J.; MacGregor, A.W., and Hill, R.D. An endogenous alpha-amylase inhibitor in barley kernels. (Plant Physiology). 1983; 72:809-812.

GRL No. 0514.

Weslake, R.J.; MacGregor, A.W., and Hill, R.D. Endogenous alpha-amylase inhibitor in various cereals. (Cereal Chemistry). 1985; 62(2):120-123.

GRL No. 0555.

Weslake, R.J.; MacGregor, A.W.; Hill, R.D., and Duckworth, H.W. Purification and characteristics of an endogenous alpha-amylase inhibitor from barley kernels. (Plant Physiology). 1983; 73:1008-1012.

GRL No. 0522.

White, N.D.G. and Nowicki, T.W. Effects of temperature and duration of storage on the degradation of malathion residues in dry rapeseed. (Journal of Stored Product Research). 1985; 21(3):111-114.

GRL No. 0556.

White, N.D.G. and Nowicki, T.W. Persistence of malathion and pirimiphos-methyl residues in two species of rapeseed stored at various moisture contents and temperatures. (Sciences Des Aliments). 1986; 6(2):273-286.

GRL No. 0581.

White, N.D.G.; Nowicki, T.W., and Watters, F.L. Comparison of fenitrothion and malathion for treatment of plywood and galvanized steel surfaces for control of the red flour beetle (coleoptera: tenebrionidae) and the rusty grain beetle (coleoptera: cucujidae). (Journal of Economic Entomology). 1983; 76(4):856-863.

GRL No. 0498.

Williams, P.; Patrick, S.; Pollhammer, J., and Clear, R. Near-infrared prediction of deoxynivalenol in wheat. (Proceedings of the 1996 Regional Fusarium/Scab Forum). 1996:9-11.

GRL No. M246.

Williams, P.; Tahir, M.; El-Haramein, and Sayegh, A. Utilization of Triticum dicoccoides in crosses for improving durum wheat quality. (Wheat Genetic Resources: Meeting Diverse Needs). 1990:327-332.

M221.

Williams, P.C. Application of near infrared reflectance spectroscopy to analysis of cereal grains and oilseeds. (Cereal Chemistry). 1975; 52(4):561-576.

GRL No. 0347.

Williams, P.C. Choosing grinders for sample analysis. (Milling Feed and Fertilizer). 1981; 164(2):30-31, 33.

GRL No. M122.

Williams, P.C. The economics of near infrared reflectance spectroscopy in testing grain for protein and moisture. (Advances in Automated Analysis, Technicon International Congress, 1976). 1977; 2:131-136.

GRL No. M110.

Williams, P.C. Errors in protein testing and their consequences. (Cereal Science Today). 1974; 19(7):280-282, 286.

GRL No. M097.

Williams, P.C. The influence of chromosome number and species on wheat hardness. (Cereal Chemistry). 1986; 63(1):56-58.

GRL No. 0563.

Williams, P.C. Large-scale Kjeldahl testing: Modernization of an ancient test. (Laboratory Practice). 1976; 25:224-226.

GRL No. M106.

Williams, P.C. Nature of mechanically damaged starch: its production in flour. Part I. (Northwestern Miller). 1969; 276(12):8-12.

GRL No. M085.

Williams, P.C. Nature of mechanically damaged starch: its production in flour. Part II. (Northwestern Miller). 1970; 277(1):50-53.

GRL No. M086.

Williams, P.C. New applications of near-infrared technology. (Proceedings of the ICC '89 Symposium, June 13-15, Lahti, Finland). 1989(Chapter 5):391-409.

GRL No. M159.

Williams, P.C. Particle size analysis of flour with the Coulter counter. (Cereal Science Today). 1970; 15(4):102-107.

GRL No. M090.

Williams, P.C. Prediction of wheat kernel texture in whole grains by near-infrared transmittance. (Cereal Chemistry). 1991; 68(1):112-114.

GRL No. 0656.

Williams, P.C. The Principles of grain handing and transportation. (Mycotoxins and Animal Foods). 1991; Section ii(Chapter 11):248-276.

C56.

Williams, P.C. Reasons underlying variations in the protein content of Australian wheat. (Cereal Science Today). 1966; 11(8):332-338.

GRL No. M060.

Williams, P.C. Receiving acid for large-scale macro-Kjeldahl distillations. (Laboratory Practice). 1973:38-39.

GRL No. M096.

Williams, P.C. The relationship of flour particle size and damaged starch content to the industrial usage of flour. (Proceedings of the 5th World Cereal and Bread Congress, GDR, 1970). 1971(6):67-73.

GRL No. 0298.

Williams, P.C. Samples, Sample Preparation, and Sample Selection. (Handbook of Near-Infrared Analysis). 1991:281-315.

GRL No. M180.

Williams, P.C. Screening wheat for protein and hardness by near infrared reflectance spectroscopy. (Cereal Chemistry). 1979; 56(3):169-172.

GRL No. 0413.

Williams, P.C. A study of grinders used for sample preparation in laboratory analysis of grains. (Cereal Foods World). 1984; 29(12):770-775.

GRL No. M139.

Williams, P.C. Technical aspects of instituting a protein grading system at a grain elevator, using near infrared reflectance spectroscopy (NIRS). (Advances in Automated Analysis, Technicon International Congress, 1976). 1977; 2:118-121.

GRL No. M109.

Williams, P.C. The use of titanium dioxide as a catalyst for large-scale Kjeldahl determination of the total nitrogen content of cereal grains. (Journal of the Science of Food and Agriculture). 1973; 24:343-348.

GRL No. 0325.

Williams, P.C. and Butler, C.D. Characterization of wheat flour proteins by differential solubility in

conjunction with disc electrophoresis. (Cereal Chemistry). 1970; 47:626-639.
GRL No. 0291.

Williams, P.C. and Butler, C.D. The influence of growing season on the determination of protein in hard red spring wheat by the biuret reaction. (Journal of the Science of Food and Agriculture). 1982; 33:614-616.
GRL No. 0489.

Williams, P.C. and Cordeiro, H.M. Determination of protein and moisture in hard red spring wheat by near-infrared reflectance spectroscopy. Influence of degrading factors, dockage, and wheat variety. (Cereal Foods World). 1981; 26(3):124-128.
GRL No. 0456.

Williams, P.C. and Cordeiro, H.M. Effect of calibration practice on correction of errors induced in near-infrared protein testing of hard red spring wheat by growing location and season. (Journal of Agriculture Science, Camb.). 1985; 104:113-123.
GRL No. 0560.

Williams, P.C. and El-Haramein, F.J. Burghul and its preparation. (Rachis). 1984; 3(2):28-30.
M222.

Williams, P.C. and El-Haramein, F.J. Prerequisites and evaluation technique for flat bread baking. (Proceedings of the 39th Australian Cereal Chemistry Conference, Perth, W A, 11th-14th Sept). 1989:90-95.
GRL No. M165.

Williams, P.C.; El-Haramein, F.J.; Nelson, W., and Srivastava, J.P. Evaluation of wheat quality for the baking of Syrian-type two-layered flat breads. (Journal of Cereal Science). 1988; 7:195-207.
GRL No. 0602.

Williams, P.C.; El-Haramein, F.J.; Ortiz-Fereira, G., and Srivastava, J.P. Preliminary observations on the determination of wheat strength by near-infrared reflectance. (Cereal Chemistry). 1988; 65(2):109-114.
GRL No. 0603.

Williams, P.C.; El-Haramein, F.J.; Sayegh, A.; Nachit, M., and Srivastava, J.P. Durum wheat utilization in West Asia/North Africa. (Proceedings of the ICC '89 Symposium, June 13-15, Lahti, Finland). 1989(Chapter 6):555-565.
GRL No. M158.

Williams, P.C. and Fegol, K.S.W. Colorimetric determination of damaged starch in flour. (Cereal Chemistry). 1969; 46(1):56-62.
GRL No. 0273.

Williams, P.C. and Hlynka, I. A note on the influence of high-vacuum drying on the starch of Canadian wheat flours. (Cereal Chemistry). 1968; 45(3):280-285.
GRL No. 0271.

Williams, P.C.; Kilborn, R.H.; Voisey, P.W., and Kloek, M. Measuring wheat hardness by revolutions per minute reduction. (Cereal Chemistry). 1987; 64(6):422-427.
GRL No. 0599.

Williams, P.C. and Krischenko, V.P. A comparative study of two computerized spectrophotometers for the near-infrared analysis of wheat for protein. (Applied Spectroscopy). 1986; 40(6):785-790.
GRL No. 0583.

Williams, P.C.; Kuzina, F.D., and Hlynka, I. A rapid colorimetric procedure for estimating the amylose content of starches and flours. (Cereal Chemistry). 1970; 47(4):411-420.
GRL No. 0288.

Williams, P.C. and LeSeelleur, G.C. Determination of damaged starch in flour. A comparative study of present-day procedures. (Cereal Science Today). 1970; 15(1):4-9, 19.
GRL No. M088.

Williams, P.C.; MacKenzie, S.L., and Starkey, P.M. Determination of methionine in peas by near-infrared reflectance spectroscopy (NIRS). (Journal of Agricultural and Food Chemistry). 1985; 33(5):811-815.

GRL No. 0561.

Williams, P.C. and McEachern, L.W. A note on the use of titanium oxide catalyst in an automated Kjeldahl- type instrument. (Laboratory Practice). 1981; 30(2):125.

GRL No. M120.

Williams, P.C. and Nakkoul, H. Quality screening and evaluation in pulse breeding. (Proceedings of the 39th Australian Cereal Chemistry Conference, Perth, W A, 11th-14th Sept). 1989:150-157.

GRL No. M164.

Williams, P.C.; Nakoul, H., and Singh, K.B. Relationship between cooking time and some physical characteristics in chickpeas (Cicer arietinum L.). (Journal of the Science of Food and Agriculture). 1983; 34:492-496.

GRL No. 0530.

Williams, P.C. and Norris, K.H. Effect of mutual interactions on the estimation of protein and moisture in wheat. (Cereal Chemistry). 1983; 60(3):202-207.

GRL No. 0509.

Williams, P.C.; Norris, K.H.; Gehrke, C.W., and Bernstein, K. Comparison of near-infrared methods for measuring protein and moisture in wheat. (Cereal Foods World). 1983; 28(2):149-152.

GRL No. 0505.

Williams, P.C.; Norris, K.H.; Johnsen, R.L.; Standing, K.; Fricioni, R.; MacAffrey, D., and Mercier, R. Comparison of physicochemical methods for measuring total nitrogen in wheat. (Cereal Foods World). 1978; 23(9):544-547.

GRL No. M112.

Williams, P.C.; Norris, K.H., and Sobering, D.C. Determination of protein and moisture in wheat and barley by near-infrared transmission. (Journal of Agricultural and Food Chemistry). 1985; 33(2):239-244.

GRL No. 0550.

Williams, P.C.; Norris, K.H., and Zarowski, W.S. Influence of temperature on estimation of protein and moisture in wheat by near-infrared reflectance. (Cereal Chemistry). 1982; 59(6):473-477.

GRL No. 0497.

Williams, P.C.; Preston, K.R.; Norris, K.H., and Starkey, P.M. Determination of amino acids in wheat and barley by near-infrared reflectance spectroscopy. (Journal of Food Science). 1984; 49(1):17-20.

GRL No. 0524.

Williams, P.C. and Sigurdson, J.T. Implications of moisture loss in grains incurred during sample preparation. (Cereal Chemistry). 1978; 55(2):214-229.

GRL No. 0385.

Williams, P.C. and Sobering, D.C. Attempts at standardization of hardness testing of wheat. I. The grinding/sieving (particle size index) method. (Cereal Foods World). 1986; 31(5):359, 362-364.

GRL No. 0578.

Williams, P.C. and Sobering, D.C. Attempts at standardization of hardness testing of wheat. II. The near-infrared reflectance method. (Cereal Foods World). 1986; 31(6):417-420.

GRL No. 0579.

Williams, P.C. and Sobering, D.C. Comparison of commercial near infrared transmittance and reflectance instruments for analysis of whole grains and seeds. (Journal of Near Infrared Spectroscopy). 1993; 1:25-32.

GRL No. 0693.

Williams, P.C. and Sobering, D.C. New applications of near-infrared technology. (Proceedings of the 39th Australian Cereal Chemistry Conference, Perth, W A, 11th-14th Sept). 1989:8-14.

GRL No. M163.

Williams, P.C. and Starkey, P.M. Influence of feed ingredients upon the prediction of protein in animal feed-mixes by near-infrared reflectance spectroscopy. (Journal of the Science of Food and Agriculture). 1980; 31:1201-1213.

GRL No. 0431.

Williams, P.C. and Starkey, P.M. Note- A modification of the crude fiber test for application to flour. (Cereal Chemistry). 1982; 59(4):318.

GRL No. 0488.

Williams, P.C. and Stevenson, S.G. Near-infrared reflectance analysis: food industry applications. (Trends in Food Science & Technology). 1990; 1(2):44-48.

GRL No. M169.

Williams, P.C.; Stevenson, S.G., and Irvine, G.N. Testing wheat for protein and moisture with the automated digital analyzer. (Cereal Chemistry). 1978; 55(3):263-279.

GRL No. 0386.

Williams, P.C.; Stevenson, S.G.; Starkey, P.M., and Hawtin, G.C. The application of near infrared reflectance spectroscopy to protein - testing in pulse breeding programmes. (Journal of the Science of Food and Agriculture). 1978; 29:285-292.

GRL No. 0378.

Williams, P.C. and Thompson, B.N. Influence of whole meal granularity on analysis of HRS wheat for protein and moisture by near infrared reflectance spectroscopy (NIRS). (Cereal Chemistry). 1978; 55(6):1014-1037.

GRL No. 0403.

Williams, P.C.; Thompson, B.N.; Wetzel, D.; McLay, G.W., and Loewen, D. Near-infrared instruments in flour mill quality control. (Cereal Foods World). 1981; 26(5):234-237.

GRL No. 0463.

Williams, P. Observations on the use, in prediction of functionality in cereals, of weights derived during development of partial least sqares regression. (Journal of Near Infrared Spectroscopy). 1996; 4:175-187.

GRL No. 0757.

Williams, P. Rapid instrumental methods for grain quality assessment. (Paper Presented at the ICC-SA Seminar. Midrand, South Africa). 1996.

M224.

Williams, P.; Sobering, D., and Antoniszyn, J. Protein testing methods. (Wheat Protein Production and Marketing). 1998:37-47.

GRL No. M240.

Winspear, M.J.; Preston, K.R.; Rastogi, V., and Oaks, A. Comparisons of peptide hydrolase activities in cereals. (Plant Physiology). 1984; 75:480-482.

GRL No. 0536.

Yamada, Y. and K.R. Preston. Sponge-and-dough bread: effects of oxidands on bread and oven rise properties of a Canadian Red Spring wheat patent flour. (Cereal Chemistry). 1994; 71(3):297-300.

GRL No. 0711.

Yamada, Y. and Preston, K.R. Effects of individual oxidants on oven rise and bread properties of Canadian short process bread. (Journal of Cereal Science). 1992; 15:237-251.

GRL No. 0576.

Yasunaga, T.; Bushuk, W., and Irvine, G.N. Effect of papain on amylograph viscosity of flour. (Cereal Chemistry). 1968; 45(3):260-268.

GRL No. 0269.

Yasunaga, T.; Bushuk, W., and Irvine, G.N. Gelatinization of starch during bread-baking. (Cereal Chemistry). 1968; 45(3):269-279.

GRL No. 0270.

Yin, X.S. and MacGregor, A.W. An approach to the identification of a beta-glucan solubilase from barley. (Journal of the Institute of Brewing). 1988; 95:327-330.

GRL No. 0610.

Yin, X.S. and MacGregor, A.W. Substrate specificity and nature of action of barley beta-glucan solubilase. (Journal of the Institute of Brewing). 1989; 95:105-109.

GRL No. 0620.

Yin, X.S.; MacGregor, A.W., and Clear, R.M. Field fungi and beta-glucan solubilase in barley kernels. (Journal of the Institute of Brewing). 1989; 95:195-198.

GRL No. 0621.

Young, J.C.; Fulcher, R.G.; Hayhoe, J.H.; Scott, P.M., and Dexter, J.E. Effect of milling and baking on deoxynivalenol (vomitoxin) content of eastern Canadian wheats. (Journal of Agricultural and Food Chemistry). 1984; 32(3):659-664.

GRL No. 0529.